

FRANKLIN ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
4A-235-B31 (32°,116HP)	X									
4A-235-B4 (26°,125HP)	X									
6A-350-C1 (28°,220HP)		X								
6A-350-C1 (28°,220HP)					X				KA12772	
6A-350-C1 (28°,220HP)					X					KA12769
6A-350-C1A (28°,220HP)		X								
6A-350-C1A (28°,220HP)					X				KA12772	
6A-350-C1A (28°,220HP)					X					KA12769
6A-350-C2 (28°,215HP)		X								
6A-350-C2 (28°,215HP)					X				KA12772	
6A-350-C2 (28°,215HP)					X					KA12769
6A-350-C2A (28°,212HP)		X								
6A-350-C2A (28°,212HP)					X				KA12772	
6A-350-C2A (28°,212HP)					X					KA12769
6A-350-D1 (28°,200HP)		X								
6A-350-D1 (28°,200HP)					X				KA12772	
6A-350-D1 (28°,200HP)					X					KA12769
6A-350-D1A (28°,230HP)		X								
6A-350-D1A (28°,230HP)					X				KA12772	
6A-350-D1A (28°,230HP)					X					KA12769
6A-350-D1B (28°,220HP)		X								
6A-350-D1B (28°,220HP)					X				KA12772	
6A-350-D1B (28°,220HP)					X					KA12769
6A4-150-B3 (28°,150HP)		X								
6A4-150-B3 (28°,150HP)					X					KA12769
6A4-150-B31(28°,150HP)					X					KA12769
6A4-150-B31(28°,150HP)					X				KA12772	
6A4-150-B31(28°,150HP)		X								
6A4-150-B4 (28°,150HP)					X				KA12772	
6A4-150-B4 (28°,150HP)					X					KA12769
6A4-150-B4 (28°,150HP)		X								
6A4-165-B3 (32°,165HP)					X				KA12772	
6A4-165-B3 (32°,165HP)					X					KA12769
6A4-165-B3 (32°,165HP)		X								
6A4-165-B4 (32°,165HP)					X				KA12772	
6A4-165-B4 (32°,165HP)					X					KA12769
6A4-165-B4 (32°,165HP)		X								
6A4-165-B6 (32°,165HP)					X				KA12772	

FRANKLIN ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
6A4-165-B6 (32°,165HP)					X					KA12769
6A4-165-B6 (32°,165HP)		X								
6AS-335-A (30°,260HP)					X					KA12769
6AS-335-B (30°,260HP)					X					KA12769
6AS-350-A (25°,250HP)					X					KA12769
6AS-350-A1 (25°,250HP)					X					KA12769
6V-335-A (32°,210HP)					X					KA12769
6V-335-A (36°,210HP)					X					KA12769
6V-335-B (32°,210HP)					X					KA12769
6V4-200-C32 (36°200HP)					X					KA12769
6V4-200-C33 (36°200HP)					X					KA12769
LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-320-D1B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D1B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D1B (25°,160HP)						X			KA12365	KA12235
AEIO-320-D2B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D2B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D2B (25°,160HP)						X			KA12365	KA12235
AEIO-320-E1A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E1A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E1B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E1B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1B (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E2A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E2B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2B (25°,150HP)						X			KA12365	KA12235
AEIO-360-A1A (20°,200HP)	X								KA14004	
AEIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1A (25°,200HP)	X								KA14004	
AEIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (20°,200HP)	X									
AEIO-360-A1B (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (25°,200HP)	X									
AEIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (20°,200HP)	X									
AEIO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (25°,200HP)	X									
AEIO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1C (20°,200HP)	X									KA12508
AEIO-360-A1C (25°,200HP)	X									KA12508
AEIO-360-A1D (20°,200HP)	X								KA14004	
AEIO-360-A1D (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1D (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (25°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1E6 (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E6 (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (20°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A2C (20°,200HP)	X									KA12508
AEIO-360-A2C (25°,200HP)	X									KA12508
AEIO-360-B1B (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1B (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1B (25°,180HP)						X			KA12365	KA12235
AEIO-360-B1D (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1F (25°,180HP)	X								KA14005	KA12508

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-B1F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1F6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1G6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1G6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1G6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F (25°,180HP)	X								KA14005	KA12508
AEIO-360-B2F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B2F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B4A (25°,180HP)	X								KA14004	KA12508
AEIO-360-B4A (25°,180HP)				X					KA12364	KA12360
AEIO-360-B4A (25°,180HP)							X		KA12365	KA12235
AEIO-360-H1A (25°,180HP)	X								KA14001	KA12508
AEIO-360-H1A (25°,180HP)				X					KA12364	KA12360
AEIO-360-H1A (25°,180HP)							X		KA12365	KA12235
AEIO-540-D4A5 (25°,260HP)		X							KA16014	
AEIO-540-D4A5 (25°,260HP)		X								
AEIO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4B5 (25°,260HP)		X							KA16014	
AEIO-540-D4B5 (25°,260HP)		X								
AEIO-540-D4B5 (25°,260HP)		X							KA16001	
AEIO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4C5 (25°,260HP)		X								
AEIO-540-D4D5 (25°,260HP)		X							KA16014	
AEIO-540-L1B5 (20°,300HP)		X							KA16001	
AIO-320-A1A (25°,160HP)							X			
AIO-320-A1B (25°,160HP)	X								KA14005	KA12508
AIO-320-A1B (25°,160HP)							X		KA12365	
AIO-320-A1B (25°,160HP)				X					KA12364	KA12360
AIO-320-A1B (25°,160HP)							X		KA12365	KA12235
AIO-320-A2A (25°,160HP)	X								KA14007	KA12508
AIO-320-A2B (25°,160HP)	X								KA14001	KA12508
AIO-320-A2B (25°,160HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AIO-320-A2B (25°,160HP)						X			KA12365	KA12235
AIO-320-B1B (25°,160HP)	X								KA14005	KA12508
AIO-320-B1B (25°,160HP)				X					KA12364	KA12360
AIO-320-B1B (25°,160HP)						X			KA12365	KA12235
AIO-320-C1B (25°,160HP)	X								KA14005	KA12508
AIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AIO-360-A1A (20°,200HP)	X									
AIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AIO-360-A1B (20°,200HP)				X					KA12364	KA12360
AIO-360-A1B (20°,200HP)	X									
AIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AIO-360-A2A (20°,200HP)	X									
AIO-360-A2A (25°,200HP)	X									
AIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (20°,200HP)						X				KA12235
AIO-360-B1B (20°,200HP)	X									
AIO-360-B1B (20°,200HP)						X			KA12365	
AIO-360-B1B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (25°,200HP)	X									
AIO-360-B1B (25°,200HP)						X				
GO-435-C2A (25°,260HP)					X				KA12474	
GO-435-C2A2 (25°,260HP)					X				KA12474	
GO-435-C2B (25°,260HP)					X				KA12474	
GO-435-C2B1 (25°,260HP)					X				KA12474	
GO-435-C2B2 (25°,260HP)					X				KA12474	
GO-480-B (25°,270HP)					X				KA12474	
GO-480-B1A6 (25°,270HP)					X				KA12474	
GO-480-B1C (25°,270HP)					X				KA12474	
GO-480-B1D (25°,270HP)					X				KA12474	

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
GO-480-C1D6 (25°,295HP)					X				KA12474	
GO-480-D1A (25°,275HP)					X				KA12854	
GO-480-G1A6 (25°,295HP)					X				KA12474	
GO-480-G1B6 (25°,295HP)					X				KA12854	
GO-480-G1D6 (25°,295HP)					X				KA12474	
GO-480-G1D6 (25°,295HP)							X			
GO-480-G1J6 (25°,295HP)					X					
GO-480-G1J6 (25°,295HP)							X		KA12742	
GSO-480-B1B3 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)							X		KA12745	
HIO-360-A1A (25°,180HP)				X						
HIO-360-B1A (25°,180HP)				X						
HIO-360-C1A (25°,205HP)				X						
HIO-360-C1B (25°,205HP)						X			KA12411	
HIO-360-D1A (25°,205HP)	X								KA14007	
HIO-360-D1A (25°,205HP)						X				
HIO-360-E1AD (20°,190HP)								X		*
HIO-360-E1BD (20°,190HP)								X		*
HIO-360-F1AD (20°,190HP)								X		*
HO-360-A1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1B (25°,180HP)				X					KA12364	KA12360
HO-360-C1A (25°,180HP)				X					KA12364	KA12360
IGSO-480-A1A6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 1/2 (25°,340HP)							X			
IGSO-480-A1A6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 13/16 (25°,340HP)							X			
IGSO-480-A1B6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 1/2 (25°,340HP)							X			
IGSO-480-A1B6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 13/16 (25°,340HP)							X			
IGSO-480-A1E6 - 1/2 (25°,340HP)					X				KA12244	KA12247

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IGSO-480-A1E6 - 1/2 (25°,340HP)							X			
IGSO-480-A1E6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1E6 - 13/16							X			
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)							X		KA12259	
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)							X		KA12259	
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)							X		KA12259	
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)							X		KA12259	
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)							X		KA12259	
IO-320-A1A (25°,150HP)	X								KA14000	KA12508
IO-320-A2A (25°,150HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)				X					KA12364	KA12360
IO-320-B1A (25°,160HP)						X			KA12365	KA12235
IO-320-B1B (25°,160HP)	X								KA14001	KA12508
IO-320-B1B (25°,160HP)				X					KA12364	KA12360
IO-320-B1B (25°,160HP)						X			KA12365	KA12235
IO-320-B1C (25°,160HP)	X								KA14004	KA12508
IO-320-B1C (25°,160HP)				X					KA12364	KA12360
IO-320-B1C (25°,160HP)						X			KA12365	KA12235
IO-320-B1D (25°,160HP)	X								KA14007	KA12508
IO-320-B1D (25°,160HP)				X					KA12364	KA12360
IO-320-B1D (25°,160HP)						X			KA12365	KA12235
IO-320-B2A (25°,160HP)	X								KA14004	KA12508
IO-320-B2A (25°,160HP)				X					KA12364	KA12360
IO-320-B2A (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 1/2 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 1/2 (25°,160HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-320-C1A - 1/2 (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 13/16 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 13/16 (25°,160HP)				X					KA12364	KA12360
IO-320-C1A - 13/16 (25°,160HP)						X			KA12365	KA12235
IO-320-D1A (25°,160HP)	X								KA14005	KA12508
IO-320-D1A (25°,160HP)				X					KA12364	KA12360
IO-320-D1A (25°,160HP)						X			KA12365	KA12235
IO-320-D1B (25°,160HP)	X								KA14005	KA12508
IO-320-D1B (25°,160HP)				X					KA12364	KA12360
IO-320-D1B (25°,160HP)						X			KA12365	KA12235
IO-320-E1A (25°,150HP)	X								KA14004	KA12508
IO-320-E1A (25°,150HP)				X					KA12364	KA12360
IO-320-E1A (25°,150HP)						X			KA12365	KA12235
IO-320-E1B (25°,150HP)	X								KA14001	KA12508
IO-320-E1B (25°,150HP)				X					KA12364	KA12360
IO-320-E1B (25°,150HP)						X			KA12365	KA12235
IO-320-E2A (25°,150HP)	X								KA14004	KA12508
IO-320-E2A (25°,150HP)				X					KA12364	KA12360
IO-320-E2A (25°,150HP)						X			KA12365	KA12235
IO-320-E2B (25°,150HP)	X								KA14001	KA12508
IO-320-E2B (25°,150HP)				X					KA12364	KA12360
IO-320-E2B (25°,150HP)						X			KA12365	KA12235
IO-320-F1A (25°,160HP)	X								KA14000	KA12508
IO-320-F1A (25°,160HP)				X					KA12364	KA12360
IO-320-F1A (25°,160HP)						X			KA12365	KA12235
IO-360-A1A (20°,200HP)	X								KA14004	KA12508
IO-360-A1A (20°,200HP)				X					KA12402	KA12360
IO-360-A1A (20°,200HP)						X			KA12365	KA12235
IO-360-A1A (25°,200HP)	X								KA14004	KA12508
IO-360-A1A (25°,200HP)				X					KA12402	KA12360
IO-360-A1A (25°,200HP)						X			KA12365	KA12235
IO-360-A1B (20°,200HP)	X									KA12508
IO-360-A1B (20°,200HP)	X								KA14004	KA12508
IO-360-A1B (20°,200HP)	X								KA14006	KA12508
IO-360-A1B (20°,200HP)	X								KA14007	KA12508
IO-360-A1B (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A1B (20°,200HP)						X			KA12365	KA12235
IO-360-A1B (25°,200HP)	X									KA12508
IO-360-A1B (25°,200HP)	X								KA14004	KA12508
IO-360-A1B (25°,200HP)	X								KA14006	KA12508
IO-360-A1B (25°,200HP)	X								KA14007	KA12508
IO-360-A1B (25°,200HP)				X					KA12364	KA12360
IO-360-A1B (25°,200HP)						X			KA12365	KA12235
IO-360-A1B6 (20°,200HP)	X									KA12508
IO-360-A1B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (20°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (20°,200HP)						X				
IO-360-A1B6 (25°,200HP)	X									KA12508
IO-360-A1B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (25°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (25°,200HP)						X				
IO-360-A1B6D (25°,200HP)								X		*
IO-360-A1C (20°,200HP)	X									KA12508
IO-360-A1C (20°,200HP)				X					KA12364	KA12360
IO-360-A1C (20°,200HP)						X			KA12365	KA12235
IO-360-A1C (25°,200HP)	X									KA12508
IO-360-A1C (25°,200HP)				X					KA12364	KA12360
IO-360-A1C (25°,200HP)						X			KA12365	KA12235
IO-360-A1D (20°,200HP)	X								KA14006	KA12508
IO-360-A1D (20°,200HP)	X								KA14004	KA12508
IO-360-A1D (20°,200HP)				X					KA12364	KA12360
IO-360-A1D (20°,200HP)						X				KA12235
IO-360-A1D (25°,200HP)	X								KA14006	KA12508
IO-360-A1D (25°,200HP)	X								KA14004	KA12508
IO-360-A1D (25°,200HP)				X					KA12364	KA12360
IO-360-A1D (25°,200HP)						X				KA12235
IO-360-A1D6 (20°,200HP)	X									KA12508
IO-360-A1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1D6 (20°,200HP)						X				KA12235
IO-360-A1D6 (25°,200HP)	X									KA12508
IO-360-A2A (20°,200HP)	X								KA14004	KA12508
IO-360-A2A (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A2A (20°,200HP)						X			KA12365	KA12235
IO-360-A2A (25°,200HP)	X								KA14004	KA12508
IO-360-A2A (25°,200HP)				X					KA12364	KA12360
IO-360-A2A (25°,200HP)						X			KA12365	KA12235
IO-360-A2B (20°,200HP)	X								KA14006	
IO-360-A2B (20°,200HP)	X								KA14007	
IO-360-A2B (20°,200HP)	X									
IO-360-A2B (20°,200HP)				X					KA12364	KA12360
IO-360-A2B (20°,200HP)						X			KA12365	KA12235
IO-360-A2B (25°,200HP)	X								KA14006	
IO-360-A2B (25°,200HP)	X								KA14007	
IO-360-A2B (25°,200HP)	X									
IO-360-A2B (25°,200HP)				X					KA12364	KA12360
IO-360-A2B (25°,200HP)						X			KA12365	KA12235
IO-360-A2C (20°,200HP)	X									KA12508
IO-360-A2C (20°,200HP)				X					KA12364	KA12360
IO-360-A2C (20°,200HP)						X			KA12365	KA12235
IO-360-A2C (25°,200HP)	X									KA12508
IO-360-A2C (25°,200HP)				X					KA12364	KA12360
IO-360-A2C (25°,200HP)						X			KA12365	KA12235
IO-360-A3B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A3B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A3B6D (25°,200HP)								*10-821414-8 OVERHAULED	X	*
IO-360-B1A (25°,180HP)				X					KA12364	KA12360
IO-360-B1A (25°,180HP)						X			KA12365	KA12235
IO-360-B1B (25°,180HP)	X								KA14004	KA12508
IO-360-B1B (25°,180HP)				X					KA12364	KA12360
IO-360-B1B (25°,180HP)						X			KA12365	KA12235
IO-360-B1C (25°,177HP)				X					KA12364	KA12360
IO-360-B1C (25°,177HP)						X			KA12365	KA12235
IO-360-B1D (25°,180HP)	X								KA14004	KA12508
IO-360-B1D (25°,180HP)				X					KA12364	KA12360
IO-360-B1D (25°,180HP)						X			KA12365	KA12235
IO-360-B1E (25°,180HP)	X								KA14006	KA12508
IO-360-B1E (25°,180HP)				X					KA12364	KA12360
IO-360-B1E (25°,180HP)						X			KA12365	KA12235
IO-360-B1F (25°,180HP)	X								KA14005	KA12508
IO-360-B1F (25°,180HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-B1F (25°,180HP)						X			KA12365	KA12235
IO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
IO-360-B2E-nd (25°,180HP)	X								KA14006	KA12508
IO-360-B2E-nd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-nd (25°,180HP)						X			KA12365	KA12235
IO-360-B2E-wd (25°,180HP)	X								KA14005	
IO-360-B2E-wd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-wd (25°,180HP)						X			KA12365	KA12235
IO-360-B2F (25°,180HP)	X								KA14005	KA12508
IO-360-B2F (25°,180HP)				X					KA12364	KA12360
IO-360-B2F (25°,180HP)						X			KA12365	KA12235
IO-360-B2F6 (25°,180HP)	X								KA14005	KA12508
IO-360-B2F6 (25°,180HP)				X					KA12364	KA12360
IO-360-B2F6 (25°,180HP)						X			KA12365	KA12235
IO-360-B4A (25°,180HP)	X								KA14006	
IO-360-B4A (25°,180HP)	X								KA14004	KA12508
IO-360-B4A (25°,180HP)				X					KA12364	KA12360
IO-360-B4A (25°,180HP)						X			KA12365	KA12235
IO-360-C1A (20°,200HP)	X								KA14004	KA12508
IO-360-C1A (20°,200HP)				X					KA12364	KA12360
IO-360-C1A (20°,200HP)						X			KA12365	KA12235
IO-360-C1A (25°,200HP)	X								KA14004	KA12508
IO-360-C1A (25°,200HP)				X					KA12364	KA12360
IO-360-C1A (25°,200HP)						X			KA12365	KA12235
IO-360-C1B (20°,200HP)	X									KA12508
IO-360-C1B (20°,200HP)				X					KA12364	KA12360
IO-360-C1B (20°,200HP)						X			KA12365	KA12616
IO-360-C1B (25°,200HP)	X									KA12508
IO-360-C1B (25°,200HP)				X					KA12364	KA12360
IO-360-C1B (25°,200HP)						X			KA12365	KA12616
IO-360-C1C (20°,200HP)	X								KA14027	
IO-360-C1C (20°,200HP)	X									
IO-360-C1C (20°,200HP)				X						
IO-360-C1C (20°,200HP)						X			KA12423	KA12616
IO-360-C1C (25°,200HP)	X								KA14027	
IO-360-C1C (25°,200HP)	X								KA14007	
IO-360-C1C (25°,200HP)	X									
IO-360-C1C (25°,200HP)				X						

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-C1C (25°,200HP)						X			KA12423	KA12616
IO-360-C1C6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (20°,200HP)						X			KA12423	
IO-360-C1C6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (25°,200HP)						X			KA12423	
IO-360-C1D6 (20°,200HP)	X									KA12508
IO-360-C1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (20°,200HP)						X			KA12365	KA12235
IO-360-C1D6 (25°,200HP)	X									KA12508
IO-360-C1D6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (25°,200HP)						X			KA12365	KA12235
IO-360-C1E6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (20°,200HP)				X						
IO-360-C1E6 (20°,200HP)						X			KA12423	KA12616
IO-360-C1E6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (25°,200HP)				X						
IO-360-C1E6 (25°,200HP)						X			KA12423	KA12616
IO-360-C1F (20°,200HP)	X								KA14007	KA12508
IO-360-C1F (20°,200HP)				X						
IO-360-C1F (20°,200HP)						X			KA12423	KA12616
IO-360-C1F (25°,200HP)	X								KA14007	KA12508
IO-360-C1F (25°,200HP)				X						
IO-360-C1F (25°,200HP)						X			KA12423	KA12616
IO-360-D1A (20°,200HP)	X								KA14007	KA12508
IO-360-D1A (20°,200HP)				X					KA12364	KA12360
IO-360-D1A (20°,200HP)						X			KA12365	KA12616
IO-360-D1A (25°,200HP)	X								KA14007	KA12508
IO-360-D1A (25°,200HP)				X					KA12364	KA12360
IO-360-D1A (25°,200HP)						X			KA12365	KA12616
IO-360-E1A (25°,180HP)	X									KA12508
IO-360-E1A (25°,180HP)				X					KA12364	KA12360
IO-360-E1A (25°,180HP)						X			KA12365	KA12235
IO-360-F1A (25°,180HP)	X								KA14006	KA12508
IO-360-F1A (25°,180HP)				X					KA12364	KA12360
IO-360-F1A (25°,180HP)						X			KA12365	KA12235
IO-360-J1A6D (20°,200HP)								*10-821414-6 OVERHAULED	X	*

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-J1A6D (25°,200HP)								X		*
	*10-821414-6 OVERHAULED									
IO-360-J1AD (20°,200HP)	X									KA12508
IO-360-J1AD (25°,200HP)	X									KA12508
IO-360-K2A (20°,200HP)	X								KA14004	KA12508
IO-360-K2A (20°,200HP)				X					KA12364	KA12360
IO-360-K2A (20°,200HP)						X			KA12365	KA12235
IO-360-K2A (25°,200HP)	X								KA14004	KA12508
IO-360-K2A (25°,200HP)				X					KA12364	KA12360
IO-360-K2A (25°,200HP)						X			KA12365	KA12235
IO-360-L2A (25°,160HP)	X								KA14005	KA12508
IO-360-L2A (25°,180HP)	X								KA14005	KA12508
IO-540-A1A5 (20°,290HP)		X								
IO-540-A1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-A1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-AA1A5 (20°,270HP)		X							KA16014	
IO-540-AA1A5 (20°,270HP)					X				KA12121	KA12120
IO-540-AA1A5 (20°,270HP)							X		KA12154	KA12157
IO-540-AA1B5 (20°,270HP)		X							KA16014	
IO-540-AB1A5 (23°,230HP)		X							KA16014	
IO-540-AC1A5 (20°,300HP)		X								
IO-540-B1A5 (20°,290HP)		X								
IO-540-B1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-B1B5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1C5 (20°,290HP)							X		KA12154	KA12157
IO-540-C1B5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1B5 (25°,250HP)		X							KA16014	
IO-540-C1B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C1C5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1C5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1C5 (25°,250HP)							X		KA12154	KA12157
IO-540-C2C (25°,250HP)		X							KA16002	KA12896
IO-540-C2C (25°,250HP)					X				KA12121	KA12120
IO-540-C2C (25°,250HP)							X		KA12154	KA12157
IO-540-C4B5 (25°,250HP)		X							KA16002	KA12896

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-C4B5 (25°,250HP)		X							KA16014	
IO-540-C4B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C4B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C4C5 (25°,250HP)		X							KA16014	
IO-540-C4D5 (25°,250HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4B5 (25°,260HP)		X								
IO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4C5 (25°,260HP)		X								
IO-540-D4C5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4C5 (25°,260HP)							X		KA12154	KA12157
IO-540-E1A5 (20°,290HP)		X							KA16014	
IO-540-E1A5 (20°,290HP)		X								KA12896
IO-540-E1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1B5 (20°,290HP)		X								KA12896
IO-540-E1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1C5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1A5 (20°,290HP)							X			
IO-540-G1B5 (20°,290HP)		X								
IO-540-G1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1B5 (20°,290HP)							X			
IO-540-G1C5 (20°,290HP)		X								
IO-540-G1C5 (20°,290HP)							X			
IO-540-G1D5 (20°,290HP)		X								
IO-540-G1D5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1D5 (20°,290HP)							X			KA12157
IO-540-G1D5 (20°,290HP)							X		KA12154	
IO-540-G1E5 (20°,290HP)		X								
IO-540-G1E5 (20°,290HP)		X								

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-G1E5 (20°,290HP)					X					KA12120
IO-540-G1E5 (20°,290HP)							X			KA12157
IO-540-G1E5 (20°,290HP)							X		KA12154	
IO-540-G1F5 (20°,290HP)		X								
IO-540-G1F5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1F5 (20°,290HP)							X			KA12157
IO-540-G1F5 (20°,290HP)							X		KA12154	
IO-540-J4A5 (25°,250HP)		X								
IO-540-J4A5 (25°,250HP)					X				KA12121	KA12120
IO-540-J4A5 (25°,250HP)							X			KA12157
IO-540-J4A5 (25°,250HP)							X		KA12154	
IO-540-K1A5 (20°,300HP)		X								
IO-540-K1A5 (20°,300HP)		X							KA16001	
IO-540-K1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1A5 (20°,300HP)							X			KA12157
IO-540-K1A5 (20°,300HP)							X		KA12154	
IO-540-K1A5D (20°,300HP)										KA12919
IO-540-K1B5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)							X			KA12157
IO-540-K1B5 (20°,300HP)							X		KA12154	
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1C5 (20°,300HP)							X			KA12157
IO-540-K1C5 (20°,300HP)							X		KA12154	
IO-540-K1D5 (20°,300HP)		X								KA12896
IO-540-K1D5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1D5 (20°,300HP)							X		KA12154	KA12157
IO-540-K1E5 (20°,300HP)		X								
IO-540-K1E5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1E5 (20°,300HP)							X			KA12157
IO-540-K1E5 (20°,300HP)							X		KA12154	
IO-540-K1F5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1F5 (20°,300HP)		X								
IO-540-K1F5 (20°,300HP)							X			KA12157
IO-540-K1F5 (20°,300HP)							X		KA12154	

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-K1F5D (20°,300HP)								X		*
IO-540-K1G5 (20°,300HP)		X							KA16001	
IO-540-K1G5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1G5 (20°,300HP)							X			KA12157
IO-540-K1G5 (20°,300HP)							X		KA12154	
IO-540-K1G5D (20°,300HP)								X		*
IO-540-K1H5 (20°,300HP)		X							KA16001	
IO-540-K1H5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1H5 (20°,300HP)							X			KA12157
IO-540-K1H5 (20°,300HP)							X		KA12154	
IO-540-K1J5 (20°,300HP)		X								
IO-540-K1J5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1J5 (20°,300HP)							X			KA12157
IO-540-K1J5 (20°,300HP)							X		KA12154	
IO-540-K1K5 (20°,300HP)		X							KA16001	
IO-540-K1K5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1K5 (20°,300HP)							X			KA12157
IO-540-K1K5 (20°,300HP)							X		KA12154	
IO-540-K2A5 (20°,300HP)		X								
IO-540-K2A5 (20°,300HP)							X			
IO-540-L1A5 (20°,300HP)		X								
IO-540-L1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1A5 (20°,300HP)							X			KA12157
IO-540-L1A5 (20°,300HP)							X		KA12154	
IO-540-L1C5 (20°,300HP)		X							KA16001	
IO-540-L1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1C5 (20°,300HP)							X			KA12157
IO-540-L1C5 (20°,300HP)							X		KA12154	
IO-540-M1A5 (20°,300HP)		X								
IO-540-M1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-M1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-M1C5 (20°,300HP)		X								
IO-540-N1A5 (25°,260HP)		X							KA16002	
IO-540-N1A5 (25°,260HP)		X								
IO-540-N1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)		X							KA16002	
IO-540-P1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)							X		KA12154	KA12157

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-R1A5 (25°,260HP)		X							KA16002	
IO-540-R1A5 (25°,260HP)		X								
IO-540-R1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-R1A5 (25°,260HP)							X		KA12154	KA12157
IO-540-S1A5 (20°,300HP)		X								
IO-540-S1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-S1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-T4A5D (25°,260HP)					*10-821614-6 OVERHAULED			X		*
IO-540-T4B5 (25°,260HP)		X								
IO-540-T4B5D (25°,260HP)										KA12919
IO-540-W1A5 (23°,235HP)		X							KA16002	KA12896
IO-540-W1A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
IO-540-W3A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
IVO-360-A1A (25°,180HP)				X					KA12364	KA14033
LIO-320-B1A (25°,160HP)	X								KA14000	KA12508
LIO-320-B1A (25°,160HP)				X					KA12112	KA12360
LIO-320-B1A (25°,160HP)						X			KA12365	KA12235
LIO-320-C1A (25°,160HP)	X								KA14000	KA12508
LIO-320-C1A (25°,160HP)				X					KA12112	KA12360
LIO-320-C1A (25°,160HP)						X			KA12365	KA12235
LIO-360-C1E6 (20°,200HP)		X							KA14027	
LIO-360-C1E6 (20°,200HP)				X						
LIO-360-C1E6 (20°,200HP)						X			KA12423	KA12616
LIO-360-C1E6 (25°,200HP)		X							KA14027	
LIO-360-C1E6 (25°,200HP)				X						
LIO-360-C1E6 (25°,200HP)						X			KA12423	KA12616
LO-360-A1G6D (25°,180HP)										KA12915
LO-360-E1A6D (25°,180HP)										KA12917
LTIO-540-F2BD (20°,325HP)										KA12918
LTIO-540-J2B (20°,350HP)		X								
LTIO-540-J2BD (20°,350HP)										KA12918
LTIO-540-N2BD (20°,350HP)										KA12918
LTIO-540-R2AD (20°,350HP)										KA12918
LTIO-540-V2AD (20°,350HP)										KA12995
O-235-C1 (25°,115HP)	X								KA14004	KA12508
O-235-C1 (25°,115HP)				X					KA12364	KA12360
O-235-C1 (25°,115HP)						X			KA12365	KA12235
O-235-C1B (25°,115HP)	X								KA14004	KA12508

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-C1B (25°,115HP)				X					KA12364	KA12360
O-235-C1B (25°,115HP)							X		KA12365	KA12235
O-235-C1C (25°,115HP)	X								KA14001	KA12508
O-235-C1C (25°,115HP)				X					KA12364	KA12360
O-235-C1C (25°,115HP)						X			KA12365	KA12235
O-235-C2A (25°,115HP)	X								KA14004	KA12508
O-235-C2A (25°,115HP)				X					KA12364	KA12360
O-235-C2A (25°,115HP)						X			KA12365	KA12235
O-235-C2B (25°,115HP)	X								KA14005	KA12508
O-235-C2B (25°,115HP)				X					KA12364	KA12360
O-235-C2B (25°,115HP)						X			KA12365	KA12235
O-235-C2C (25°,115HP)	X								KA14001	KA12508
O-235-C2C (25°,115HP)				X					KA12364	KA12360
O-235-C2C (25°,115HP)						X			KA12365	KA12235
O-235-E1 (25°,115HP)	X								KA14001	KA12508
O-235-E1 (25°,115HP)				X					KA12364	KA12360
O-235-E1 (25°,115HP)						X			KA12365	KA12235
O-235-E2A (25°,115HP)	X								KA14004	KA12508
O-235-E2A (25°,115HP)				X					KA12364	KA12360
O-235-E2A (25°,115HP)						X			KA12365	KA12235
O-235-E2B (25°,115HP)	X								KA14001	KA12508
O-235-E2B (25°,115HP)				X					KA12364	KA12360
O-235-E2B (25°,115HP)						X			KA12365	KA12235
O-235-F1 (25°,125HP)	X								KA14001	KA12508
O-235-F1 (25°,125HP)				X					KA12364	KA12360
O-235-F1 (25°,125HP)						X			KA12365	KA12235
O-235-F1B (25°,125HP)	X								KA14004	KA12508
O-235-F1B (25°,125HP)				X					KA12364	KA12360
O-235-F1B (25°,125HP)						X			KA12365	KA12235
O-235-F2A (25°,125HP)	X								KA14004	KA12508
O-235-F2A (25°,125HP)				X					KA12364	KA12360
O-235-F2A (25°,125HP)						X			KA12365	KA12235
O-235-F2B (25°,125HP)	X								KA14005	KA12508
O-235-F2B (25°,125HP)				X					KA12364	KA12360
O-235-F2B (25°,125HP)						X			KA12365	KA12235
O-235-G1 (25°,125HP)	X								KA14004	KA12508
O-235-G1 (25°,125HP)				X					KA12364	KA12360
O-235-G1 (25°,125HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-G2A (25°, 125HP)	X								KA14004	KA12508
O-235-G2A (25°, 125HP)				X					KA12364	KA12360
O-235-G2A (25°, 125HP)						X			KA12365	KA12235
O-235-G2B (25°, 125HP)	X								KA14001	KA12508
O-235-G2B (25°, 125HP)				X					KA12364	KA12360
O-235-G2B (25°, 125HP)						X			KA12365	KA12235
O-235-H2C (25°, 115HP)	X								KA14001	KA12508
O-235-H2C (25°, 115HP)				X					KA12364	KA12360
O-235-H2C (25°, 115HP)						X			KA12365	KA12235
O-235-J2A (25°, 125HP)	X								KA14004	KA12508
O-235-J2A (25°, 125HP)				X					KA12364	KA12360
O-235-J2A (25°, 125HP)						X			KA12365	KA12235
O-235-J2B (25°, 125HP)	X								KA14001	KA12508
O-235-J2B (25°, 125HP)				X					KA12364	KA12360
O-235-J2B (25°, 125HP)						X			KA12365	KA12235
O-235-K2A (20°, 118HP)	X								KA14004	KA12508
O-235-K2A (20°, 118HP)				X					KA12364	KA12360
O-235-K2A (20°, 118HP)						X			KA12365	KA12235
O-235-K2B (20°, 118HP)	X								KA14005	KA12508
O-235-K2B (20°, 118HP)				X					KA12364	KA12360
O-235-K2B (20°, 118HP)						X			KA12365	KA12235
O-235-K2C (20°, 118HP)	X								KA14001	KA12508
O-235-K2C (20°, 118HP)				X					KA12364	KA12360
O-235-K2C (20°, 118HP)						X			KA12365	KA12235
O-235-L2A (20°, 118HP)	X								KA14004	KA12508
O-235-L2A (20°, 118HP)				X					KA12364	KA12360
O-235-L2A (20°, 118HP)						X			KA12365	KA12235
O-235-L2C (20°, 118HP)	X								KA14001	KA12508
O-235-L2C (20°, 118HP)				X					KA12364	KA12360
O-235-L2C (20°, 118HP)						X			KA12365	KA12235
O-235-M1 (20°, 118HP)	X								KA14004	KA12508
O-235-M1 (20°, 118HP)				X					KA12364	KA12360
O-235-M1 (20°, 118HP)						X			KA12365	KA12235
O-235-M2C (20°, 118HP)	X								KA14001	KA12508
O-235-M2C (20°, 118HP)				X					KA12364	KA12360
O-235-M2C (20°, 118HP)						X			KA12365	KA12235
O-235-N2A (20°, 116HP)	X								KA14004	KA12508
O-235-N2A (20°, 116HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-N2A (20°,116HP)						X			KA12365	KA12235
O-235-N2C (20°,116HP)	X								KA14001	KA12508
O-235-N2C (20°,116HP)				X					KA12364	KA12360
O-235-N2C (20°,116HP)						X			KA12365	KA12235
O-235-P1 (20°,116HP)	X								KA14004	KA12508
O-235-P1 (20°,116HP)				X					KA12364	KA12360
O-235-P1 (20°,116HP)						X			KA12365	KA12235
O-235-P2A (20°,116HP)	X								KA14004	KA12508
O-235-P2A (20°,116HP)				X					KA12364	KA12360
O-235-P2A (20°,116HP)						X			KA12365	KA12235
O-290-D (20°,125HP)	X								KA14004	KA12508
O-290-D2 (18°,135HP)	X								KA14004	
O-290-D2 (18°,135HP)				X						KA12360
O-290-D2A (18°,135HP)				X					KA12364	KA12360
O-290-D2B (25°,135HP)				X					KA12364	KA12360
O-290-D2C (25°,135HP)				X					KA12364	KA12360
O-320-A1A (25°,150HP)	X								KA14001	KA12508
O-320-A1A (25°,150HP)				X					KA12364	KA12360
O-320-A1A (25°,150HP)						X			KA12365	KA12235
O-320-A1B (25°,150HP)	X								KA14004	KA12508
O-320-A1B (25°,150HP)				X					KA12364	KA12360
O-320-A1B (25°,150HP)						X			KA12365	KA12235
O-320-A2A (25°,150HP)	X								KA14004	KA12508
O-320-A2A (25°,150HP)				X					KA12364	KA12360
O-320-A2A (25°,150HP)						X			KA12365	KA12235
O-320-A2B (25°,150HP)	X								KA14004	KA12508
O-320-A2B (25°,150HP)				X					KA12402	KA12360
O-320-A2C (25°,150HP)	X								KA14004	KA12508
O-320-A2C (25°,150HP)				X					KA12402	KA12360
O-320-A2C (25°,150HP)						X			KA12365	KA12235
O-320-A2D (25°,150HP)	X								KA14001	KA12508
O-320-A2D (25°,150HP)				X					KA12364	KA12360
O-320-A2D (25°,150HP)						X			KA12365	KA12235
O-320-A3A (25°,150HP)	X								KA14004	KA12508
O-320-A3A (25°,150HP)				X					KA12364	KA12360
O-320-A3A (25°,150HP)						X			KA12365	KA12235
O-320-A3B (25°,150HP)	X								KA14004	KA12508
O-320-A3B (25°,150HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-A3B (25°,150HP)						X			KA12365	KA12235
O-320-A3C (25°,150HP)	X								KA14004	KA12508
O-320-A3C (25°,150HP)				X					KA12402	KA12360
O-320-A3C (25°,150HP)						X			KA12365	KA12235
O-320-B1A (25°,160HP)	X								KA14004	KA12508
O-320-B1A (25°,160HP)				X					KA12364	KA12360
O-320-B1A (25°,160HP)						X			KA12365	KA12235
O-320-B1B (25°,160HP)	X								KA14004	KA12508
O-320-B1B (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)	X								KA14004	KA12508
O-320-B2A (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)						X			KA12365	KA12235
O-320-B2B (25°,160HP)	X								KA14004	KA12508
O-320-B2B (25°,160HP)				X					KA12364	KA12360
O-320-B2B (25°,160HP)						X			KA12365	KA12235
O-320-B2C (25°,160HP)	X								KA14004	KA12508
O-320-B2C (25°,160HP)				X					KA12402	KA12360
O-320-B2D (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)				X					KA12364	KA12360
O-320-B3A (25°,160HP)						X			KA12365	KA12235
O-320-B3B (25°,160HP)	X								KA14004	KA12508
O-320-B3B (25°,160HP)				X					KA12364	KA12360
O-320-B3B (25°,160HP)						X			KA12365	KA12235
O-320-B3C (25°,160HP)	X								KA14004	KA12508
O-320-B3C (25°,160HP)				X					KA12364	KA12360
O-320-B3C (25°,160HP)						X			KA12365	KA12235
O-320-C1A (25°,150HP)	X								KA14001	KA12508
O-320-C1A (25°,150HP)				X					KA12364	KA12360
O-320-C1A (25°,150HP)						X			KA12365	KA12235
O-320-C1B (25°,150HP)	X								KA14004	KA12508
O-320-C1B (25°,150HP)				X					KA12364	KA12360
O-320-C1B (25°,150HP)						X			KA12365	KA12235
O-320-C2A (25°,150HP)	X								KA14004	KA12508
O-320-C2A (25°,150HP)				X					KA12364	KA12360
O-320-C2A (25°,150HP)						X			KA12365	KA12235
O-320-C2B (25°,150HP)	X								KA14004	KA12508
O-320-C2B (25°,150HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-C2B (25°,150HP)						X			KA12365	KA12235
O-320-C2C (25°,150HP)	X								KA14004	KA12508
O-320-C2C (25°,150HP)				X					KA12364	KA12360
O-320-C2C (25°,150HP)						X			KA12365	KA12235
O-320-C3A (25°,150HP)	X								KA14001	KA12508
O-320-C3A (25°,150HP)				X					KA12364	KA12360
O-320-C3A (25°,150HP)						X			KA12365	KA12235
O-320-C3B (25°,150HP)	X								KA14004	KA12508
O-320-C3B (25°,150HP)				X					KA12364	KA12360
O-320-C3B (25°,150HP)						X			KA12365	KA12235
O-320-C3C (25°,150HP)	X								KA14004	KA12508
O-320-C3C (25°,150HP)				X					KA12364	KA12360
O-320-C3C (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,150HP)	X								KA14004	KA12508
O-320-D1A (25°,150HP)				X					KA12364	KA12360
O-320-D1A (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,160HP)	X								KA14004	KA12508
O-320-D1A (25°,160HP)				X					KA12364	KA12360
O-320-D1A (25°,160HP)						X			KA12365	KA12235
O-320-D1B (25°,150HP)				X					KA12364	KA12360
O-320-D1B (25°,150HP)						X			KA12365	KA12235
O-320-D1B (25°,160HP)				X					KA12364	KA12360
O-320-D1B (25°,160HP)						X			KA12365	KA12235
O-320-D1C (25°,150HP)	X								KA14005	KA12508
O-320-D1C (25°,150HP)				X					KA12364	KA12360
O-320-D1C (25°,150HP)						X			KA12365	KA12235
O-320-D1C (25°,160HP)	X								KA14005	KA12508
O-320-D1C (25°,160HP)				X					KA12364	KA12360
O-320-D1C (25°,160HP)						X			KA12365	KA12235
O-320-D1D (25°,150HP)	X								KA14001	KA12508
O-320-D1D (25°,150HP)				X					KA12364	KA12360
O-320-D1D (25°,150HP)						X			KA12365	KA12235
O-320-D1D (25°,160HP)	X								KA14001	KA12508
O-320-D1D (25°,160HP)				X					KA12364	KA12360
O-320-D1D (25°,160HP)						X			KA12365	KA12235
O-320-D1F (25°,150HP)	X								KA14005	KA12508
O-320-D1F (25°,150HP)				X					KA12364	KA12360
O-320-D1F (25°,150HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D1F (25°,160HP)	X								KA14005	KA12508
O-320-D1F (25°,160HP)				X					KA12364	KA12360
O-320-D1F (25°,160HP)						X			KA12365	KA12235
O-320-D2A (25°,150HP)	X								KA14005	KA12508
O-320-D2A (25°,150HP)				X					KA12364	KA12360
O-320-D2A (25°,150HP)						X			KA12365	KA12235
O-320-D2A (25°,160HP)	X								KA14005	KA12508
O-320-D2A (25°,160HP)				X					KA12364	KA12360
O-320-D2A (25°,160HP)						X			KA12365	KA12235
O-320-D2B (25°,150HP)	X								KA14004	KA12508
O-320-D2B (25°,150HP)				X					KA12364	KA12360
O-320-D2B (25°,150HP)						X			KA12365	KA12235
O-320-D2B (25°,160HP)	X								KA14004	KA12508
O-320-D2B (25°,160HP)				X					KA12364	KA12360
O-320-D2B (25°,160HP)						X			KA12365	KA12235
O-320-D2C (25°,150HP)	X								KA14005	KA12508
O-320-D2C (25°,150HP)				X					KA12364	KA12360
O-320-D2C (25°,150HP)						X			KA12365	KA12235
O-320-D2C (25°,160HP)	X								KA14005	KA12508
O-320-D2C (25°,160HP)				X					KA12364	KA12360
O-320-D2C (25°,160HP)						X			KA12365	KA12235
O-320-D2F (25°,150HP)	X								KA14005	KA12508
O-320-D2F (25°,150HP)				X					KA12364	KA12360
O-320-D2F (25°,150HP)						X			KA12365	KA12235
O-320-D2F (25°,160HP)	X								KA14005	KA12508
O-320-D2F (25°,160HP)				X					KA12364	KA12360
O-320-D2F (25°,160HP)						X			KA12365	KA12235
O-320-D2G (25°,150HP)	X								KA14001	KA12508
O-320-D2G (25°,150HP)				X					KA12364	KA12360
O-320-D2G (25°,150HP)						X			KA12365	KA12235
O-320-D2G (25°,160HP)	X								KA14001	KA12508
O-320-D2G (25°,160HP)				X					KA12364	KA12360
O-320-D2G (25°,160HP)						X			KA12365	KA12235
O-320-D2H (25°,150HP)	X								KA14001	KA12508
O-320-D2H (25°,150HP)				X					KA12364	KA12360
O-320-D2H (25°,150HP)						X			KA12365	KA12235
O-320-D2H (25°,160HP)	X								KA14001	KA12508
O-320-D2H (25°,160HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D2H (25°,160HP)						X			KA12365	KA12235
O-320-D2J (25°,150HP)	X								KA14002	KA12508
O-320-D2J (25°,150HP)				X					KA12364	KA12360
O-320-D2J (25°,150HP)						X			KA12365	KA12235
O-320-D2J (25°,160HP)	X								KA14002	KA12508
O-320-D2J (25°,160HP)				X					KA12364	KA12360
O-320-D2J (25°,160HP)						X			KA12365	KA12235
O-320-D3G (25°,150HP)	X								KA14001	KA12508
O-320-D3G (25°,150HP)				X					KA12364	KA12360
O-320-D3G (25°,150HP)						X			KA12365	KA12235
O-320-D3G (25°,160HP)	X								KA14001	KA12508
O-320-D3G (25°,160HP)				X					KA12364	KA12360
O-320-D3G (25°,160HP)						X			KA12365	KA12235
O-320-E1A (25°,150HP)	X								KA14004	KA12508
O-320-E1A (25°,150HP)				X					KA12364	KA12360
O-320-E1A (25°,150HP)						X			KA12365	KA12235
O-320-E1B (25°,150HP)				X					KA12364	KA12360
O-320-E1B (25°,150HP)						X			KA12365	KA12235
O-320-E1C (25°,150HP)	X								KA14005	KA12508
O-320-E1C (25°,150HP)				X					KA12364	KA12360
O-320-E1C (25°,150HP)						X			KA12365	KA12235
O-320-E1F (25°,150HP)	X								KA14005	KA12508
O-320-E1F (25°,150HP)				X					KA12364	KA12360
O-320-E1F (25°,150HP)						X			KA12365	KA12235
O-320-E1J (25°,150HP)	X								KA14001	KA12508
O-320-E1J (25°,150HP)				X					KA12364	KA12360
O-320-E1J (25°,150HP)						X			KA12365	KA12235
O-320-E2A (25°,140HP)	X								KA14004	KA12508
O-320-E2A (25°,140HP)				X					KA12364	KA12360
O-320-E2A (25°,140HP)						X			KA12365	KA12235
O-320-E2A (25°,150HP)	X								KA14004	KA12508
O-320-E2A (25°,150HP)				X					KA12364	KA12360
O-320-E2A (25°,150HP)						X			KA12365	KA12235
O-320-E2B (25°,150HP)	X								KA14004	KA12508
O-320-E2B (25°,150HP)				X					KA12364	KA12360
O-320-E2B (25°,150HP)						X			KA12365	KA12235
O-320-E2C (25°,140HP)	X								KA14007	KA12508
O-320-E2C (25°,140HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-E2C (25°,140HP)						X			KA12365	KA12235
O-320-E2C (25°,150HP)	X								KA14007	KA12508
O-320-E2C (25°,150HP)				X					KA12364	KA12360
O-320-E2C (25°,150HP)						X			KA12365	KA12235
O-320-E2D (25°,150HP)	X								KA14001	KA12508
O-320-E2D (25°,150HP)				X					KA12364	KA12360
O-320-E2D (25°,150HP)						X			KA12365	KA12235
O-320-E2F (25°,150HP)	X								KA14002	KA12508
O-320-E2F (25°,150HP)				X					KA12364	KA12360
O-320-E2F (25°,150HP)						X			KA12365	KA12235
O-320-E2G (25°,150HP)	X								KA14001	KA12508
O-320-E2G (25°,150HP)				X					KA12364	KA12360
O-320-E2G (25°,150HP)						X			KA12365	KA12235
O-320-E2H (25°,150HP)	X								KA14004	KA12508
O-320-E2H (25°,150HP)				X					KA12364	KA12360
O-320-E2H (25°,150HP)						X			KA12365	KA12235
O-320-E3D (25°,150HP)	X								KA14001	KA12508
O-320-E3D (25°,150HP)				X					KA12364	KA12360
O-320-E3D (25°,150HP)						X			KA12365	KA12235
O-320-E3H (25°,150HP)	X								KA14005	KA12508
O-320-E3H (25°,150HP)				X					KA12364	KA12360
O-320-E3H (25°,150HP)						X			KA12365	KA12235
O-320-H2AD (25°,160HP)										KA12917
O-340-A1A (25°,170HP)				X					KA12364	KA12360
O-340-A2A (25°,170HP)				X					KA12364	KA12360
O-360-A1AD (25°,180HP)								*10-821414-6 OVERHAULED	X	*
O-360-A1A-nd (25°,180HP)	X								KA14006	KA12508
O-360-A1A-nd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-nd (25°,180HP)						X			KA12365	KA12235
O-360-A1A-wd (25°,180HP)	X								KA14004	KA12508
O-360-A1A-wd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-wd (25°,180HP)						X			KA12365	KA12235
O-360-A1C (25°,180HP)				X					KA12364	KA12360
O-360-A1C (25°,180HP)						X			KA12365	KA12235
O-360-A1D (25°,180HP)	X								KA14004	
O-360-A1D (25°,180HP)	X									
O-360-A1D (25°,180HP)				X					KA12364	KA12360
O-360-A1D (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A1F (25°,180HP)	X								KA14005	KA12508
O-360-A1F (25°,180HP)				X					KA12364	KA12360
O-360-A1F (25°,180HP)						X			KA12365	KA12235
O-360-A1F6 (25°,180HP)	X								KA14005	KA12508
O-360-A1F6 (25°,180HP)						X				KA12235
O-360-A1F6D (25°,180HP)								*10-821414-8 OVERHAULED X		*
O-360-A1G (25°,180HP)	X								KA14005	KA12508
O-360-A1G (25°,180HP)				X					KA12364	KA12360
O-360-A1G (25°,180HP)						X			KA12365	KA12235
O-360-A1G6 (25°,180HP)	X								KA14005	KA12508
O-360-A1G6 (25°,180HP)				X					KA12364	KA12360
O-360-A1G6 (25°,180HP)						X			KA12365	KA12235
O-360-A1G6D (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1H (25°,180HP)	X								KA14004	KA12508
O-360-A1H (25°,180HP)				X					KA12364	KA12360
O-360-A1H (25°,180HP)						X			KA12365	KA12235
O-360-A1H6 (25°,180HP)	X								KA14001	KA12508
O-360-A1LD (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1P (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)				X					KA12364	KA12360
O-360-A2A (25°,180HP)						X			KA12365	KA12235
O-360-A2D (25°,180HP)	X								KA14004	
O-360-A2D (25°,180HP)				X					KA12364	KA12360
O-360-A2D (25°,180HP)						X			KA12365	KA12235
O-360-A2E (25°,180HP)	X								KA14004	KA12508
O-360-A2F (25°,180HP)	X								KA14005	KA12508
O-360-A2F (25°,180HP)				X					KA12364	KA12360
O-360-A2F (25°,180HP)						X			KA12365	KA12235
O-360-A2G (25°,180HP)	X								KA14006	KA12508
O-360-A2G (25°,180HP)				X					KA12364	KA12360
O-360-A2G (25°,180HP)						X			KA12365	KA12235
O-360-A2H (25°,180HP)	X								KA14001	KA12508
O-360-A2H (25°,180HP)				X					KA12364	KA12360
O-360-A2H (25°,180HP)						X			KA12365	KA12235
O-360-A3A (25°,180HP)	X								KA14004	KA12508
O-360-A3A (25°,180HP)				X					KA12364	KA12360
O-360-A3A (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A3AD (25°,180HP)								X		*
O-360-A3D (25°,180HP)	X								KA14004	KA12508
O-360-A4A (25°,180HP)	X								KA14004	KA12508
O-360-A4A (25°,180HP)				X					KA12364	KA12360
O-360-A4A (25°,180HP)						X			KA12365	KA12235
O-360-A4D (25°,180HP)	X								KA14004	KA12508
O-360-A4G (25°,180HP)	X								KA14006	KA12508
O-360-A4G (25°,180HP)				X					KA12364	KA12360
O-360-A4G (25°,180HP)						X			KA12365	KA12235
O-360-A4J (25°,180HP)	X								KA14004	KA12508
O-360-A4J (25°,180HP)				X						
O-360-A4J (25°,180HP)						X				
O-360-A4K (25°,180HP)	X								KA14001	KA12508
O-360-A4K (25°,180HP)				X					KA12364	KA12360
O-360-A4K (25°,180HP)						X			KA12365	KA12235
O-360-A4M (25°,180HP)	X								KA14001	KA12508
O-360-A4M (25°,180HP)				X					KA12364	KA12360
O-360-A4M (25°,180HP)						X			KA12365	KA12235
O-360-A4N (25°,180HP)	X								KA14002	KA12508
O-360-A4N (25°,180HP)				X					KA12364	KA12360
O-360-A4N (25°,180HP)						X			KA12365	KA12235
O-360-A4P (25°,180HP)	X								KA14001	KA12508
O-360-A5AD (25°,180HP)								X		*
O-360-B1A (25°,168HP)	X								KA14001	KA12508
O-360-B1A (25°,168HP)				X					KA12364	KA12360
O-360-B1A (25°,168HP)						X			KA12365	KA12235
O-360-B1B (25°,168HP)	X								KA14001	KA12508
O-360-B2A (25°,168HP)	X								KA14004	KA12508
O-360-B2A (25°,168HP)				X					KA12364	KA12360
O-360-B2A (25°,168HP)						X			KA12365	KA12235
O-360-B2B (25°,168HP)	X								KA14001	KA12508
O-360-B2C (25°,168HP)				X					KA12402	
O-360-C1A (25°,180HP)	X								KA14004	KA12508
O-360-C1A (25°,180HP)				X					KA12364	KA12360
O-360-C1A (25°,180HP)						X			KA12365	KA12235
O-360-C1C (25°,180HP)	X								KA14004	KA12508
O-360-C1C (25°,180HP)				X					KA12364	KA12360
O-360-C1C (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-C1E (25°,180HP)	X								KA14001	KA12508
O-360-C1E (25°,180HP)				X					KA12364	KA12360
O-360-C1E (25°,180HP)						X			KA12365	KA12235
O-360-C1F (25°,180HP)	X								KA14001	KA12508
O-360-C1F (25°,180HP)				X					KA12364	KA12360
O-360-C1F (25°,180HP)						X			KA12365	KA12235
O-360-C1G (25°,180HP)	X								KA14004	KA12508
O-360-C1G (25°,180HP)				X					KA12364	KA12360
O-360-C1G (25°,180HP)						X			KA12365	KA12235
O-360-C2A (25°,180HP)	X								KA14004	KA12508
O-360-C2A (25°,180HP)				X					KA12364	KA12360
O-360-C2A (25°,180HP)						X			KA12365	KA12235
O-360-C2B (25°,180HP)	X								KA14001	KA12508
O-360-C2B (25°,180HP)				X					KA12364	KA12360
O-360-C2B (25°,180HP)						X			KA12365	KA12235
O-360-C2C (25°,180HP)	X								KA14004	KA12508
O-360-C2C (25°,180HP)				X					KA12364	KA12360
O-360-C2C (25°,180HP)						X			KA12365	KA12235
O-360-C2D (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)				X					KA12364	KA12360
O-360-C2E (25°,180HP)						X			KA12365	KA12235
O-360-C4F (25°,180HP)	X								KA14001	KA12508
O-360-C4P (25°,180HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)				X					KA12364	KA12360
O-360-D1A (25°,168HP)						X			KA12365	KA12235
O-360-D2A (25°,168HP)	X								KA14004	KA12508
O-360-D2A (25°,168HP)				X					KA12364	KA12360
O-360-D2A (25°,168HP)						X			KA12365	KA12235
O-360-D2B (25°,168HP)				X					KA12364	KA12360
O-360-E1A6D (25°,180HP)							*10-821414-4 OVERHAULED	X		*
O-360-F1A6 (25°,180HP)	X								KA14002	KA12508
O-360-F1A6 (25°,180HP)				X					KA12364	KA12360
O-360-F1A6 (25°,180HP)						X			KA12365	KA12235
O-360-G1A6 (25°,180HP)	X								KA14002	KA12508
O-360-G1A6 (25°,180HP)				X					KA12364	KA12360
O-360-G1A6 (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-J2A (25°,145HP)				X					KA12402	KA12360
O-540-A1A (25°,250HP)		X							KA16002	KA12896
O-540-A1A (25°,250HP)					X				KA12121	KA12120
O-540-A1A5 (25°,250HP)		X							KA16002	KA12896
O-540-A1A5 (25°,250HP)					X				KA12121	KA12120
O-540-A1A5 (25°,250HP)							X		KA12154	KA12157
O-540-A1B5 (25°,250HP)		X							KA16002	
O-540-A1B5 (25°,250HP)		X							KA16014	KA12896
O-540-A1B5 (25°,250HP)					X				KA12121	KA12120
O-540-A1B5 (25°,250HP)							X		KA12154	KA12157
O-540-A1C5 (25°,250HP)		X							KA16002	KA12896
O-540-A1C5 (25°,250HP)					X				KA12121	KA12120
O-540-A1C5 (25°,250HP)							X		KA12154	KA12157
O-540-A1D (25°,250HP)		X							KA16014	
O-540-A1D (25°,250HP)					X				KA12121	KA12120
O-540-A1D (25°,250HP)							X		KA12154	KA12157
O-540-A1D5 (25°,250HP)		X							KA16014	
O-540-A1D5 (25°,250HP)		X								KA12896
O-540-A1D5 (25°,250HP)		X							KA16002	
O-540-A1D5 (25°,250HP)					X				KA12121	KA12120
O-540-A1D5 (25°,250HP)							X		KA12154	KA12157
O-540-A2B (25°,250HP)		X							KA16002	KA12896
O-540-A2B (25°,250HP)					X				KA12121	KA12120
O-540-A2B (25°,250HP)							X		KA12154	KA12157
O-540-A3D5 (25°,250HP)		X							KA16002	KA12896
O-540-A3D5 (25°,250HP)					X				KA12121	KA12120
O-540-A3D5 (25°,250HP)							X		KA12154	KA12157
O-540-A4A5 (25°,250HP)		X							KA16002	KA12896
O-540-A4A5 (25°,250HP)					X				KA12121	KA12120
O-540-A4A5 (25°,250HP)							X		KA12154	
O-540-A4B5 (25°,250HP)		X							KA16002	KA12896
O-540-A4B5 (25°,250HP)					X				KA12121	KA12120
O-540-A4B5 (25°,250HP)							X		KA12154	
O-540-A4C5 (25°,250HP)		X							KA16002	KA12896
O-540-A4D5 (25°,250HP)		X							KA16014	KA12896
O-540-A4D5 (25°,250HP)					X				KA12121	KA12120
O-540-A4D5 (25°,250HP)							X		KA12154	KA12157
O-540-B1A5 (25°,235HP)		X							KA16014	KA12896

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-B1A5 (25°,235HP)					X				KA12121	KA12120
O-540-B1A5 (25°,235HP)							X		KA12154	KA12157
O-540-B1B5 (25°,235HP)					X				KA12121	KA12120
O-540-B1B5 (25°,235HP)							X		KA12154	KA12157
O-540-B1D5 (25°,235HP)		X							KA16014	KA12896
O-540-B2A5 (25°,235HP)		X							KA16014	
O-540-B2A5 (25°,235HP)					X				KA12121	KA12120
O-540-B2A5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5 (25°,235HP)		X							KA16002	KA12896
O-540-B2B5 (25°,235HP)					X				KA12121	KA12120
O-540-B2B5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5-wd (25°,235HP)		X								KA12896
O-540-B2B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B2C5 (25°,235HP)		X								KA12896
O-540-B2C5 (25°,235HP)		X								
O-540-B2C5 (25°,235HP)					X				KA12121	KA12120
O-540-B2C5 (25°,235HP)							X			KA12157
O-540-B2C5 (25°,235HP)							X		KA12154	
O-540-B2C5-wd (25°,235HP)		X							KA16001	KA12896
O-540-B2C5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2C5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B4A5 (25°,235HP)					X				KA12121	KA12120
O-540-B4A5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5 (25°,235HP)		X								KA12896
O-540-B4B5 (25°,235HP)					X				KA12121	KA12120
O-540-B4B5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5-wd (25°,235HP)		X								KA12896
O-540-B4B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B4B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-D1A5 (25°,250HP)		X							KA16014	
O-540-D1A5 (25°,250HP)		X							KA16002	KA12896
O-540-D1A5 (25°,250HP)					X				KA12121	KA12120
O-540-D1A5 (25°,250HP)							X		KA12154	KA12157
O-540-E4A5 (25°,260HP)		X							KA16014	
O-540-E4A5 (25°,260HP)		X							KA16002	KA12896
O-540-E4A5 (25°,260HP)					X				KA12121	KA12120
O-540-E4A5 (25°,260HP)							X		KA12154	KA12157

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-E4B5 (25°,260HP)		X							KA16002	KA12896
O-540-E4B5 (25°,260HP)					X				KA12121	KA12120
O-540-E4B5 (25°,260HP)							X		KA12154	KA12157
O-540-E4B5-wd (25°,260HP)		X								KA12896
O-540-E4B5-wd (25°,260HP)					X				KA12121	KA12120
O-540-E4B5-wd (25°,260HP)							X		KA12154	KA12157
O-540-E4C5 (25°,260HP)		X								
O-540-E4C5 (25°,260HP)					X				KA12121	
O-540-E4C5 (25°,260HP)							X		KA12154	KA12157
O-540-F1A5 (25°,260HP)		X							KA16002	KA12896
O-540-F1B5 (25°,260HP)		X							KA16014	
O-540-F1B5 (25°,260HP)					X				KA12121	KA12120
O-540-F1B5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5 (25°,260HP)		X								
O-540-G1A5 (25°,260HP)					X				KA12121	KA12120
O-540-G1A5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5-wd (25°,260HP)		X							KA16001	
O-540-G1A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G1A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)		X								
O-540-G2A5 (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)		X								
O-540-G2A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-H1A5 (25°,260HP)		X								
O-540-H1B5D (25°,260HP)								X		*
O-540-H2A5 (25°,260HP)		X							KA16002	KA12896
O-540-H2A5 (25°,260HP)					X				KA12121	KA12120
O-540-H2A5 (25°,260HP)							X		KA12154	KA12157
O-540-H2B5D (25°,260HP)								X		*
O-540-J1A5D (23°,235HP)								X		*
O-540-J3A5 (23°,235HP)		X							KA16002	KA12896
O-540-J3A5D (23°,235HP)								X		*
O-540-J3C5D (25°,235HP)								X		*
O-540-L3C5D (25°,235HP)								X		*
TIGO-541-D1B (20°,450HP)							X			KA12890
TIGO-541-E1A (20°,425HP)							X			KA12890

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TIO-540-A1A (20°,310HP)							X			
TIO-540-A1B (20°,310HP)							X			
TIO-540-A2A (20°,310HP)							X			
TIO-540-A2B (20°,310HP)							X			
TIO-540-A2B (20°,310HP)		X								KA16044
TIO-540-A2C (20°,310HP)							X			
TIO-540-A2C (20°,310HP)		X								KA16044
TIO-540-AE2A (20°,350HP)		X								KA16044
TIO-540-AF1A (20°,270HP)		X								KA16044
TIO-540-AG1A (20°,270HP)		X								KA16044
TIO-540-C1A (20°,250HP)					X				KA12121	KA12120
TIO-540-C1A (20°,250HP)							X		KA12790	KA12851
TIO-540-F2BD (20°,325HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-J2B (20°,350HP)		X								
TIO-540-J2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-N2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-R2AD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-S1AD (20°,300HP)					*10-821615-20 OVERHAULED			X		*
TIO-540-U2A (20°,350HP)		X								KA16044
TIO-540-V2AD (20°,350HP)					*10-821625-34 OVERHAULED			X		*
TIO-540-W2A (20°,350HP)		X								
TIO-540-W2B (20°,350HP)		X								KA16044
TIO-541-A1A (20°,310HP)							X			KA12628
TIO-541-E1A4 (20°,380HP)							X			KA12628
TIO-541-E1B4 (20°,380HP)							X			KA12628
TIO-541-E1C4 (20°,380HP)							X			KA12628
TIVO-540-A2A (25°,315HP)					X					
TO-360-C1A6D (20°,210HP)					*10-821414-10 OVERHAULED			X		*
TVO-435-A1A (25°,260HP)					X					KA12865
TVO-435-B1A - 1/2 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 1/2 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1A - 13/16 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 13/16 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1B (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)					X				KA12712	

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TVO-435-D1B (25°,270HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)							X		KA12709	KA12447
TVO-435-G1A (25°,280HP)							X			KA12447
TVO-435-G1A (25°,280HP)					X				KA12712	
TVO-435-G1B (25°,280HP)					X				KA12712	KA12865
VO-435-A1B - 1/2 (25°,260HP)					X					
VO-435-A1B - 13/16 (25°,260HP)					X					
VO-435-A1C - 1/2 (25°,260HP)					X					
VO-435-A1C - 13/16 (25°,260HP)					X					
VO-435-A1D - 1/2 (25°,260HP)					X					
VO-435-A1D - 13/16 (25°,260HP)					X					
VO-435-A1E - 1/2 (25°,260HP)					X					
VO-435-A1E - 13/16 (25°,260HP)					X					
VO-435-A1F - 1/2 (25°,260HP)					X					KA12865
VO-435-A1F - 13/16 (25°,260HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)							X			KA12447
VO-435-B1A - 13/16 (25°,265HP)					X					KA12865
VO-435-B1A - 13/16 (25°,265HP)							X			KA12447
VO-540-A1A (25°,310HP)					X					
VO-540-B1A (25°,305HP)					X					
VO-540-B1B (25°,305HP)					X					
VO-540-B1B3 (25°,305HP)					X					
VO-540-B1C (25°,305HP)					X					
VO-540-B1D (25°,305HP)					X					
VO-540-B1F (25°,305HP)					X					
VO-540-B2A (25°,305HP)					X					
VO-540-B2D (25°,305HP)					X					

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
VO-540-C1A (25°,315HP)					X					
VO-540-C1B (25°,315HP)					X					
VO-540-C1C3 (25°,305HP)					X					
VO-540-C2A (25°,315HP)					X					
VO-540-C2C (25°,315HP)							X			
SUPERIOR ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360 (25°,180HP)	X								KA14001	
O-360 (25°,180HP)	X								KA14001	
TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
A-65-1 (30°,65HP)	X								KA12045	
A-65-1 (30°,65HP)				X					KA12351	
A-65-3 (30°,65HP)	X								KA12045	
A-65-3 (30°,65HP)				X					KA12351	
A-65-6 (30°,65HP)	X								KA12045	
A-65-6 (30°,65HP)				X					KA12351	
A-65-6J (30°,65HP)	X								KA12045	
A-65-6J (30°,65HP)				X					KA12351	
A-65-7 (30°,65HP)	X								KA12045	
A-65-7 (30°,65HP)				X					KA12351	
A-65-8 (30°,65HP)	X								KA12045	
A-65-8 (30°,65HP)				X					KA12351	
A-65-8F (30°,65HP)	X								KA12045	
A-65-8F (30°,65HP)				X					KA12351	
A-65-8FJ (30°,65HP)	X								KA12045	
A-65-8FJ (30°,65HP)				X					KA12351	
A-65-8J (30°,65HP)	X								KA12045	
A-65-8J (30°,65HP)				X					KA12351	
A-65-9 (30°,65HP)	X								KA12045	
A-65-9 (30°,65HP)				X					KA12351	
A-65-9F (30°,65HP)	X								KA12045	
A-65-9F (30°,65HP)				X					KA12351	
A-65-9FJ (30°,65HP)				X					KA12351	
A-65-9FJ (30°,65HP)	X								KA12045	
A-65-9J (30°,65HP)				X					KA12351	
A-75-3 (30°,75HP)	X								KA12045	
A-75-6 (30°,75HP)	X								KA12045	
A-75-6J (30°,75HP)	X								KA12045	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
A-75-8 (30°,75HP)	X								KA12045	
A-75-8F (30°,75HP)	X								KA12045	
A-75-8FJ (30°,75HP)	X								KA12045	
A-75-8J (30°,75HP)	X								KA12045	
A-75-9 (30°,75HP)	X								KA12045	
A-75-9J (30°,75HP)	X								KA12045	
C-75-12 (30°,75HP)	X								KA11780	
C-75-12 (30°,75HP)				X					KA12007	
C-75-12F (30°,75HP)	X								KA11780	
C-75-12F (30°,75HP)				X					KA12007	
C-75-12FH (30°,75HP)	X								KA11780	
C-75-12FH (30°,75HP)				X					KA12007	
C-75-12FHJ (30°,75HP)	X								KA11780	
C-75-12FHJ (30°,75HP)				X					KA12007	
C-75-12FJ (30°,75HP)	X								KA11780	
C-75-12FJ (30°,75HP)				X					KA12007	
C-75-12J (30°,75HP)	X								KA11780	
C-75-12J (30°,75HP)				X					KA12007	
C-75-15 (30°,75HP)	X								KA11780	
C-75-15 (30°,75HP)				X					KA12007	
C-75-15F (30°,75HP)	X								KA11780	
C-75-15F (30°,75HP)				X					KA12007	
C-75-8 (30°,75HP)	X								KA12045	
C-75-8 (30°,75HP)				X					KA12351	
C-75-8F (30°,75HP)	X								KA12045	
C-75-8F (30°,75HP)				X					KA12351	
C-75-8FH (30°,75HP)	X								KA12045	
C-75-8FH (30°,75HP)				X					KA12351	
C-75-8FHJ (30°,75HP)	X								KA12045	
C-75-8FHJ (30°,75HP)				X					KA12351	
C-75-8FJ (30°,75HP)	X								KA12045	
C-75-8FJ (30°,75HP)				X					KA12351	
C-75-8J (30°,75HP)	X								KA12045	
C-75-8J (30°,75HP)				X					KA12351	
C-85-12 (30°,85HP)	X								KA11780	
C-85-12 (30°,85HP)				X					KA12007	
C-85-12F (30°,85HP)	X								KA11780	
C-85-12F (30°,85HP)				X					KA12007	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
C-85-12FH (30°,85HP)	X								KA11780	
C-85-12FH (30°,85HP)				X					KA12007	
C-85-12FHJ (30°,85HP)	X								KA11780	
C-85-12FHJ (30°,85HP)				X					KA12007	
C-85-12FJ (30°,85HP)	X								KA11780	
C-85-12FJ (30°,85HP)				X					KA12007	
C-85-12J (30°,85HP)	X								KA11780	
C-85-12J (30°,85HP)				X					KA12007	
C-85-14 (30°,85HP)	X								KA11780	
C-85-14 (30°,85HP)				X					KA12007	
C-85-14F (30°,85HP)	X								KA11780	
C-85-14F (30°,85HP)				X					KA12007	
C-85-15 (30°,85HP)	X								KA11780	
C-85-15 (30°,85HP)				X					KA12007	
C-85-15F (30°,85HP)	X								KA11780	
C-85-15F (30°,85HP)				X					KA12007	
C-85-8 (30°,85HP)	X								KA12045	
C-85-8 (30°,85HP)				X					KA12351	
C-85-8F (30°,85HP)	X								KA12045	
C-85-8F (30°,85HP)				X					KA12351	
C-85-8FHJ (30°,87HP)	X								KA12045	
C-85-8FHJ (30°,87HP)				X					KA12351	
C-85-8FJ (30°,87HP)	X								KA12045	
C-85-8FJ (30°,87HP)				X					KA12351	
C-85-8J (30°,87HP)	X								KA12045	
C-85-8J (30°,87HP)				X					KA12351	
C-90-12F (30°,95HP)	X								KA11780	
C-90-12F (30°,95HP)				X					KA12007	
C-90-12FH (30°,95HP)	X								KA11780	
C-90-12FH (30°,95HP)				X					KA12007	
C-90-12FJ (30°,95HP)	X								KA11780	
C-90-12FJ (30°,95HP)				X					KA12007	
C-90-12FP (30°,95HP)	X								KA11780	
C-90-12FP (30°,95HP)				X					KA12007	
C-90-14F (30°,95HP)	X								KA11780	
C-90-14F (30°,95HP)				X					KA12007	
C-90-14FH (30°,95HP)	X								KA11780	
C-90-14FH (30°,95HP)				X					KA12007	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
C-90-14FJ (30°,95HP)	X								KA11780	
C-90-14FJ (30°,95HP)				X					KA12007	
C-90-16F (30°,95HP)	X								KA11780	
C-90-16F (30°,95HP)				X					KA12007	
C-90-8F (30°,95HP)	X								KA12045	
C-90-8F (30°,95HP)				X					KA12351	
C-90-8FJ (30°,95HP)	X								KA12045	
C-90-8FJ (30°,95HP)				X					KA12351	
C-125-2 (28°,125HP)					X				KA12130	
C-125-2 (28°,125HP)					X					
C-145-2 (26°,145HP)		X							KA12932	
C-145-2 (26°,145HP)			X						KA11884	KA12318
C-145-2 (26°,145HP)					X				KA12130	
C-145-2 (26°,145HP)					X					
C-145-2H (26°,145HP)		X							KA12932	
C-145-2H (26°,145HP)			X						KA11884	KA12318
C-145-2H (26°,145HP)					X				KA12130	
C-145-2HP (26°,145HP)		X							KA12932	
C-145-2HP (26°,145HP)			X						KA11884	KA12318
C-145-2HP (26°,145HP)					X				KA12130	
E-165-2 (26°,165HP)		X								
E-165-2 (26°,165HP)					X				KA12176	KA12339
E-165-3 (26°,165HP)		X								
E-165-3 (26°,165HP)					X				KA12176	KA12339
E-165-4 (26°,165HP)		X								
E-165-4 (26°,165HP)					X				KA12176	KA12339
E-185-1 (26°,205HP)		X								
E-185-1 (26°,205HP)					X				KA12176	KA12339
E-185-10 (26°,205HP)		X								
E-185-10 (26°,205HP)					X				KA12176	KA12339
E-185-11 (26°,205HP)		X								
E-185-11 (26°,205HP)					X				KA12176	KA12339
E-185-2 (26°,185HP)		X								
E-185-2 (26°,185HP)					X				KA12176	KA12339
E-185-3 (26°,205HP)		X								
E-185-3 (26°,205HP)					X				KA12176	KA12339
E-185-5 (26°,185HP)		X								
E-185-5 (26°,185HP)					X				KA12176	KA12339

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
E-185-8 (26°,205HP)		X								
E-185-8 (26°,205HP)					X				KA12176	KA12339
E-185-9 (26°,205HP)		X								
E-185-9 (26°,205HP)					X				KA12176	KA12339
E-225-2 (26°,225HP)		X								
E-225-2 (26°,225HP)					X				KA12176	KA12339
E-225-4 (26°,225HP)		X								
E-225-4 (26°,225HP)					X				KA12176	KA12339
E-225-8 (26°,225HP)		X								
E-225-8 (26°,225HP)					X				KA12176	KA12339
E-225-9 (26°,225HP)		X								
E-225-9 (26°,225HP)					X				KA12176	KA12339
GO-300-A (28°,175HP)		X							KA12938	
GO-300-A (28°,175HP)			X							
GO-300-A (28°,175HP)					X					
GO-300-B (28°,175HP)		X							KA12938	
GO-300-B (28°,175HP)			X							
GO-300-B (28°,175HP)					X					
GO-300-C (28°,175HP)		X							KA12938	
GO-300-C (28°,175HP)			X							
GO-300-C (28°,175HP)					X					
GO-300-D (28°,175HP)		X							KA12938	
GO-300-D (28°,175HP)			X							
GO-300-D (28°,175HP)					X					
GO-300-E (28°,175HP)		X							KA12938	
GO-300-E (28°,175HP)			X							
GO-300-E (28°,175HP)					X					
GTSIO-520-C (22°,340HP)					X					
GTSIO-520-C (22°,340HP)							X			KA11950
GTSIO-520-D (20°,375HP)					X					
GTSIO-520-D (20°,375HP)							X			KA11950
GTSIO-520-E (20°,375HP)					X					
GTSIO-520-E (20°,375HP)							X			KA11950
GTSIO-520-F (20°,435HP)					X					
GTSIO-520-F (20°,435HP)							X			KA11950
GTSIO-520-H (20°,375HP)					X					
GTSIO-520-H (20°,375HP)							X			KA11950
GTSIO-520-K (20°,435HP)					X					

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
GTSIO-520-K (20°,435HP)							X			KA11950
GTSIO-520-L (24°,375HP)					X					
GTSIO-520-L (24°,375HP)							X			KA11950
GTSIO-520-M (24°,375HP)					X					
GTSIO-520-M (24°,375HP)							X			KA11950
GTSIO-520-N (24°,375HP)					X					
GTSIO-520-N (24°,375HP)							X			KA11950
IO-240-B (26°,125HP)	X									KA14045
IO-346-A (24°,165HP)				X						
IO-346-B (24°,165HP)				X						
IO-360-A (20°,210HP)					X					KA12015
IO-360-A (20°,210HP)		X								KA12778
IO-360-A (20°,210HP)							X			
IO-360-B (20°,180HP)					X					KA12015
IO-360-B (20°,180HP)		X								KA12778
IO-360-B (20°,180HP)							X			
IO-360-C (20°,210HP)					X					KA12015
IO-360-C (20°,210HP)		X								KA12778
IO-360-C (20°,210HP)							X			
IO-360-CB (20°,210HP)					X					KA12015
IO-360-CB (20°,210HP)		X								KA12778
IO-360-CB (20°,210HP)							X			
IO-360-D (20°,210HP)					X					KA12015
IO-360-D (20°,210HP)		X								KA12778
IO-360-D (20°,210HP)							X			
IO-360-DB (20°,210HP)					X					KA12015
IO-360-DB (20°,210HP)		X								KA12778
IO-360-DB (20°,210HP)							X			
IO-360-E (20°,210HP)					X					KA12015
IO-360-E (20°,210HP)		X								KA12778
IO-360-E (20°,210HP)							X			
IO-360-ES (24°,210HP)					X					KA12015
IO-360-ES (24°,210HP)		X								KA12778
IO-360-ES (24°,210HP)							X			
IO-360-G (20°,210HP)					X					KA12015
IO-360-G (20°,210HP)		X								KA12778
IO-360-G (20°,210HP)							X			
IO-360-GB (20°,210HP)					X					KA12015

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-GB (20°,210HP)		X								KA12778
IO-360-GB (20°,210HP)							X			
IO-360-H (20°,210HP)					X					KA12015
IO-360-H (20°,210HP)		X								KA12778
IO-360-H (20°,210HP)							X			
IO-360-HB (20°,210HP)					X					KA12015
IO-360-HB (20°,210HP)		X								KA12778
IO-360-HB (20°,210HP)							X			
IO-360-J (20°,210HP)					X					KA12015
IO-360-J (20°,210HP)		X								KA12778
IO-360-J (20°,210HP)							X			
IO-360-JB (20°,210HP)					X					KA12015
IO-360-JB (20°,210HP)		X								KA12778
IO-360-JB (20°,210HP)							X			
IO-360-K (20°,195HP)					X					KA12015
IO-360-K (20°,195HP)		X								KA12778
IO-360-K (20°,195HP)							X			
IO-360-KB (20°,195HP)					X					KA12015
IO-360-KB (20°,195HP)		X								KA12778
IO-360-KB (20°,195HP)							X			
IO-470-A (24°,240HP)		X							KA12828	KA12381
IO-470-A (24°,240HP)			X						KA11878	KA11480
IO-470-A (24°,240HP)			X						KA11878	
IO-470-A (24°,240HP)					X				KA11978	KA11730
IO-470-A (24°,240HP)							X			KA12216
IO-470-C (26°,250HP)		X							KA12828	KA12381
IO-470-C (26°,250HP)			X						KA11878	KA11480
IO-470-C (26°,250HP)			X						KA11878	
IO-470-C (26°,250HP)					X				KA11978	KA11730
IO-470-C (26°,250HP)							X			KA12216
IO-470-D (20°,260HP)		X							KA12828	KA12381
IO-470-D (20°,260HP)			X						KA11878	KA11480
IO-470-D (20°,260HP)			X						KA11878	
IO-470-D (20°,260HP)					X				KA11978	KA11730
IO-470-D (20°,260HP)							X			KA12216
IO-470-E (20°,260HP)		X							KA12828	KA12381
IO-470-E (20°,260HP)			X						KA11878	KA11480
IO-470-E (20°,260HP)			X						KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-E (20°,260HP)					X				KA11978	KA11730
IO-470-E (20°,260HP)							X			KA12216
IO-470-F (20°,260HP)		X							KA12828	KA12381
IO-470-F (20°,260HP)			X						KA11878	KA11480
IO-470-F (20°,260HP)			X						KA11878	
IO-470-F (20°,260HP)					X				KA11978	KA11730
IO-470-F (20°,260HP)							X			KA12216
IO-470-G (26°,250HP)		X							KA12828	KA12381
IO-470-G (26°,250HP)			X						KA11878	KA11480
IO-470-G (26°,250HP)			X						KA11878	
IO-470-G (26°,250HP)					X				KA11978	KA11730
IO-470-G (26°,250HP)							X			KA12216
IO-470-H (20°,260HP)		X							KA12828	KA12381
IO-470-H (20°,260HP)			X						KA11878	KA11480
IO-470-H (20°,260HP)			X						KA11878	
IO-470-H (20°,260HP)					X				KA11978	KA11730
IO-470-H (20°,260HP)							X			KA12216
IO-470-J (22°,225HP)		X							KA12828	KA12381
IO-470-J (22°,225HP)			X						KA11878	KA11480
IO-470-J (22°,225HP)			X						KA11878	
IO-470-J (22°,225HP)					X				KA11978	KA11730
IO-470-J (22°,225HP)							X			KA12216
IO-470-K (22°,225HP)		X							KA12828	KA12381
IO-470-K (22°,225HP)			X						KA11878	KA11480
IO-470-K (22°,225HP)			X						KA11878	
IO-470-K (22°,225HP)					X				KA11978	KA11730
IO-470-K (22°,225HP)							X			KA12216
IO-470-L (20°,260HP)		X							KA12828	KA12381
IO-470-L (20°,260HP)			X						KA11878	KA11480
IO-470-L (20°,260HP)			X						KA11878	
IO-470-L (20°,260HP)					X				KA11978	KA11730
IO-470-L (20°,260HP)							X			KA12216
IO-470-LO (20°,260HP)		X							KA12828	KA12381
IO-470-LO (20°,260HP)			X						KA11878	KA11480
IO-470-LO (20°,260HP)			X						KA11878	
IO-470-LO (20°,260HP)					X				KA11978	KA11730
IO-470-LO (20°,260HP)							X			KA12216
IO-470-M (20°,260HP)		X							KA12828	KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-M (20°,260HP)			X						KA11878	KA11480
IO-470-M (20°,260HP)			X						KA11878	
IO-470-M (20°,260HP)					X				KA11978	KA11730
IO-470-M (20°,260HP)							X			KA12216
IO-470-N (20°,260HP)		X							KA12828	KA12381
IO-470-N (20°,260HP)			X						KA11878	KA11480
IO-470-N (20°,260HP)			X						KA11878	
IO-470-N (20°,260HP)					X				KA11978	KA11730
IO-470-N (20°,260HP)							X			KA12216
IO-470-P (26°,250HP)		X							KA12828	KA12381
IO-470-P (26°,250HP)			X						KA11878	KA11480
IO-470-P (26°,250HP)			X						KA11878	
IO-470-P (26°,250HP)					X				KA11978	KA11730
IO-470-P (26°,250HP)							X			KA12216
IO-470-R (26°,250HP)		X							KA12828	KA12381
IO-470-R (26°,250HP)			X						KA11878	KA11480
IO-470-R (26°,250HP)			X						KA11878	
IO-470-R (26°,250HP)					X				KA11978	KA11730
IO-470-R (26°,250HP)							X			KA12216
IO-470-S (20°,260HP)		X							KA12828	KA12381
IO-470-S (20°,260HP)			X						KA11878	KA11480
IO-470-S (20°,260HP)					X				KA11978	KA11730
IO-470-S (20°,260HP)							X			KA12216
IO-470-T (26°,250HP)		X							KA12828	KA12381
IO-470-T (26°,250HP)			X						KA11878	KA11480
IO-470-T (26°,250HP)					X				KA11978	KA11730
IO-470-T (26°,250HP)							X			KA12216
IO-470-U (20°,260HP)		X							KA12828	KA12381
IO-470-U (20°,260HP)			X						KA11878	KA11480
IO-470-U (20°,260HP)					X				KA11978	KA11730
IO-470-U (20°,260HP)							X			KA12216
IO-470-V (20°,260HP)		X							KA12828	KA12381
IO-470-V (20°,260HP)			X						KA11878	KA11480
IO-470-V (20°,260HP)					X				KA11978	KA11730
IO-470-V (20°,260HP)							X			KA12216
IO-470-VO (20°,260HP)		X							KA12828	KA12381
IO-470-VO (20°,260HP)			X						KA11878	KA11480
IO-470-VO (20°,260HP)					X				KA11978	KA11730

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-VO (20°,260HP)							X			KA12216
IO-520-A (22°,285HP)		X							KA12828	KA12381
IO-520-A (22°,285HP)			X						KA11878	KA11480
IO-520-A (22°,285HP)			X						KA11878	
IO-520-A (22°,285HP)					X				KA11978	KA11730
IO-520-A (22°,285HP)							X			KA11740
IO-520-B (22°,285HP)		X							KA12828	KA12381
IO-520-B (22°,285HP)			X						KA11878	KA11480
IO-520-B (22°,285HP)			X						KA11878	
IO-520-B (22°,285HP)					X				KA11978	KA11730
IO-520-B (22°,285HP)							X			KA11740
IO-520-BA (22°,285HP)		X							KA12828	KA12381
IO-520-BA (22°,285HP)			X						KA11878	KA11480
IO-520-BA (22°,285HP)			X						KA11878	
IO-520-BA (22°,285HP)					X				KA11978	KA11730
IO-520-BA (22°,285HP)							X			KA11740
IO-520-BB (22°,285HP)		X							KA12828	KA12381
IO-520-BB (22°,285HP)			X						KA11878	KA11480
IO-520-BB (22°,285HP)			X						KA11878	
IO-520-BB (22°,285HP)					X				KA11978	KA11730
IO-520-BB (22°,285HP)							X			KA11740
IO-520-C (22°,285HP)		X							KA12828	KA12381
IO-520-C (22°,285HP)			X						KA11878	KA11480
IO-520-C (22°,285HP)			X						KA11878	
IO-520-C (22°,285HP)					X				KA11978	KA11730
IO-520-C (22°,285HP)							X			KA11740
IO-520-CB (22°,285HP)		X							KA12828	KA12381
IO-520-CB (22°,285HP)			X						KA11878	KA11480
IO-520-CB (22°,285HP)			X						KA11878	
IO-520-CB (22°,285HP)					X				KA11978	KA11730
IO-520-CB (22°,285HP)							X			KA11740
IO-520-D (22°,300HP)		X							KA12828	KA12381
IO-520-D (22°,300HP)			X						KA11878	KA11480
IO-520-D (22°,300HP)			X						KA11878	
IO-520-D (22°,300HP)					X				KA11978	KA11730
IO-520-D (22°,300HP)							X			KA11740
IO-520-E (22°,300HP)		X							KA12828	KA12381
IO-520-E (22°,300HP)			X						KA11878	KA11480

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-520-E (22°,300HP)			X						KA11878	
IO-520-E (22°,300HP)					X				KA11978	KA11730
IO-520-E (22°,300HP)							X			KA11740
IO-520-F (22°,300HP)		X							KA12828	KA12381
IO-520-F (22°,300HP)			X						KA11878	KA11480
IO-520-F (22°,300HP)			X						KA11878	
IO-520-F (22°,300HP)					X				KA11978	KA11730
IO-520-F (22°,300HP)							X			KA11740
IO-520-J (22°,285HP)		X							KA12828	KA12381
IO-520-J (22°,285HP)			X						KA11878	KA11480
IO-520-J (22°,285HP)			X						KA11878	
IO-520-J (22°,285HP)					X				KA11978	KA11730
IO-520-J (22°,285HP)							X			KA11740
IO-520-K (22°,300HP)		X							KA12828	KA12381
IO-520-K (22°,300HP)			X						KA11878	KA11480
IO-520-K (22°,300HP)			X						KA11878	
IO-520-K (22°,300HP)					X				KA11978	KA11730
IO-520-K (22°,300HP)							X			KA11740
IO-520-L (22°,300HP)		X							KA12828	KA12381
IO-520-L (22°,300HP)			X						KA11878	KA11480
IO-520-L (22°,300HP)			X						KA11878	
IO-520-L (22°,300HP)					X				KA11978	KA11730
IO-520-L (22°,300HP)							X			KA11740
IO-520-M (22°,285HP)		X							KA12828	KA12381
IO-520-M (22°,285HP)			X						KA11878	KA11480
IO-520-M (22°,285HP)			X						KA11878	
IO-520-M (22°,285HP)					X				KA11978	KA11730
IO-520-M (22°,285HP)							X			KA11740
IO-520-MB (22°,285HP)		X							KA12828	KA12381
IO-520-MB (22°,285HP)			X						KA11878	KA11480
IO-520-MB (22°,285HP)			X						KA11878	
IO-520-MB (22°,285HP)					X				KA11978	KA11730
IO-520-MB (22°,285HP)							X			KA11740
IO-520-N (22°,300HP)		X							KA12828	KA12381
IO-520-N (22°,300HP)			X						KA11878	KA11480
IO-520-N (22°,300HP)			X						KA11878	
IO-520-N (22°,300HP)					X				KA11978	KA11730
IO-520-N (22°,300HP)							X			KA11740

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-520-NB (22°,300HP)		X							KA12828	KA12381
IO-520-NB (22°,300HP)			X						KA11878	KA11480
IO-520-NB (22°,300HP)			X						KA11878	
IO-520-NB (22°,300HP)					X				KA11978	KA11730
IO-520-NB (22°,300HP)							X			KA11740
IO-550-A (22°,300HP)		X							KA12828	KA12381
IO-550-A (22°,300HP)							X			KA11740
IO-550-B (22°,300HP)							X			KA11740
IO-550-B (22°,300HP)		X								KA12381
IO-550-C (22°,300HP)							X			KA11740
IO-550-C (22°,300HP)		X								KA12381
IO-550-D (22°,300HP)							X			KA11740
IO-550-D (22°,300HP)		X								KA12381
IO-550-E (22°,300HP)							X			KA11740
IO-550-F (22°,300HP)							X			KA11740
IO-550-F (22°,300HP)		X								KA12381
IO-550-G (22°,280HP)							X			KA11740
IO-550-L (22°,300HP)							X			KA11740
IO-550-L (22°,300HP)		X								KA12381
IO-550-N (22°,310HP)							X			KA11740
LTSIO-360-E (20°200HP)					X					KA12015
LTSIO-360-E (20°200HP)							X			
LTSIO-360-EB (20°,200HP)					X					KA12015
LTSIO-360-EB (20°,200HP)							X			
LTSIO-360-KB (20°,220HP)					X					KA12015
LTSIO-360-KB (20°,220HP)							X			
LTSIO-360-RB (22°,220HP)					X					KA12015
LTSIO-360-RB (22°,220HP)							X			
LTSIO-520-AE (20°,250HP)					X				KA11978	KA11730
LTSIO-520-AE (20°,250HP)							X			KA11740
O-200-A (25°,100HP)	X								KA11780	
O-200-A (25°,100HP)				X					KA12007	
O-200-B (25°,100HP)	X								KA11780	
O-200-B (25°,100HP)				X					KA12007	
O-200-C (25°,100HP)	X								KA11780	
O-200-C (25°,100HP)				X					KA12007	
O-300-A (26°,145HP)		X							KA12932	
O-300-A (26°,145HP)			X						KA11884	KA12318

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-300-A (26°,145HP)					X				KA12130	
O-300-B (26°,145HP)		X							KA12932	
O-300-B (26°,145HP)			X						KA11884	KA12318
O-300-B (26°,145HP)					X				KA12130	
O-300-C (26°,145HP)		X							KA12932	
O-300-C (26°,145HP)			X						KA11884	KA12318
O-300-C (26°,145HP)					X				KA12130	
O-300-D (26°,145HP)		X							KA12932	
O-300-D (26°,145HP)			X						KA11884	KA12318
O-300-D (26°,145HP)					X				KA12130	
O-300-E (26°,145HP)		X							KA12932	
O-300-E (26°,145HP)			X						KA11884	KA12318
O-300-E (26°,145HP)					X				KA12130	
O-470-11 (26°,213HP)		X								
O-470-11 (26°,213HP)					X				KA12176	KA12339
O-470-11B (26°,213HP)		X								
O-470-11B (26°,213HP)					X				KA12176	KA12339
O-470-11B-C1 (26°,213HP)		X								
O-470-11B-C1 (26°,213HP)					X				KA12176	KA12339
O-470-11-C1 (26°,213HP)		X								
O-470-11-C1 (26°,213HP)					X				KA12176	KA12339
O-470-13 (26°,225HP)		X								
O-470-13 (26°,225HP)					X				KA12176	KA12339
O-470-13A (26°,225HP)		X								
O-470-13A (26°,225HP)					X				KA12176	KA12339
O-470-15 (26°,213HP)		X								
O-470-15 (26°,213HP)					X				KA12176	KA12339
O-470-4 (26°,225HP)		X								
O-470-4 (26°,225HP)					X				KA12176	KA12339
O-470-A (26°,225HP)		X							KA12828	KA12381
O-470-A (26°,225HP)			X						KA11878	KA11480
O-470-A (26°,225HP)									KA11878	
O-470-A (26°,225HP)					X				KA11978	KA11730
O-470-A (26°,225HP)							X			KA11740
O-470-B (24°,240HP)		X							KA12828	KA12381
O-470-B (24°,240HP)			X						KA11878	KA11480
O-470-B (24°,240HP)			X						KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-B (24°,240HP)					X				KA11978	KA11730
O-470-B (24°,240HP)							X			KA11740
O-470-B-C1 (24°,240HP)		X							KA12828	KA12381
O-470-B-C1 (24°,240HP)			X						KA11878	KA11480
O-470-B-C1 (24°,240HP)			X						KA11878	
O-470-B-C1 (24°,240HP)					X				KA11978	KA11730
O-470-B-C1 (24°,240HP)							X			KA11740
O-470-E (26°,225HP)		X							KA12828	KA12381
O-470-E (26°,225HP)			X						KA11878	KA11480
O-470-E (26°,225HP)			X						KA11878	
O-470-E (26°,225HP)					X				KA11978	KA11730
O-470-E (26°,225HP)							X			KA11740
O-470-G (24°,240HP)		X							KA12828	KA12381
O-470-G (24°,240HP)			X						KA11878	KA11480
O-470-G (24°,240HP)			X						KA11878	
O-470-G (24°,240HP)					X				KA11978	KA11730
O-470-G (24°,240HP)							X			KA11740
O-470-G-C1 (24°,240HP)		X							KA12828	KA12381
O-470-G-C1 (24°,240HP)			X						KA11878	KA11480
O-470-G-C1 (24°,240HP)			X						KA11878	
O-470-G-C1 (24°,240HP)					X				KA11978	KA11730
O-470-G-C1 (24°,240HP)							X			KA11740
O-470-H (24°,240HP)		X							KA12828	KA12381
O-470-H (24°,240HP)			X						KA11878	KA11480
O-470-H (24°,240HP)			X						KA11878	
O-470-H (24°,240HP)					X				KA11978	KA11730
O-470-H (24°,240HP)							X			KA11740
O-470-J (20°,225HP)		X							KA12828	KA12381
O-470-J (20°,225HP)			X						KA11878	KA11480
O-470-J (20°,225HP)			X						KA11878	
O-470-J (20°,225HP)					X				KA11978	KA11730
O-470-J (20°,225HP)							X			KA11740
O-470-K (22°,230HP)		X							KA12828	KA12381
O-470-K (22°,230HP)			X						KA11878	KA11480
O-470-K (22°,230HP)			X						KA11878	
O-470-K (22°,230HP)					X				KA11978	KA11730
O-470-K (22°,230HP)							X			KA11740
O-470-K-C1 (22°,230HP)		X							KA12828	KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-K-C1 (22°,230HP)			X						KA11878	KA11480
O-470-K-C1 (22°,230HP)			X						KA11878	
O-470-K-C1 (22°,230HP)					X				KA11978	KA11730
O-470-K-C1 (22°,230HP)							X			KA11740
O-470-L (22°,230HP)		X							KA12828	KA12381
O-470-L (22°,230HP)			X						KA11878	KA11480
O-470-L (22°,230HP)			X						KA11878	
O-470-L (22°,230HP)					X				KA11978	KA11730
O-470-L (22°,230HP)							X			KA11740
O-470-L-C1 (22°,230HP)		X							KA12828	KA12381
O-470-L-C1 (22°,230HP)			X						KA11878	KA11480
O-470-L-C1 (22°,230HP)			X						KA11878	
O-470-L-C1 (22°,230HP)					X				KA11978	KA11730
O-470-L-C1 (22°,230HP)							X			KA11740
O-470-M (24°,240HP)		X							KA12828	KA12381
O-470-M (24°,240HP)			X						KA11878	KA11480
O-470-M (24°,240HP)			X						KA11878	
O-470-M (24°,240HP)					X				KA11978	KA11730
O-470-M (24°,240HP)							X			KA11740
O-470-M-C1 (24°,240HP)		X							KA12828	KA12381
O-470-M-C1 (24°,240HP)			X						KA11878	KA11480
O-470-M-C1 (24°,240HP)			X						KA11878	
O-470-M-C1 (24°,240HP)					X				KA11978	KA11730
O-470-M-C1 (24°,240HP)							X			KA11740
O-470-N (24°,240HP)		X							KA12828	KA12381
O-470-N (24°,240HP)			X						KA11878	KA11480
O-470-N (24°,240HP)			X						KA11878	
O-470-N (24°,240HP)					X				KA11978	KA11730
O-470-N (24°,240HP)							X			KA11740
O-470-P (24°,240HP)		X							KA12828	KA12381
O-470-P (24°,240HP)			X						KA11878	KA11480
O-470-P (24°,240HP)			X						KA11878	
O-470-P (24°,240HP)					X				KA11978	KA11730
O-470-P (24°,240HP)							X			KA11740
O-470-R (22°,230HP)		X							KA12828	KA12381
O-470-R (22°,230HP)			X						KA11878	KA11480
O-470-R (22°,230HP)			X						KA11878	
O-470-R (22°,230HP)					X				KA11978	KA11730

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-R (22°,230HP)							X			KA11740
O-470-S (22°,230HP)		X							KA12828	KA12381
O-470-S (22°,230HP)			X						KA11878	KA11480
O-470-S (22°,230HP)			X						KA11878	
O-470-S (22°,230HP)					X				KA11978	KA11730
O-470-S (22°,230HP)							X			KA11740
O-470-T (24°,230HP)		X							KA12828	KA12381
O-470-T (24°,230HP)			X						KA11878	KA11480
O-470-T (24°,230HP)			X						KA11878	
O-470-T (24°,230HP)					X				KA11978	KA11730
O-470-T (24°,230HP)							X			KA11740
O-470-U (24°,230HP)		X							KA12828	KA12381
O-470-U (24°,230HP)			X						KA11878	KA11480
O-470-U (24°,230HP)			X						KA11878	
O-470-U (24°,230HP)					X				KA11978	KA11730
O-470-U (24°,230HP)							X			KA11740
TSIO-360-A (20°,210HP)					X					KA12015
TSIO-360-A (20°,210HP)		X								KA12778
TSIO-360-A (20°,210HP)							X			
TSIO-360-AB (20°,210HP)					X					KA12015
TSIO-360-AB (20°,210HP)		X								KA12778
TSIO-360-AB (20°,210HP)							X			
TSIO-360-B (20°,210HP)					X					KA12015
TSIO-360-B (20°,210HP)		X								KA12778
TSIO-360-B (20°,210HP)							X			
TSIO-360-BB (20°,210HP)					X					KA12015
TSIO-360-BB (20°,210HP)		X								KA12778
TSIO-360-BB (20°,210HP)							X			
TSIO-360-C (20°,225HP)					X					KA12015
TSIO-360-C (20°,225HP)		X								KA12778
TSIO-360-C (20°,225HP)							X			
TSIO-360-CB (20°,225HP)					X					KA12015
TSIO-360-CB (20°,225HP)		X								KA12778
TSIO-360-CB (20°,225HP)							X			
TSIO-360-D (20°,225HP)					X					KA12015
TSIO-360-D (20°,225HP)		X								KA12778
TSIO-360-D (20°,225HP)							X			
TSIO-360-DB (20°,225HP)					X					KA12015

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-360-DB (20°,225HP)		X								KA12778
TSIO-360-DB (20°,225HP)							X			
TSIO-360-E (20°,200HP)					X					KA12015
TSIO-360-E (20°,200HP)		X								KA12778
TSIO-360-E (20°,200HP)							X			
TSIO-360-EB (20°,200HP)					X					KA12015
TSIO-360-EB (20°,200HP)		X								KA12778
TSIO-360-EB (20°,200HP)							X			
TSIO-360-F (20°,200HP)					X					KA12015
TSIO-360-F (20°,200HP)		X								KA12778
TSIO-360-F (20°,200HP)							X			
TSIO-360-FB (20°,200HP)					X					KA12015
TSIO-360-FB (20°,200HP)		X								KA12778
TSIO-360-FB (20°,200HP)							X			
TSIO-360-G (20°,210HP)					X					KA12015
TSIO-360-G (20°,210HP)		X								KA12778
TSIO-360-G (20°,210HP)							X			
TSIO-360-GB (20°,210HP)					X					KA12015
TSIO-360-GB (20°,210HP)							X			
TSIO-360-H (20°,210HP)					X					KA12015
TSIO-360-H (20°,210HP)		X								KA12778
TSIO-360-H (20°,210HP)							X			
TSIO-360-HB (20°,210HP)					X					KA12015
TSIO-360-HB (20°,210HP)		X								KA12778
TSIO-360-HB (20°,210HP)							X			
TSIO-360-JB (20°,225HP)					X					KA12015
TSIO-360-JB (20°,225HP)		X								KA12778
TSIO-360-JB (20°,225HP)							X			
TSIO-360-KB (20°,220HP)		X								KA12778
TSIO-360-LB (20°,210HP)					X					KA12015
TSIO-360-LB (20°,210HP)							X			
TSIO-360-MB (20°,210HP)					X					KA12015
TSIO-360-MB (20°,210HP)							X			
TSIO-360-NB (20°,210HP)					X					KA12015
TSIO-360-NB (20°,210HP)							X			
TSIO-360-PB (20°,200HP)					X					KA12015
TSIO-360-PB (20°,200HP)							X			
TSIO-360-RB (22°,220HP)					X					KA12015

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-360-RB (22°,220HP)							X			
TSIO-360-SB (20°,220HP)					X					KA12015
TSIO-360-SB (20°,220HP)							X			
TSIO-470-B (22°,260HP)					X				KA11978	KA11730
TSIO-470-B (22°,260HP)							X			KA11740
TSIO-470-C (22°,260HP)					X				KA11978	KA11730
TSIO-470-C (22°,260HP)							X			KA11740
TSIO-470-D (22°,260HP)					X				KA11978	KA11730
TSIO-470-D (22°,260HP)							X			KA11740
TSIO-520-A (20°,285HP)		X								KA12381
TSIO-520-A (20°,285HP)		X								KA12780
TSIO-520-A (20°,285HP)			X						KA11978	KA11480
TSIO-520-A (20°,285HP)			X						KA11978	
TSIO-520-A (20°,285HP)					X					KA11730
TSIO-520-A (20°,285HP)							X			KA11740
TSIO-520-AE (20°,250HP)		X								KA12780
TSIO-520-AE (20°,250HP)					X				KA11978	KA11730
TSIO-520-AE (20°,250HP)							X			KA11740
TSIO-520-AF (22°,310HP)		X								
TSIO-520-AF (22°,310HP)							X			KA11740
TSIO-520-B (20°,285HP)		X								KA12381
TSIO-520-B (20°,285HP)		X								KA12779
TSIO-520-B (20°,285HP)			X						KA11878	KA11480
TSIO-520-B (20°,285HP)			X						KA11878	
TSIO-520-B (20°,285HP)					X				KA11978	KA11730
TSIO-520-B (20°,285HP)							X			KA11740
TSIO-520-BB (20°,285HP)		X								KA12381
TSIO-520-BB (20°,285HP)		X								KA12779
TSIO-520-BB (20°,285HP)			X						KA11878	KA11480
TSIO-520-BB (20°,285HP)			X						KA11878	
TSIO-520-BB (20°,285HP)					X				KA11978	KA11730
TSIO-520-BB (20°,285HP)							X			KA11740
TSIO-520-BE (24°,310HP)		X								
TSIO-520-BE (24°,310HP)			X						KA11878	
TSIO-520-BE (24°,310HP)			X						KA11878	KA11480
TSIO-520-BE (24°,310HP)					X				KA11978	KA11730
TSIO-520-BE (24°,310HP)							X			KA11740
TSIO-520-C (20°,285HP)		X								KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-C (20°,285HP)		X								KA12779
TSIO-520-C (20°,285HP)			X						KA11878	KA11480
TSIO-520-C (20°,285HP)			X						KA11878	
TSIO-520-C (20°,285HP)					X				KA11978	KA11730
TSIO-520-C (20°,285HP)							X			KA11740
TSIO-520-CE (20°,325HP)		X								
TSIO-520-CE (20°,325HP)			X						KA11878	
TSIO-520-CE (20°,325HP)			X					X	KA11878	KA11480
TSIO-520-CE (20°,325HP)					X				KA11978	KA11730
TSIO-520-CE (20°,325HP)							X			KA11740
TSIO-520-D (20°,285HP)		X								KA12381
TSIO-520-D (20°,285HP)		X								KA12779
TSIO-520-D (20°,285HP)			X						KA11878	KA11480
TSIO-520-D (20°,285HP)			X						KA11878	
TSIO-520-D (20°,285HP)					X				KA11978	KA11730
TSIO-520-D (20°,285HP)							X			KA11740
TSIO-520-DB (20°,285HP)		X								KA12381
TSIO-520-DB (20°,285HP)		X								KA12779
TSIO-520-DB (20°,285HP)			X						KA11878	KA11480
TSIO-520-DB (20°,285HP)			X						KA11878	
TSIO-520-DB (20°,285HP)					X				KA11978	KA11730
TSIO-520-DB (20°,285HP)							X			KA11740
TSIO-520-E (20°,300HP)		X								KA12381
TSIO-520-E (20°,300HP)		X								KA12779
TSIO-520-E (20°,300HP)			X						KA11878	KA11480
TSIO-520-E (20°,300HP)			X						KA11878	
TSIO-520-E (20°,300HP)					X				KA11978	KA11730
TSIO-520-E (20°,300HP)							X			KA11740
TSIO-520-EB (20°,300HP)		X								KA12381
TSIO-520-EB (20°,300HP)		X								KA12779
TSIO-520-EB (20°,300HP)			X						KA11878	KA11480
TSIO-520-EB (20°,300HP)			X					X	KA11878	
TSIO-520-EB (20°,300HP)					X				KA11978	KA11730
TSIO-520-EB (20°,300HP)							X			KA11740
TSIO-520-G (22°,300HP)		X								KA12381
TSIO-520-G (22°,300HP)		X								KA12779
TSIO-520-G (22°,300HP)			X						KA11878	KA11480
TSIO-520-G (22°,300HP)			X					X	KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-G (22°,300HP)					X				KA11978	KA11730
TSIO-520-G (22°,300HP)							X			KA11740
TSIO-520-H (20°,285HP)		X								KA12381
TSIO-520-H (20°,285HP)		X								KA12779
TSIO-520-H (20°,285HP)			X						KA11878	KA11480
TSIO-520-H (20°,285HP)			X						KA11878	
TSIO-520-H (20°,285HP)					X				KA11978	KA11730
TSIO-520-H (20°,285HP)							X			KA11740
TSIO-520-J (20°,310HP)		X								KA12381
TSIO-520-J (20°,310HP)		X								KA12779
TSIO-520-J (20°,310HP)			X						KA11878	KA11480
TSIO-520-J (20°,310HP)			X						KA11878	
TSIO-520-J (20°,310HP)					X				KA11978	KA11730
TSIO-520-J (20°,310HP)							X			KA11740
TSIO-520-JB (20°,310HP)		X								KA12381
TSIO-520-JB (20°,310HP)		X								KA12779
TSIO-520-JB (20°,310HP)			X						KA11878	KA11480
TSIO-520-JB (20°,310HP)			X						KA11878	
TSIO-520-JB (20°,310HP)					X				KA11978	KA11730
TSIO-520-JB (20°,310HP)							X			KA11740
TSIO-520-K (20°,285HP)		X								KA12381
TSIO-520-K (20°,285HP)		X								KA12779
TSIO-520-K (20°,285HP)			X						KA11878	KA11480
TSIO-520-K (20°,285HP)			X						KA11878	
TSIO-520-K (20°,285HP)					X				KA11978	KA11730
TSIO-520-K (20°,285HP)							X			KA11740
TSIO-520-KB (20°,285HP)		X								KA12381
TSIO-520-KB (20°,285HP)		X								KA12779
TSIO-520-KB (20°,285HP)			X						KA11878	KA11480
TSIO-520-KB (20°,285HP)			X						KA11878	
TSIO-520-KB (20°,285HP)					X				KA11978	KA11730
TSIO-520-KB (20°,285HP)							X			KA11740
TSIO-520-L (20°,310HP)		X								KA12381
TSIO-520-L (20°,310HP)		X								KA12779
TSIO-520-L (20°,310HP)			X						KA11878	KA11480
TSIO-520-L (20°,310HP)			X						KA11878	
TSIO-520-L (20°,310HP)					X				KA11978	KA11730
TSIO-520-L (20°,310HP)							X			KA11740

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-LB (20°,310HP)		X								KA12381
TSIO-520-LB (20°,310HP)		X								KA12779
TSIO-520-LB (20°,310HP)			X						KA11878	KA11480
TSIO-520-LB (20°,310HP)			X						KA11878	
TSIO-520-LB (20°,310HP)					X				KA11978	KA11730
TSIO-520-LB (20°,310HP)							X			KA11740
TSIO-520-M (22°,310HP)		X								KA12381
TSIO-520-M (22°,310HP)		X								KA12779
TSIO-520-M (22°,310HP)			X						KA11878	KA11480
TSIO-520-M (22°,310HP)			X						KA11878	
TSIO-520-M (22°,310HP)					X				KA11978	KA11730
TSIO-520-M (22°,310HP)							X			KA11740
TSIO-520-N (20°,310HP)		X								KA12381
TSIO-520-N (20°,310HP)		X								KA12779
TSIO-520-N (20°,310HP)			X						KA11878	KA11480
TSIO-520-N (20°,310HP)			X						KA11878	
TSIO-520-N (20°,310HP)					X				KA11978	KA11730
TSIO-520-N (20°,310HP)							X			KA11740
TSIO-520-NB (20°,310HP)		X								KA12381
TSIO-520-NB (20°,310HP)		X								KA12779
TSIO-520-NB (20°,310HP)			X						KA11878	KA11480
TSIO-520-NB (20°,310HP)			X						KA11878	
TSIO-520-NB (20°,310HP)					X				KA11978	KA11730
TSIO-520-NB (20°,310HP)							X			KA11740
TSIO-520-P (22°,310HP)		X								KA12381
TSIO-520-P (22°,310HP)		X								KA12779
TSIO-520-P (22°,310HP)			X						KA11878	KA11480
TSIO-520-P (22°,310HP)			X						KA11878	
TSIO-520-P (22°,310HP)					X				KA11978	KA11730
TSIO-520-P (22°,310HP)							X			KA11740
TSIO-520-R (22°,310HP)		X								KA12381
TSIO-520-R (22°,310HP)		X								KA12779
TSIO-520-R (22°,310HP)			X						KA11878	KA11480
TSIO-520-R (22°,310HP)			X						KA11878	
TSIO-520-R (22°,310HP)					X				KA11978	KA11730
TSIO-520-R (22°,310HP)							X			KA11740
TSIO-520-T (22°,310HP)		X								KA12381
TSIO-520-T (22°,310HP)		X								KA12779

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-T (22°,310HP)			X						KA11878	KA11480
TSIO-520-T (22°,310HP)			X						KA11878	
TSIO-520-T (22°,310HP)					X				KA11978	KA11730
TSIO-520-T (22°,310HP)							X			KA11740
TSIO-520-U (22°,300HP)		X								KA12381
TSIO-520-U (22°,300HP)		X								KA12779
TSIO-520-U (22°,300HP)			X						KA11878	KA11480
TSIO-520-U (22°,300HP)			X						KA11878	
TSIO-520-U (22°,300HP)					X				KA11978	KA11730
TSIO-520-U (22°,300HP)							X			KA11740
TSIO-520-UB (22°,300HP)		X								KA12381
TSIO-520-UB (22°,300HP)		X								KA12779
TSIO-520-UB (22°,300HP)			X						KA11878	KA11480
TSIO-520-UB (22°,300HP)			X						KA11878	
TSIO-520-UB (22°,300HP)					X				KA11978	KA11730
TSIO-520-UB (22°,300HP)							X			KA11740
TSIO-520-VB (20°,325HP)		X								KA12381
TSIO-520-VB (20°,325HP)		X								KA12779
TSIO-520-VB (20°,325HP)			X						KA11878	KA11480
TSIO-520-VB (20°,325HP)			X						KA11878	
TSIO-520-VB (20°,325HP)					X				KA11978	KA11730
TSIO-520-VB (20°,325HP)							X			KA11740
TSIO-520-WB (20°,325HP)		X								KA12381
TSIO-520-WB (20°,325HP)		X								KA12779
TSIO-520-WB (20°,325HP)			X						KA11878	KA11480
TSIO-520-WB (20°,325HP)			X						KA11878	
TSIO-520-WB (20°,325HP)					X				KA11978	KA11730
TSIO-520-WB (20°,325HP)							X			KA11740
TSIO-550-A (24°,360HP)					X					KA11730
TSIO-550-A (24°,360HP)		X								KA12779
TSIO-550-B (24°,350HP)					X					KA11730
TSIO-550-B (24°,350HP)		X								KA12779
TSIO-550-C (24°,310HP)					X					KA11730
TSIO-550-C (24°,310HP)		X								KA12779
TSIO-550-E (24°,350HP)					X					KA11730
TSIO-550-E (24°,350HP)		X								KA12779

AERO-LITE PART NUMBER	KAES PART NUMBER
A1-1AR-II	KA12364E
A1-1AS-II	KA12364
A1-1BR-II	KA12360E
A1-1BS-II	KA12360
A1-3AR-II	KA12365E
A1-3AS-II	KA12365
A1-3BR-II	KA12235E
A1-3BS-II	KA12235
A1-5AR-II	KA14001E
A1-5AS-II	KA14001
A1-5BR-II	KA12508E
A1-5BS-II	KA12508
A2-1AR-II	KA12364E
A2-1AS-II	KA12364
A2-1BR-II	KA12360E
A2-1BS-II	KA12360
A2-3AR-II	KA12365E
A2-3AS-II	KA12365
A2-3BR-II	KA12235E
A2-3BS-II	KA12235
A2-5AR-II	KA14000E
A2-5AS-II	KA14000
A2-5BR-II	KA12508E
A2-5BS-II	KA12508
A3-1AR-II	KA12364E
A3-1AS-II	KA12364
A3-1BR-II	KA12360E
A3-1BS-II	KA12360
A3-3AR-II	KA12365E
A3-3AS-II	KA12365
A3-3BR-II	KA12235E
A3-3BS-II	KA12235
A3-5AR-II	KA14007E
A3-5AS-II	KA14007
A3-5BR-II	KA12508E
A3-5BS-II	KA12508
A4-1AR-II	KA12364E
A4-1AS-II	KA12364
A4-1BR-II	KA12360E
A4-1BS-II	KA12360
A4-3AR-II	KA12365E

AERO-LITE PART NUMBER	KAES PART NUMBER
A4-3AS-II	KA12365
A4-3BR-II	KA12235E
A4-3BS-II	KA12235
A4-5AR-II	KA14000E
A4-5AS-II	KA14000
A4-5BR-II	KA12506E
A4-5BS-II	KA12506
A5-1AR-II	KA12364E
A5-1AS-II	KA12364
A5-1BR-II	KA12360E
A5-1BS-II	KA12360
A5-3AR-II	KA12365E
A5-3AS-II	KA12365
A5-3BR-II	KA12235E
A5-3BS-II	KA12235
A5-5AR-II	KA14006E
A5-5AS-II	KA14006
A5-5BR-II	KA12508E
A5-5BS-II	KA12508
A6-1AR-II	KA12364E
A6-1AS-II	KA12364
A6-1BR-II	KA12360E
A6-1BS-II	KA12360
A6-3AR-II	KA12365E
A6-3AS-II	KA12365
A6-3BR-II	KA12235E
A6-3BS-II	KA12235
A6-5AR-II	KA12363E
A6-5AS-II	KA12363
A6-5BR-II	KA12357E
A6-5BS-II	KA12357
A7-1AR-II	KA12364E
A7-1AS-II	KA12364
A7-1BR-II	KA14033E
A7-1BS-II	KA14033
A8-1AR-II	
A8-1AS-II	
A8-1BR-II	
A8-1BS-II	
A9-1AR-II	
A9-1AS-II	

AERO-LITE PART NUMBER	KAES PART NUMBER
A9-1BR-II	
A9-1BS-II	
A9-3AR-II	KA12411E
A9-3AS-II	KA12411
A10-11BS-II	CUSTOM
A10-2AR-II	KA12474E
A10-2AS-II	KA12474
A10-2BR-II	
A10-2BS-II	
A10-2BS	CUSTOM
A10-4AR-II	KA12685E
A10-4AS-II	KA12685
A10-4BR-II	
A10-4BS-II	
A11-2AR-II	
A11-2AS-II	
A11-2BR-II	
A11-2BS-II	
A12-2AR-II	
A12-2AS-II	
A12-2BR-II	
A12-2BS-II	
A12-4AR-II	KA12703E
A12-4AS-II	KA12703
A12-4BR-II	KA12706E
A12-4BS-II	KA12706
A13-2AR-II	
A13-2AS-II	
A13-2BR-II	
A13-2BS-II	
A13-4AR-II	KA12685E
A13-4AS-II	KA12685
A13-4BR-II	KA12447E
A13-4BR	CUSTOM
A13-4BS-II	KA12447
A15-2AR-II	KA12474E
A15-2AS-II	KA12474
A15-2BR-II	
A15-2BS-II	
A16-2AR-II	
A16-2AS-II	

AERO-LITE PART NUMBER	KAES PART NUMBER
A16-2BR-II	
A16-2BS-II	
A16-4AR-II	KA12742E
A16-4AS-II	KA12742
A16-4BR-II	KA12589E
A16-4BS-II	
A17-2AR-II	
A17-2AS-II	
A17-2BR-II	
A17-2BS-II	
A17-4AR-II	KA12745E
A17-4AS-II	KA12745
A17-4BR-II	
A17-4BS-II	
A18-11AR-II	
A18-11AS-II	
A18-11BR-II	KA12876E
A18-11BS-II	KA12876
A18-2AR-II	KA12121E
A18-2AS-II	KA12121
A18-2BR-II	KA12120E
A18-2BS-II	KA12120
A18-4AR-II	KA12154E
A18-4AS-II	KA12154
A18-4BR-II	KA12157E
A18-4BS-II	KA12157
A19-11AR-II	
A19-11AS-II	
A19-11BR-II	KA12896E
A19-11BS-II	KA12896
A19-2AR-II	KA12121E
A19-2AS-II	KA12121
A19-2BR-II	KA12120E
A19-2BS-II	KA12120
A19-4AR-II	KA12154E
A19-4AS-II	KA12154
A19-4BR-II	KA12157E
A19-4BS-II	KA12157
A20-11AR-II	
A20-11AS-II	
A20-11BR-II	KA12896E

AERO-LITE PART NUMBER	KAES PART NUMBER
A20-11BS-II	KA12896
A20-2AR-II	KA12121E
A20-2AS-II	KA12121
A20-2AS	CUSTOM
A20-2BR-II	KA12120E
A20-2BS-II	KA12120
A20-4AR-II	KA12154E
A20-4AS-II	KA12154
A20-4BR-II	KA12157E
A20-4BS-II	KA12157
A21-11AR-II	
A21-11AS-II	
A21-11BR-II	KA12896E
A21-11BS-II	KA12896
A21-2AR-II	KA12121E
A21-2AS-II	KA12121
A21-2BR-II	KA12120E
A21-2BS-II	KA12120
A21-4AR-II	KA12154E
A21-4AS-II	KA12154
A21-4BR-II	KA12157E
A21-4BS-II	KA12157
A23-2AR-II	KA12287E
A23-2AS-II	KA12287
A23-2BR-II	
A23-2BS-II	
A23-4AR-II	KA12259E
A23-4AS-II	KA12259
A23-4BR-II	
A23-4BS-II	
A24-4BR-II	KA12628E
A24-4BS-II	KA12628
A25-2AR-II	
A25-2AS-II	
A25-2BR-II	
A25-2BS-II	
A26-4BR-II	KA12628E
A26-4BS-II	KA12628
A27-2AR-II	KA12244E
A27-2AS-II	KA12244
A27-2BR-II	KA12247E

AERO-LITE PART NUMBER	KAES PART NUMBER
A27-2BS-II	KA12247
A27-4AR-II	
A27-4AS-II	
A27-4BR-II	
A27-4BS-II	
A30-1AR-II	KA12364E
A30-1AR	CUSTOM
A30-1AS-II	KA12364
A30-1BR-II	KA12360E
A30-1BS-II	KA12360
A30-1BS	CUSTOM
A30-3AR-II	KA12365E
A30-3AS-II	KA12365
A30-3BR-II	KA12235E
A30-3BS-II	KA12235
A30-5AR-II	KA14001E
A30-5AS-II	KA14001
A30-5BR-II	KA12508E
A30-5BS-II	KA12508
A32-2AR-II	KA12712E
A32-2AS-II	KA12712
A32-2BR-II	KA12865E
A32-2BS-II	KA12865
A32-4AR-II	KA12709E
A32-4AS-II	KA12709
A32-4BR-II	KA12447E
A32-4BS-II	KA12447
A33-2AR-II	KA12712R
A33-2AS-II	KA12712
A33-2BR-II	KA12865E
A33-2BS-II	KA12865
A33-4AR-II	KA12709E
A33-4AS-II	KA12709
A33-4BR-II	KA12447E
A33-4BS-II	KA12447
A34-3AR-II	
A34-3AS-II	
A34-5AR-II	KA14007E
A34-5AS-II	KA14007
A35-4BR-II	KA12890E
A35-4BS-II	KA12890

AERO-LITE PART NUMBER	KAES PART NUMBER
A36-11BR-II	KA16044E
A36-11BS-II	KA16044
A36-2BS-II	KA12121
A36-4BR-II	
A36-4BS-II	
A37-11AR-II	
A37-11AS-II	
A37-11BR-II	
A37-11BS-II	
A37-2AR-II	KA12121E
A37-2AS-II	KA12121
A37-2BR-II	KA12120E
A37-2BS-II	KA12120
A37-4AR-II	KA1254E
A37-4AS-II	KA12154
A37-4BR-II	KA12157E
A37-4BS-II	KA12157
A38-10BR	10-821414-6R
A38-10BS	10-821414-6R
A38-10BS	10-821414-6R
A40-10BR	10-821625-4R
A40-10BS	10-821625-4R
A42-10BS	10-821625-4R
A44-1AR-II	KA12364E
A44-1AS-II	KA12364
A44-1BR-II	KA12360E
A44-1BS-II	KA12360
A44-3AR-II	KA12365E
A44-3AS-II	KA12365
A44-3BR-II	KA12235E
A44-3BS-II	KA12235
A44-5AR-II	KA14001E
A44-5AS-II	KA14001
A44-5BR-II	KA12508E
A44-5BS-II	KA12508
A45-10BR	10-821414-4R
A45-10BS	10-821414-4R
A47-10BR	10-821825-2R
A47-10BS	10-821825-2R
A49-10BS	10-821614-6R
A51-10BR	10-821615-20R

AERO-LITE PART NUMBER	KAES PART NUMBER
A51-10BS	10-821615-20R
A52-10BS	KA12944
A53-10BS	10-821414-6R
A54-2BR-II	
A54-2BS-II	
A56-11AS-II	
A56-11BS-II	KA16012
A56-2AR-II	KA12121E
A56-2AS-II	KA12121
A56-2BR-II	KA12120E
A56-2BS-II	KA12120
A56-4AR-II	KA12154E
A56-4AS-II	KA12154
A56-4BR-II	KA12157E
A56-4BS-II	KA12157
A57-10BS	KA12944
A59-1AR-II	KA12364E
A59-1AS-II	KA12364
A59-1BR-II	KA12360E
A59-1BS-II	KA12360
A59-3AR-II	KA12365E
A59-3AS-II	KA12365
A59-3BR-II	KA12235E
A59-3BS-II	KA12235
A59-5AR-II	
A59-5AS-II	
A59-5BR-II	KA12508E
A59-5BS-II	KA12508
A60-1AR-II	KA12364E
A60-1AS-II	KA12364
A60-1BR-II	KA12360E
A60-1BS-II	KA12360
A60-3AR-II	
A60-3AS-II	
A60-3BR-II	
A60-3BS-II	
A60-5AR-II	
A60-5AS-II	
A61-10BS	10-821614-6R
A63-1AR-II	
A63-1AS-II	

AERO-LITE PART NUMBER	KAES PART NUMBER
A63-1BR-II	
A63-1BS-II	
A63-3AR-II	KA12423E
A63-3AS-II	KA12423
A63-3BR-II	KA12616E
A63-3BS-II	KA12616
A63-5AR-II	KA14027E
A63-5AS-II	KA14027
A64-10BS	10-821614-6R
A65-2AR-II	
A65-2AS-II	
A65-2BR-II	KA12865E
A65-2BS-II	KA12865
A66-10BS	10-821414-6R
A68-10BR	10-821414-4R
A68-10BS	10-821414-4R
A69-10BS	10-821614-6R
A70-10BR	10-821414-14R
A70-10BS	10-821414-14R
A72-10BS	10-821615-4R
A73-1AR-II	KA12364E
A73-1AS-II	KA12364
A73-1BR-II	KA12360E
A73-1BS-II	KA12360
A73-3AR-II	
A73-3AS-II	
A73-3BR-II	KA12235E
A73-3BS-II	KA12235
A73-5AR-II	KA14006E
A73-5AS-II	KA14006
A73-5BR-II	KA12508E
A73-5BS-II	KA12508
A74-1AR-II	KA12364E
A74-1AS-II	KA12364
A74-1BR-II	KA12360E
A74-1BS-II	KA12360
A74-3AR-II	KA12365E
A74-3AS-II	KA12365
A74-3BR-II	KA12235E
A74-3BS-II	KA12235
A74-5AR-II	KA14002E

AERO-LITE PART NUMBER	KAES PART NUMBER
A74-5AS-II	KA14002
A74-5BR-II	KA12508E
A74-5BS-II	KA12508
A75-10BR	10-821415-12R
A75-10BS	10-821415-12R
A76-10BS	10-821414-6R
A81-10BS	10-821614-6R
A82-1AR-II	KA12916E
A82-1AS-II	KA12916
A83-1AR-II	KA12364E
A83-1AS-II	KA12364
A83-1BR-II	KA14033E
A83-1BS-II	KA14033
B1-11AR-II	
B1-11AS-II	
B1-11BR-II	
B1-11BS-II	
B1-2AR-II	KA12772E
B1-2AS-II	KA12772
B1-2BR-II	KA12769E
B1-2BS-II	KA12769
B1-8AS-LA	KA17002
B2-11AR-II	
B2-11AS-II	
B2-11BR-II	
B2-11BS-II	
B2-2AR-II	KA12772E
B2-2AS-II	KA12772
B2-2BR-II	KA12769E
B2-2BS-II	KA12769
B2-8AS-LA	KA17002
B3-2AR-II	KA12772E
B3-2AS-II	KA12772
B3-2BR-II	KA12769E
B3-2BS-II	KA12769
B4-1BR-II	CUSTOM
B4-1BS-II	CUSTOM
C1-1AR-II	KA12045E
C1-1AS-II	KA12045
C1-5AR-II	KA12045E
C1-5AS-II	KA12045

AERO-LITE PART NUMBER	KAES PART NUMBER
C1-8AR-SFO	CUSTOM
C1-8AR-SFV	CUSTOM
C1-8AS-LA	CUSTOM
C1-8AS-SFO	CUSTOM
C1-8AS-SFV	CUSTOM
C2-1AR-II	KA12007E
C2-1AR	CUSTOM
C2-1AS-II	KA12007
C2-5AR-II	KA11780E
C2-5AS-II	KA11780
C2-8AS-LA	KA17008
C3-11AR-II	KA12932E
C3-11AS-II	KA12932
C3-11BR-II	
C3-11BS-II	
C3-2AR-II	KA12130E
C3-2AR	CUSTOM
C3-2AS-II	KA12130
C3-2BR-II	
C3-2BS-II	
C3-4AS-II	CUSTOM
C3-6AR	KA11884E
C3-6AS	KA11884
C3-6BR	KA12318E
C3-6BS	KA12318
C3-8AR-SFO	CUSTOM
C4-11AR-II	
C4-11AS-II	
C4-11BR-II	
C4-11BS-II	
C4-2AR-II	KA12176E
C4-2AS-II	KA12176
C4-2BR-II	KA12339E
C4-2BS-II	KA12339
C5-11AR-II	KA12938E
C5-11AS-II	KA12938
C5-11BR-II	
C5-11BS-II	
C5-2AR-II	
C5-2AS-II	
C5-2BR-II	

AERO-LITE PART NUMBER	KAES PART NUMBER
C5-2BS-II	
C5-6AR	
C5-6AS	
C5-6BR	
C5-6BS	
C6-11AR-II	KA12938E
C6-11AS-II	KA12938
C6-11BR-II	
C6-11BS-II	
C6-2AR-II	
C6-2AS-II	
C6-2BR-II	
C6-2BS-II	
C6-6AR	
C6-6AS	
C6-6BR	
C6-6BS	
C7-11AR-II	KA12938E
C7-11AS-II	KA12938
C7-11BR-II	
C7-11BS-II	
C7-2AR-II	
C7-2AS-II	
C7-2BR-II	
C7-2BS-II	
C7-6AR	
C7-6AS	
C7-6BR	
C7-6BS	
C8-1BR-II	
C8-1BS-II	
C9-11BR-II	KA12778E
C9-11BS-II	KA12778
C9-2BR-II	KA12015E
C9-2BS-II	KA12015
C9-4BR-II	
C9-4BS-II	
C10-11AR-II	
C10-11AS-II	
C10-11BR-II	
C10-11BS-II	

AERO-LITE PART NUMBER	KAES PART NUMBER
C10-2AR-II	KA12176E
C10-2AS-II	KA12176
C10-2BR-II	KA12339E
C10-2BS-II	KA12339
C11-11AR-II	KA12828E
C11-11AS-II	KA12828
C11-11BR-II	KA12381E
C11-11BS-II	KA12381
C11-2AR-II	KA11978E
C11-2AS-II	KA11978
C11-2AS	CUSTOM
C11-2BR-II	KA11730E
C11-2BS-II	KA11730
C11-4BR-II	KA11740E
C11-4BS-II	KA11740
C11-6AR	KA11878E
C11-6AS	KA11878
C11-6BR	KA11480E
C11-6BS	KA11480
C13-11AR-II	KA12828E
C13-11AS-II	KA12828
C13-11BR-II	KA12381E
C13-11BS-II	KA12381
C13-2AR-II	KA11978E
C13-2AS-II	KA11978
C13-2BR-II	KA11730E
C13-2BS-II	KA11730
C13-4BR-II	KA12216E
C13-4BS-II	KA12216
C13-6AR	KA11878E
C13-6AS	KA11878
C13-6BR	KA11480E
C13-6BS	KA11480
C14-11AR-II	KA12828E
C14-11AS-II	KA12828
C14-11BR-II	KA12381E
C14-11BS-II	KA12381
C14-2AR-II	KA11978E
C14-2AS-II	KA11978
C14-2BR-II	KA11730E
C14-2BS-II	KA11730

AERO-LITE PART NUMBER	KAES PART NUMBER
C14-2BS	CUSTOM
C14-4BR-II	KA12216E
C14-4BS-II	KA12216
C14-6AR	KA11878E
C14-6AS	KA11878
C14-6BR	KA11480E
C14-6BS	KA11480
C15-2AR-II	KA11978E
C15-2AS-II	KA11978
C15-2BR-II	KA11730E
C15-2BS-II	KA11730
C16-11AR-II	KA12828E
C16-11AS-II	KA12828
C16-11BR-II	KA12381E
C16-11BS-II	KA12381
C16-2AR-II	KA11978E
C16-2AS-II	KA11978
C16-2BR-II	KA11730E
C16-2BS-II	KA11730
C16-4BR-II	KA11740E
C16-4BS-II	KA11740
C16-6AR	KA11878E
C16-6AS	KA11878
C16-6BR	KA11480E
C16-6BS	KA11480
C17-11AR-II	KA12828E
C17-11AS-II	KA12828
C17-11BR-II	KA12381E
C17-11BS-II	KA12381
C17-2AR-II	KA11978E
C17-2AS-II	KA11978
C17-2BR-II	KA11730E
C17-2BS-II	KA11730
C17-4BR-II	KA12216E
C17-4BS-II	KA12216
C17-6AR	KA11878E
C17-6AS	KA11878
C17-6BR	KA11480E
C17-6BS	KA11480
C19-11AR-II	KA12932E
C19-11AS-II	KA12932

AERO-LITE PART NUMBER	KAES PART NUMBER
C19-11BR-II	
C19-11BS-II	
C19-2AR-II	KA12130E
C19-2AS-II	KA12130
C19-2BR-II	
C19-2BS-II	
C19-4BS-II	CUSTOM
C19-6AR	KA11884E
C19-6AS	KA11884
C19-6BR	KA12318E
C19-6BS	KA12318
C20-11AR-II	
C20-11AS-II	
C20-11BR-II	
C20-11BS-II	
C20-2AR-II	KA12176E
C20-2AS-II	KA12176
C20-2BR-II	KA12339E
C20-2BS-II	KA12339
C25-2AR-II	KA11978E
C25-2AS-II	KA11978
C25-2BR-II	KA11730E
C25-2BS-II	KA11730
C25-2BS	CUSTOM
C25-4BR-II	KA11740E
C25-4BS-II	KA11740
C26-2BR-II	
C26-2BS-II	
C26-4BR-II	KA11950E
C26-4BS-II	KA11950
C28-11BR-II	KA12778E
C28-11BS-II	KA12778
C28-2AS-II	CUSTOM
C28-2BR-II	KA12015E
C28-2BS-II	KA12015
C28-4BR-II	
C28-4BS-II	
C29-11AR-II	KA12828E
C29-11AS-II	KA12828
C29-11BR-II	KA12381E
C29-11BS-II	KA12381

AERO-LITE PART NUMBER	KAES PART NUMBER
C29-2AR-II	KA11978E
C29-2AS-II	KA11978
C29-2BR-II	KA11730E
C29-2BS-II	KA11730
C29-4BR-II	KA11740E
C29-4BS-II	KA11740
C29-6AR	KA11878E
C29-6AS	KA11878
C29-6BR	
C29-6BS	
C30-2BR-II	
C30-2BS-II	
C30-4BR-II	KA11950E
C30-4BS-II	KA11950
C31-1AR-II	KA12007E
C31-1AS-II	KA12007
C31-5AR-II	KA11780E