

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-002	62701-002	CABLE, Aileron, Fwd, LH and RH	PA-28-140* s/n 28-20002 thru 28-7625234;
			CABLE, Aileron, Fwd, LH and RH	PA-28-140* s/n 28-7725001 thru 28-7725290;
			CABLE, Aileron, Fwd, LH and RH	PA-28-150 s/n all;
			CABLE, Aileron, Fwd, LH and RH	PA-28-160 s/n all;
			CABLE, Aileron, Fwd, LH and RH	PA-28-180* s/n 28-671 thru 28-7205328;
			CABLE, Aileron, Fwd, LH and RH	PA-28-235* s/n 28-10003 thru 28-7210033;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-200* s/n 28R-35001 thru 28R-7135238;

MC62701-003	62701-003	CABLE, Aileron, Wing, LH & RH	PA-28-140* s/n 28-20002 thru 28-7625234;
		CABLE, Aileron, Wing, LH & RH	PA-28-140* s/n 28-7725001 thru 28-7725290;
		CABLE, Aileron, Wing, LH & RH	PA-28-150 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-28-160 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-28-180 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-28-235* s/n 28-10003 thru 28-7710089;
		CABLE, Aileron, Wing, LH & RH	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
		CABLE, Aileron, Wing, LH & RH	PA-28R-200 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-32-260 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-32-300* s/n 32-40000 thru 32-7940282;
		CABLE, Aileron, Wing, LH & RH	PA-32R-300 s/n all;
		CABLE, Aileron, Wing, LH & RH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
		CABLE, Aileron, Wing, LH & RH	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;

MC62701-004	62701-004	CABLE, Aileron, Balance, LH	PA-28-140* s/n 28-20002 thru 28-7625234;
-------------	-----------	--------------------------------	--

Project Engineer: <i>Haylie Cool</i>	Quality Manager: <i>Dan Yarnall</i>
Date: <i>1/5/17</i>	Date: <i>12-22-16</i>
Engineering Manager: <i>Joe</i>	Manufacturing Manager: <i>Dan A. McFarlane</i>
Date: <i>12-21-16</i>	Date: <i>12-21-16</i>



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title: **Piper Flight Control Cable Application Chart**

Size: **A** Scale: **NA** Drawn: **Haylie Cool** Sheet: **1** of **35**

Drawing Number: **1220**

REVISION

B

B	11/30/2015	SEE REVISION SHEET
A	09/21/2015	SEE REVISION SHEET
~	06/01/1997	ORIGINAL

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-006	62701-006	CABLE, Rudder, Fwd, LH and RH	PA-28-150 s/n all;
			CABLE, Rudder, Fwd, LH and RH	PA-28-160 s/n all;
			CABLE, Rudder, Fwd, LH and RH	PA-28-180* s/n 28-671 thru 28-7205328;
			CABLE, Rudder, Fwd, LH and RH	PA-28-235* s/n 28-10003 thru 28-7210033;
			CABLE, Rudder, Fwd, LH and RH	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
			CABLE, Rudder, Fwd, LH and RH	PA-28R-200* s/n 28R-35001 thru 28R-7135238;
	MC62701-008	62701-008	CABLE, Rudder, Aft, LH and RH	PA-28-140* s/n 28-20002 thru 28-7625234;
			CABLE, Rudder, Aft, LH and RH	PA-28-140* s/n 28-7725001 thru 28-7725290;
			CABLE, Rudder, Aft, LH and RH	PA-28-150 s/n all;
			CABLE, Rudder, Aft, LH and RH	PA-28-151 s/n all;
			CABLE, Rudder, Aft, LH and RH	PA-28-160 s/n all;
			CABLE, Rudder, Aft, LH and RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Rudder, Aft, LH and RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Rudder, Aft, LH and RH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Rudder, Aft, LH and RH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Rudder, Aft, LH and RH	PA-28-161* s/n 2842001 thru 2842999;
			CABLE, Rudder, Aft, LH and RH	PA-28-180 s/n all;
B			CABLE, Rudder, Aft, LH and RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Rudder, Aft, LH and RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Rudder, Aft, LH and RH	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Rudder, Aft, LH and RH	PA-28-201T s/n all;
			CABLE, Rudder, Aft, LH and RH	PA-28-235* s/n 28-10003 thru 28-7710089;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 3

of 35

Drawing Number:

1220

REVISION

B

[illegible]

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
	MC62701-012	62701-012	CABLE, Stabilator, Aft	PA-28-201T s/n all;
B			CABLE, Stabilator, Aft	PA-28-235* s/n 28-10003 thru 28-7710089;
B			CABLE, Stabilator, Aft	PA-28-236* s/n 28-7911001 thru 28-8611008;
			CABLE, Stabilator, Aft	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Stabilator, Aft	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
			CABLE, Stabilator, Aft	PA-28R-200 s/n all;
			CABLE, Stabilator, Aft	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stabilator, Aft	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stabilator, Aft	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator, Aft	PA-28R-201T* s/n 2803001 thru 2803015;
			CABLE, Stabilator, Aft	PA-32-260 s/n all;
			CABLE, Stabilator, Aft	PA-32-300* s/n 32-40000 thru 32-7940282;
			CABLE, Stabilator, Aft	PA-32R-300 s/n all;

	MC62701-013	62701-013	CABLE, Stabilator, Aft	PA-28-140* s/n 28-20002 thru 28-7625234;
			CABLE, Stabilator, Aft	PA-28-140* s/n 28-7725001 thru 28-7725290;
			CABLE, Stabilator, Aft	PA-28-150 s/n all;
			CABLE, Stabilator, Aft	PA-28-151 s/n all;
			CABLE, Stabilator, Aft	PA-28-160 s/n all;
			CABLE, Stabilator, Aft	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Stabilator, Aft	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Stabilator, Aft	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Stabilator, Aft	PA-28-161* s/n 2841001 thru 2841365;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haytle Cool	Sheet: 6 of 35
Drawing Number: 1220			REVISION B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
B	MC62701-013	62701-013	CABLE, Stabilator, Aft	PA-28-161* s/n 2842001 thru 2842999;
			CABLE, Stabilator, Aft	PA-28-180 s/n all;
B			CABLE, Stabilator, Aft	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stabilator, Aft	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stabilator, Aft	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Stabilator, Aft	PA-28-201T s/n all;
			CABLE, Stabilator, Aft	PA-28-235* s/n 28-10003 thru 28-7710089;
B			CABLE, Stabilator, Aft	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stabilator, Aft	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Stabilator, Aft	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
			CABLE, Stabilator, Aft	PA-28R-200 s/n all;
			CABLE, Stabilator, Aft	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stabilator, Aft	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stabilator, Aft	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator, Aft	PA-28R-201T* s/n 2803001 thru 2803015;
			CABLE, Stabilator, Aft	PA-32-260 s/n all;
			CABLE, Stabilator, Aft	PA-32-300* s/n 32-40000 thru 32-7940282;
			CABLE, Stabilator, Aft	PA-32R-300 s/n all;

MC62701-014

62701-014

CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap
CABLE, Flap

PA-28-140* s/n 28-20002 thru 28-7625234;
PA-28-140* s/n 28-7725001 thru 28-7725290;
PA-28-150 s/n all;
PA-28-160 s/n all;
PA-28-180* s/n 28-671 thru 28-7205328;
PA-28-235* s/n 28-10003 thru 28-7210033;
PA-28R-180* s/n 28R-30005 thru 28R-7130019;
PA-28R-200* s/n 28R-35001 thru 28R-7135238;
PA-32-260 s/n all;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 7 of 35
Drawing Number: 1220			REVISION B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC62701-014	62701-014	CABLE, Flap	PA-32-300* s/n 32-40000 thru 32-7940282;
B			CABLE, Flap	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Flap	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Flap	PA-32-301T s/n all;
			CABLE, Flap	PA-32R-300 s/n all;
B			CABLE, Flap	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Flap	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Flap	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Flap	PA-32R-301T* s/n 3229001 thru 3229003;
	MC62701-015	62701-015	CABLE, Stabilator Trim	PA-28-150* s/n 28-1 thru 28-1410;
			CABLE, Stabilator Trim	PA-28-160* s/n 28-1 thru 28-1410;
			CABLE, Stabilator Trim	PA-28-180* s/n 28-671 thru 28-1410;
	MC62701-016	62701-016	CABLE, Stab Trim Indicator, Aft	PA-28-140* s/n 28-20002 thru 28-7625234;
			CABLE, Stab Trim Indicator, Aft	PA-28-140* s/n 28-7725001 thru 28-7725290;
			CABLE, Stab Trim Indicator, Aft	PA-28-150 s/n all;
			CABLE, Stab Trim Indicator, Aft	PA-28-160 s/n all;
			CABLE, Stab Trim Indicator, Aft	PA-28-180 s/n all;
			CABLE, Stab Trim Indicator, Aft	PA-28-235* s/n 28-10003 thru 28-7710089;
	MC62701-017	62701-017	CABLE, Aileron, Fwd, LH and RH	PA-28S-180 s/n all;
	MC62701-018	62701-018	CABLE, Aileron, Wing, LH and RH	PA-28S-180 s/n all;
			CABLE, Aileron, Wing, LH and RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-019	62701-019	CABLE, Aileron, Balance, LH	PA-28S-180 s/n all;
	MC62701-020	62701-020	CABLE, Aileron, Balance, RH	PA-28S-180 s/n all;
			CABLE, Aileron, Balance, RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-023	62701-023	CABLE, Rudder, Aft, LH and RH	PA-28S-180 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haylie Cool

Sheet:

8

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-023	62701-023	CABLE, Rudder, Aft, LH and RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-027	62701-027	CABLE, Stabilator, Aft, LH CABLE, Stabilator, Aft, LH	PA-28S-180 s/n all; PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-028	62701-028	CABLE, Stabilator, Aft, RH CABLE, Stabilator, Aft, RH	PA-28S-180 s/n all; PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-031	62701-031	CABLE, Stabilator Trim, Aft	PA-28S-180 s/n all;
	MC62701-032	62701-032	CABLE, Stabilator Trim CABLE, Stabilator Trim CABLE, Stabilator Trim CABLE, Stabilator Trim CABLE, Stabilator Trim	PA-28-140* s/n 28-20002 thru 28-20656; PA-28-150* s/n 28-1411 thru 28-2171; PA-28-160* s/n 28-1411 thru 28-2171; PA-28-180* s/n 28-1411 thru 28-2171; PA-28-235* s/n 28-10003 thru 28-10605;
B B B B B B	MC62701-036	62701-036	CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH CABLE, Aileron, Fwd, LH and RH	PA-32-260 s/n all; PA-32-300* s/n 32-40000 thru 32-7940282; PA-32-301* s/n 32-8006001 thru 32-8606023; PA-32-301* s/n 3206001 thru 3206060; PA-32-301T s/n all; PA-32R-300 s/n all; PA-32R-301* s/n 32R-8013001 thru 32R-8613006; PA-32R-301* s/n 3213001 thru 3213103; PA-32R-301* s/n 3246001 thru 3246999; PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 9 of 35
Drawing Number: 1220			REVISION
			B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-036	62701-036	CABLE, Aileron, Fwd, LH and RH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Aileron, Fwd, LH and RH	PA-32R-301T* s/n 3257001 thru 3257999;
			CABLE, Aileron, Fwd, LH and RH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
			CABLE, Aileron, Fwd, LH and RH	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
			CABLE, Aileron, Fwd, LH and RH	PA-34-200 s/n all;
			CABLE, Aileron, Fwd, LH and RH	PA-34-200T s/n all;

	MC62701-037	62701-037	CABLE, Rudder & Stabilator, Fwd	PA-32-260 s/n all;
B			CABLE, Rudder & Stabilator, Fwd	PA-32-300* s/n 32-40000 thru 32-7940282;
B			CABLE, Rudder & Stabilator, Fwd	PA-32-301* s/n 32-8006001 thru 32-8606023;
			CABLE, Rudder & Stabilator, Fwd	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Rudder & Stabilator, Fwd	PA-32-301T s/n all;
			CABLE, Rudder & Stabilator, Fwd	PA-32R-300 s/n all;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Rudder & Stabilator, Fwd	PA-32R-301T* s/n 3257001 thru 3257999;
			CABLE, Rudder & Stabilator, Fwd	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
			CABLE, Rudder & Stabilator, Fwd	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
			CABLE, Rudder & Stabilator, Fwd	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
			CABLE, Rudder & Stabilator, Fwd	PA-34-200 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 10 of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-037	62701-037	CABLE, Rudder & Stabilator, Fwd	PA-34-200T s/n all;
B			CABLE, Rudder & Stabilator, Fwd	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Rudder & Stabilator, Fwd	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Rudder & Stabilator, Fwd	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Rudder & Stabilator, Fwd	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Rudder & Stabilator, Fwd	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-038	62701-038	CABLE, Rudder, Fwd, LH	PA-32-260* s/n 32-1 thru 32-7400061;
			CABLE, Rudder, Fwd, LH	PA-32-300* s/n 32-40000 thru 32-7440182;
	MC62701-040	62701-040	CABLE, Stabilator, Fwd, LH	PA-32-260 s/n all;
			CABLE, Stabilator, Fwd, LH	PA-32-300* s/n 32-40000 thru 32-7940282;
			CABLE, Stabilator, Fwd, LH	PA-32R-300 s/n all;
			CABLE, Stabilator, Fwd, LH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
			CABLE, Stabilator, Fwd, LH	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-041	62701-041	CABLE, Stabilator Trim, Fwd, LH and RH	PA-32-260 s/n all;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32-300* s/n 32-40000 thru 32-7940282;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32-301T s/n all;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-300 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 11

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-041	62701-041	CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32R-301T* s/n 3257001 thru 3257999;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-042	62701-042	CABLE, Stabilator Trim, Fwd, LH	PA-32-260 s/n all;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32-300* s/n 32-40000 thru 32-7940282;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32-301* s/n 32-8006001 thru 32-8606023;
			CABLE, Stabilator Trim, Fwd, LH	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Stabilator Trim, Fwd, LH	PA-32-301T s/n all;
			CABLE, Stabilator Trim, Fwd, LH	PA-32R-300 s/n all;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator Trim, Fwd, LH	PA-32R-301T* s/n 3229001 thru 3229003;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 12 of 35

Drawing Number:

1220

REVISION

B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
	MC62701-042	62701-042	CABLE, Stabilator Trim, Fwd, LH CABLE, Stabilator Trim, Fwd, LH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125; PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-044	62701-044	CABLE, Stab Trim, Fwd, Elec CABLE, Stab Trim, Fwd, Elec CABLE, Stab Trim, Fwd, Elec CABLE, Stab Trim, Fwd, Elec CABLE, Stab Trim, Fwd, Elec	PA-28-140* s/n 28-20002 thru 28-7225612; PA-28-150* s/n 28-2172 thru 28-4377; PA-28-160* s/n 28-2172 thru 28-4377; PA-28-180* s/n 28-2172 thru 28-4377; PA-28-235* s/n 28-10606 thru 28-10719;
	MC62701-045	62701-045	CABLE, Stabilator Trim, Fwd CABLE, Stabilator Trim, Fwd CABLE, Stabilator Trim, Fwd CABLE, Stabilator Trim, Fwd CABLE, Stabilator Trim, Fwd	PA-28-140* s/n 28-20657 thru 28-7225612; PA-28-150* s/n 28-2172 thru 28-4377; PA-28-160* s/n 28-2172 thru 28-4377; PA-28-180* s/n 28-2172 thru 28-4377; PA-28-235* s/n 28-10606 thru 28-10719;
	MC62701-046	62701-046	CABLE, Stabilator Trim, Fwd, LH	PA-28S-180* s/n 28S-2172 thru 28-7205234;
	MC62701-047	62701-047	CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft	PA-28-140* s/n 28-20657 thru 28-7625234; PA-28-140* s/n 28-7725001 thru 28-7725290; PA-28-150* s/n 28-2172 thru 28-4377; PA-28-151 s/n all; PA-28-160* s/n 28-2172 thru 28-4377; PA-28-161* s/n 28-7716002 thru 28-8616057; PA-28-161* s/n 2816001 thru 2816065; PA-28-161* s/n 2816067 thru 2816119;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 13 of 35
Drawing Number: 1220			REVISION
			B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-047	62701-047	CABLE, Stabilator Trim, Aft	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Stabilator Trim, Aft	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Stabilator Trim, Aft	PA-28-180* s/n 28-2172 thru 28-7505260;
B			CABLE, Stabilator Trim, Aft	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stabilator Trim, Aft	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stabilator Trim, Aft	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Stabilator Trim, Aft	PA-28-201T s/n all;
			CABLE, Stabilator Trim, Aft	PA-28-235* s/n 28-10606 thru 28-7710089;
B			CABLE, Stabilator Trim, Aft	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stabilator Trim, Aft	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Stabilator Trim, Aft	PA-28R-180* s/n 28R-30005 thru 28R-7130019;
			CABLE, Stabilator Trim, Aft	PA-28R-200 s/n all;
			CABLE, Stabilator Trim, Aft	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stabilator Trim, Aft	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stabilator Trim, Aft	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator Trim, Aft	PA-28R-201T* s/n 2803001 thru 2803015;
			CABLE, Stabilator Trim, Aft	PA-32-260 s/n all;
			CABLE, Stabilator Trim, Aft	PA-32-300* s/n 32-40000 thru 32-7940282;
B			CABLE, Stabilator Trim, Aft	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator Trim, Aft	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Stabilator Trim, Aft	PA-32-301T s/n all;
			CABLE, Stabilator Trim, Aft	PA-32R-300 s/n all;
B			CABLE, Stabilator Trim, Aft	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haylie Cool

Sheet:

14

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-047	62701-047	CABLE, Stabilator Trim, Aft	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator Trim, Aft	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Stabilator Trim, Aft	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator Trim, Aft	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Stabilator Trim, Aft	PA-32R-301T* s/n 3257001 thru 3257999;
			CABLE, Stabilator Trim, Aft	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-048	62701-048	CABLE, Aileron, Balance, LH	PA-32-260 s/n all;
			CABLE, Aileron, Balance, LH	PA-32-300* s/n 32-40000 thru 32-7940282;
			CABLE, Aileron, Balance, LH	PA-32R-300 s/n all;
			CABLE, Aileron, Balance, LH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125;
			CABLE, Aileron, Balance, LH	PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-049	62701-049	CABLE, Stabilator Trim, Fwd, LH	PA-28S-180* s/n 28S-2172 thru 28-7205234;
	MC62701-050	62701-050	CABLE, Aileron, Fwd, LH and RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-051	62701-051	CABLE, Rudder and Stab, Fwd, RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-053	62701-053	CABLE, Stabilator, Fwd, LH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-054	62701-054	CABLE, Stabilator Trim, Fwd, LH and RH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-055	62701-055	CABLE, Aileron, Balance, LH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-056	62701-056	CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-140* s/n 28-7325001 thru 28-7625234;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:			
Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 15 of 35
Drawing Number:			REVISION
1220			B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
	MC62701-056	62701-056	CABLE, Stabilator Trim, Fwd, LH and RH CABLE, Stabilator Trim, Fwd, LH and RH CABLE, Stabilator Trim, Fwd, LH and RH CABLE, Stabilator Trim, Fwd, LH and RH CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-140* s/n 28-7725001 thru 28-7725290; PA-28-180* s/n 28-4378 thru 28-7205328; PA-28-235* s/n 28-10720 thru 28-7210033; PA-28R-180* s/n 28R-30005 thru 28R-7130019; PA-28R-200* s/n 28R-35001 thru 28R-7135238;
	MC62701-057	62701-057	CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec CABLE, Stab Trim, Fwd LH, Elec	PA-28-140* s/n 28-7325001 thru 28-7625234; PA-28-140* s/n 28-7725001 thru 28-7725290; PA-28-180* s/n 28-4378 thru 28-7205328; PA-28-235* s/n 28-10720 thru 28-7210033; PA-28R-180* s/n 28R-30005 thru 28R-7130019; PA-28R-200* s/n 28R-35001 thru 28R-7135238;
	MC62701-060	62701-060	CABLE, Stabilator Trim, Fwd, LH	PA-32S-300* s/n 32S-40000 thru 32S-7240147;
	MC62701-061	62701-061	CABLE, Stabilator, Fwd, RH CABLE, Stabilator, Fwd, RH	PA-28R-180* s/n 28R-30005 thru 28R-7130019; PA-28R-200* s/n 28R-35001 thru 28R-7135238;
	MC62701-062	62701-062	CABLE, Stabilator, Fwd, LH CABLE, Stabilator, Fwd, LH	PA-28R-180* s/n 28R-30005 thru 28R-7130019; PA-28R-200* s/n 28R-35001 thru 28R-7135238;
	MC62701-064	62701-064	CABLE, Rudder, Aft, LH and RH CABLE, Rudder, Aft, LH and RH	PA-28R-180* s/n 28R-30005 thru 28R-7130019; PA-28R-200 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: **A**

Scale: **NA**

Drawn: **Haylie Cool**

Sheet: **16** of **35**

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-064	62701-064	CABLE, Rudder, Aft, LH and RH CABLE, Rudder, Aft, LH and RH CABLE, Rudder, Aft, LH and RH CABLE, Rudder, Aft, LH and RH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317; PA-28R-201* s/n 2837001 thru 2837061; PA-28R-201T* s/n 28R-7703002 thru 28R-7803372; PA-28R-201T* s/n 2803001 thru 2803015;
	MC62701-069	62701-069	CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd CABLE, Rudder Trim Control, Fwd	PA-34-200 s/n all; PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031; PA-34-220T* s/n 3433001 thru 3433172; PA-34-220T* s/n 3448001 thru 3448079; PA-34-220T* s/n 3447001 thru 3447029; PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-070	62701-070	CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft CABLE, Rudder Trim Control, Aft	PA-34-200 s/n all; PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031; PA-34-220T* s/n 3433001 thru 3433172; PA-34-220T* s/n 3448001 thru 3448079; PA-34-220T* s/n 3447001 thru 3447029; PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-071	62701-071	CABLE, Flap CABLE, Flap CABLE, Flap CABLE, Flap CABLE, Flap	PA-34-200 s/n all; PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031; PA-34-220T* s/n 3433001 thru 3433172; PA-34-220T* s/n 3448001 thru 3448079;
	MC62701-072	62701-072	CABLE, Rudder, Aft CABLE, Rudder, Aft	PA-34-200 s/n all; PA-34-200T s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 17 of 35
Drawing Number: 1220			REVISION
			B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-072	62701-072	CABLE, Rudder, Aft	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Rudder, Aft	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Rudder, Aft	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Rudder, Aft	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Rudder, Aft	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-073	62701-073	CABLE, Stabilator Trim, Aft	PA-34-200 s/n all;
			CABLE, Stabilator Trim, Aft	PA-34-200T s/n all;
B			CABLE, Stabilator Trim, Aft	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Stabilator Trim, Aft	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Stabilator Trim, Aft	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Stabilator Trim, Aft	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Stabilator Trim, Aft	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-074	62701-074	CABLE, Aileron, Wing, LH and RH	PA-34-200 s/n all;
	MC62701-075	62701-075	CABLE, Aileron, Balance, RH	PA-34-200 s/n all;
	MC62701-076	62701-076	CABLE, Aileron, Balance, LH	PA-34-200 s/n all;
	MC62701-077	62701-077	CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-200 s/n all;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-200T s/n all;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-220T* s/n 3448001 thru 3448079;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 18 of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-077	62701-077	CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-078	62701-078	CABLE, Stabilator, Fwd, LH	PA-34-200 s/n all;
B			CABLE, Stabilator, Fwd, LH	PA-34-200T s/n all;
B			CABLE, Stabilator, Fwd, LH	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Stabilator, Fwd, LH	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Stabilator, Fwd, LH	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Stabilator, Fwd, LH	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Stabilator, Fwd, LH	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-079	62701-079	CABLE, Stabilator, Aft, Upper	PA-34-200 s/n all;
	MC62701-080	62701-080	CABLE, Stabilator, Aft, Lower	PA-34-200 s/n all;
B			CABLE, Stabilator, Aft, Lower	PA-34-200T s/n all;
B			CABLE, Stabilator, Aft, Lower	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Stabilator, Aft, Lower	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Stabilator, Aft, Lower	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Stabilator, Aft, Lower	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Stabilator, Aft, Lower	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-081	62701-081	CABLE, Rudder, Forward	PA-34-200 s/n all;
B			CABLE, Rudder, Forward	PA-34-200T s/n all;
			CABLE, Rudder, Forward	PA-34-220T* s/n 34-8133001 thru 34-8633031;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 19

of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-081	62701-081	CABLE, Rudder, Forward	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Rudder, Forward	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Rudder, Forward	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Rudder, Forward	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-093	62701-093	CABLE, Aileron/Rudder Interconnect, Aft	PA-34-200 s/n all;
	MC62701-094	62701-094	CABLE, Aileron/Rudder Interconnect, Fwd	PA-34-200 s/n all;
	MC62701-097	62701-097	CABLE, Stabilator Trim, Fwd, LH	PA-34-200 s/n all;
			CABLE, Stabilator Trim, Fwd, LH	PA-34-200T s/n all;
	MC62701-099	62701-099	CABLE, Aileron, Fwd, LH and RH	PA-28-151 s/n all;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Aileron, Fwd, LH and RH	PA-28-201T s/n all;
			CABLE, Aileron, Fwd, LH and RH	PA-28-235* s/n 28-7310001 thru 28-7710089;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 20

of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-099	62701-099	CABLE, Aileron, Fwd, LH and RH	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Aileron, Fwd, LH and RH	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Aileron, Fwd, LH and RH	PA-28R-201T* s/n 2803001 thru 2803015;
B			CABLE, Aileron, Fwd, LH and RH	PA-28RT-201 s/n all;
B			CABLE, Aileron, Fwd, LH and RH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Aileron, Fwd, LH and RH	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-100	62701-100	CABLE, Rudder, Forward	PA-28-151 s/n all;
B			CABLE, Rudder, Forward	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Rudder, Forward	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Rudder, Forward	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Rudder, Forward	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Rudder, Forward	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Rudder, Forward	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Rudder, Forward	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Rudder, Forward	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Rudder, Forward	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Rudder, Forward	PA-28-201T s/n all;
			CABLE, Rudder, Forward	PA-28-235* s/n 28-7310001 thru 28-7710089;
 McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas				
Title: Piper Flight Control Cable Application Chart				
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 21	of 35
Drawing Number: 1220				REVISION
				B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-100	62701-100	CABLE, Rudder, Forward	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Rudder, Forward	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Rudder, Forward	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Rudder, Forward	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Rudder, Forward	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Rudder, Forward	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Rudder, Forward	PA-28R-201T* s/n 2803001 thru 2803015;
B			CABLE, Rudder, Forward	PA-28RT-201 s/n all;
B			CABLE, Rudder, Forward	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Rudder, Forward	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-101	62701-101	CABLE, Flap	PA-28-151 s/n all;
B			CABLE, Flap	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Flap	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Flap	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Flap	PA-28-161* s/n 2841001 thru 2841365;
			CABLE, Flap	PA-28-161* s/n 2842001 thru 2842999;
			CABLE, Flap	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Flap	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Flap	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Flap	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Flap	PA-28-201T s/n all;
			CABLE, Flap	PA-28-235* s/n 28-7310001 thru 28-7710089;
B			CABLE, Flap	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Flap	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Flap	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Flap	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Flap	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Flap	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Flap	PA-28R-201T* s/n 2803001 thru 2803015;
B			CABLE, Flap	PA-28RT-201 s/n all;
B			CABLE, Flap	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Flap	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-102	62701-102	CABLE, Stabilator, Forward, RH	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas		
Title: Piper Flight Control Cable Application Chart				
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 22	of 35
Drawing Number: 1220				REVISION
				B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-102	62701-102	CABLE, Stabilator, Forward, RH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
B			CABLE, Stabilator, Forward, RH	PA-28R-201* s/n 2837001 thru 2837061;
B			CABLE, Stabilator, Forward, RH	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator, Forward, RH	PA-28R-201T* s/n 2803001 thru 2803015;
			CABLE, Stabilator, Forward, RH	PA-28RT-201 s/n all;
			CABLE, Stabilator, Forward, RH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
			CABLE, Stabilator, Forward, RH	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-103	62701-103	CABLE, Stabilator, Forward, LH	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Stabilator, Forward, LH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stabilator, Forward, LH	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stabilator, Forward, LH	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator, Forward, LH	PA-28R-201T* s/n 2803001 thru 2803015;
B			CABLE, Stabilator, Forward, LH	PA-28RT-201 s/n all;
B			CABLE, Stabilator, Forward, LH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator, Forward, LH	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-104	62701-104	CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-151 s/n all;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-161* s/n 2816067 thru 2816119;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-161* s/n 2841001 thru 2841365;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 23 of 35
Drawing Number: 1220			REVISION B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
B	MC62701-104	62701-104	CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-181* s/n 2843001 thru 2843999;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-201T s/n all;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-235* s/n 28-7310001 thru 28-7710089;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28R-201T* s/n 2803001 thru 2803015;

MC62701-111

62701-111

CABLE, Stab Trim,
Fwd LH, Elec

PA-28-151 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haylie Cool

Sheet:

24

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-111	62701-111	CABLE, Stab Trim, Fwd LH, Elec	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-161* s/n 2842001 thru 2842999;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28-201T s/n all;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28-235* s/n 28-7310001 thru 28-7710089;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stab Trim, Fwd LH, Elec	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28R-200* s/n 28R-7235001 thru 28R-7635545;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Stab Trim, Fwd LH, Elec	PA-28R-201T* s/n 2803001 thru 2803015;

	MC62701-113	62701-113	CABLE, Stabilator, Fwd, LH	PA-28-151 s/n all;
B			CABLE, Stabilator, Fwd, LH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Stabilator, Fwd, LH	PA-28-161* s/n 2816001 thru 2816065;
			CABLE, Stabilator, Fwd, LH	PA-28-161* s/n 2816067 thru 2816119;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 25 of 35
Drawing Number: 1220			REVISION B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-113	62701-113	CABLE, Stabilator, Fwd, LH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Stabilator, Fwd, LH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Stabilator, Fwd, LH	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Stabilator, Fwd, LH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stabilator, Fwd, LH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stabilator, Fwd, LH	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Stabilator, Fwd, LH	PA-28-201T s/n all;
			CABLE, Stabilator, Fwd, LH	PA-28-235* s/n 28-7310001 thru 28-7710089;
B			CABLE, Stabilator, Fwd, LH	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stabilator, Fwd, LH	PA-28-236* s/n 2811001 thru 2811050;

	MC62701-114	62701-114	CABLE, Stabilator, Forward, RH	PA-28-151 s/n all;
B			CABLE, Stabilator, Forward, RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Stabilator, Forward, RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Stabilator, Forward, RH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Stabilator, Forward, RH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Stabilator, Forward, RH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Stabilator, Forward, RH	PA-28-180* s/n 28-7305001 thru 28-7505260;
B			CABLE, Stabilator, Forward, RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Stabilator, Forward, RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Stabilator, Forward, RH	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Stabilator, Forward, RH	PA-28-201T s/n all;
			CABLE, Stabilator, Forward, RH	PA-28-235* s/n 28-7310001 thru 28-7710089;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haytle Cool

Sheet:

26

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-114	62701-114	CABLE, Stabilator, Forward, RH	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Stabilator, Forward, RH	PA-28-236* s/n 2811001 thru 2811050;
	MC62701-122	62701-122	CABLE, Aileron, Wing. LH and RH	PA-28-151 s/n all;
B			CABLE, Aileron, Wing. LH and RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Aileron, Wing. LH and RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Aileron, Wing. LH and RH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Aileron, Wing. LH and RH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Aileron, Wing. LH and RH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Aileron, Wing. LH and RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Aileron, Wing. LH and RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Aileron, Wing. LH and RH	PA-28-181* s/n 2843001 thru 2843999;
B			CABLE, Aileron, Wing. LH and RH	PA-28-201T s/n all;
B			CABLE, Aileron, Wing. LH and RH	PA-28-236* s/n 28-7911001 thru 28-8611008;
B			CABLE, Aileron, Wing. LH and RH	PA-28-236* s/n 2811001 thru 2811050;
	MC62701-123	62701-123	CABLE, Aileron, Balance, LH	PA-28-151 s/n all;
B			CABLE, Aileron, Balance, LH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Aileron, Balance, LH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Aileron, Balance, LH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Aileron, Balance, LH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Aileron, Balance, LH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Aileron, Balance, LH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Aileron, Balance, LH	PA-28-181* s/n 2890001 thru 2890231;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 27

of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-123	62701-123	CABLE, Aileron, Balance, LH	PA-28-181* s/n 2843001 thru 2843999;
B			CABLE, Aileron, Balance, LH	PA-28-201T s/n all;
B			CABLE, Aileron, Balance, LH	PA-28-236* s/n 28-7911001 thru 28-8611008;
			CABLE, Aileron, Balance, LH	PA-28-236* s/n 2811001 thru 2811050;
			CABLE, Aileron, Balance, LH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317;
			CABLE, Aileron, Balance, LH	PA-28R-201* s/n 2837001 thru 2837061;
			CABLE, Aileron, Balance, LH	PA-28R-201T* s/n 28R-7703002 thru 28R-7803372;
			CABLE, Aileron, Balance, LH	PA-28R-201T* s/n 2803001 thru 2803015;
B			CABLE, Aileron, Balance, LH	PA-28RT-201 s/n all;
B			CABLE, Aileron, Balance, LH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Aileron, Balance, LH	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-124	62701-124	CABLE, Aileron, Balance, RH	PA-28-151 s/n all;
B			CABLE, Aileron, Balance, RH	PA-28-161* s/n 28-7716002 thru 28-8616057;
B			CABLE, Aileron, Balance, RH	PA-28-161* s/n 2816001 thru 2816065;
B			CABLE, Aileron, Balance, RH	PA-28-161* s/n 2816067 thru 2816119;
B			CABLE, Aileron, Balance, RH	PA-28-161* s/n 2841001 thru 2841365;
B			CABLE, Aileron, Balance, RH	PA-28-161* s/n 2842001 thru 2842999;
B			CABLE, Aileron, Balance, RH	PA-28-181* s/n 28-7690001 thru 28-8690062;
B			CABLE, Aileron, Balance, RH	PA-28-181* s/n 2890001 thru 2890231;
B			CABLE, Aileron, Balance, RH	PA-28-181* s/n 2843001 thru 2843999;
			CABLE, Aileron, Balance, RH	PA-28-201T s/n all;
B			CABLE, Aileron, Balance, RH	PA-28-236* s/n 28-7911001 thru 28-8611008;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 28 of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-124	62701-124	CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH	PA-28-236* s/n 2811001 thru 2811050; PA-28R-201* s/n 28R-7737002 thru 28R-7837317; PA-28R-201* s/n 2837001 thru 2837061; PA-28R-201T* s/n 28R-7703002 thru 28R-7803372; PA-28R-201T* s/n 2803001 thru 2803015; PA-28RT-201 s/n all; PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005; PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-125	62701-125	CABLE, Aileron, Balance, LH CABLE, Aileron, Balance, LH CABLE, Aileron, Balance, LH CABLE, Aileron, Balance, LH CABLE, Aileron, Balance, LH CABLE, Aileron, Balance, LH	PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031; PA-34-220T* s/n 3433001 thru 3433172; PA-34-220T* s/n 3448001 thru 3448079; PA-34-220T* s/n 3447001 thru 3447029; PA-34-220T* s/n 3449001 thru 3449999;
B	MC62701-126	62701-126	CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH CABLE, Aileron, Balance, RH	PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031; PA-34-220T* s/n 3433001 thru 3433172; PA-34-220T* s/n 3448001 thru 3448079; PA-34-220T* s/n 3447001 thru 3447029; PA-34-220T* s/n 3449001 thru 3449999;
B	MC62701-127	62701-127	CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH	PA-34-200T s/n all; PA-34-220T* s/n 34-8133001 thru 34-8633031;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haylie Cool

Sheet:

29

of

35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-127	62701-127	CABLE, Aileron, Wing, LH and RH	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Aileron, Wing, LH and RH	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Aileron, Wing, LH and RH	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Aileron, Wing, LH and RH	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-128	62701-128	CABLE (Interconnect)	PA-34-200 s/n all;
	MC62701-129	62701-129	CABLE, Stabilator, Aft, Upper	PA-34-200T s/n all;
B			CABLE, Stabilator, Aft, Upper	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Stabilator, Aft, Upper	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Stabilator, Aft, Upper	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Stabilator, Aft, Upper	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Stabilator, Aft, Upper	PA-34-220T* s/n 3449001 thru 3449999;
	MC62701-134	62701-134	CABLE, Rudder, Aft, LH	PA-32-260* s/n 32-7400001 thru 32-7400061;
			CABLE, Rudder, Aft, LH	PA-32-300* s/n 32-7440001 thru 32-7440182;
B	MC62701-135	62701-135	CABLE, Stabilator Trim, Forward	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator Trim, Forward	PA-32-301* s/n 3206001 thru 3206060;
			CABLE, Stabilator Trim, Forward	PA-32-301T s/n all;
B			CABLE, Stabilator Trim, Forward	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator Trim, Forward	PA-32R-301T* s/n 3229001 thru 3229003;
			CABLE, Stabilator Trim, Forward	PA-32RT-300* s/n 32R-7885001 thru 32R-7985013;
			CABLE, Stabilator Trim, Forward	PA-32RT-300T* s/n 32R-7887003 thru 32R-7887003;
			CABLE, Stabilator Trim, Forward	PA-32RT-300T* s/n 32R-7887005 thru 32R-7887050;
			CABLE, Stabilator Trim, Forward	PA-32RT-300T* s/n 32R-7887052 thru 32R-7987035;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 30 of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MC62701-137	62701-137	CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125; PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
B	MC62701-143	62701-143	CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH CABLE, Aileron, Wing, LH and RH	PA-28R-201* s/n 28R-7737002 thru 28R-7837317; PA-28R-201* s/n 2837001 thru 2837061; PA-28R-201T* s/n 28R-7703002 thru 28R-7803372; PA-28R-201T* s/n 2803001 thru 2803015; PA-28RT-201 s/n all; PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005; PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-155	62701-155	CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft CABLE, Stabilator Trim, Aft	PA-28RT-201 s/n all; PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005; PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-157	62701-157	CABLE, Rudder, Aft CABLE, Rudder, Aft	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125; PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-158	62701-158	CABLE, Stabilator, Aft, RH CABLE, Stabilator, Aft, RH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125; PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
	MC62701-159	62701-159	CABLE, Stabilator, Aft, LH CABLE, Stabilator, Aft, LH	PA-32RT-300* s/n 32R-7885001 thru 32R-7985125; PA-32RT-300T* s/n 32R-7787001 thru 32R-7987146;
B	MC62701-168	62701-168	CABLE, Rudder, Aft CABLE, Rudder, Aft CABLE, Rudder, Aft	PA-28RT-201 s/n all; PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005; PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-169	62701-169	CABLE, Stabilator, Aft, Upper	PA-28RT-201 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn:

Haylie Cool

Sheet:

31

of

35

Drawing Number:

1220

REVISION

B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
B	MC62701-169	62701-169	CABLE, Stabilator, Aft, Upper	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator, Aft, Upper	PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-170	62701-170	CABLE, Stabilator Aft, Lower	PA-28RT-201 s/n all;
B			CABLE, Stabilator Aft, Lower	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator Aft, Lower	PA-28RT-201T* s/n 2831001 thru 2831038;
	MC62701-183	62701-183	CABLE, Stabilator Trim, Fwd, LH and RH	PA-32RT-300* s/n 32R-7985014 thru 32R-7985125;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32RT-300T* s/n 32R-7987004 thru 32R-7987004;
			CABLE, Stabilator Trim, Fwd, LH and RH	PA-32RT-300T* s/n 32R-7987051 thru 32R-7987146;
B	MC62701-189	62701-189	CABLE, Stabilator Trim, Fwd, LH and RH	PA-28RT-201 s/n all;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator Trim, Fwd, LH and RH	PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-191	62701-191	CABLE, Stabilator Trim, Fwd, LH	PA-28RT-201 s/n all;
B			CABLE, Stabilator Trim, Fwd, LH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator Trim, Fwd, LH	PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-193	62701-193	CABLE, Stabilator Trim, Fwd LH	PA-28RT-201 s/n all;
B			CABLE, Stabilator Trim, Fwd LH	PA-28RT-201T* s/n 28R-7931001 thru 28R-8631005;
B			CABLE, Stabilator Trim, Fwd LH	PA-28RT-201T* s/n 2831001 thru 2831038;
B	MC62701-199	62701-199	CABLE, Aileron, Wing, LH and RH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart			
Size: A	Scale: NA	Drawn: Haytle Cool	Sheet: 32 of 35
Drawing Number: 1220			REVISION B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-199	62701-199	CABLE, Aileron, Wing, LH and RH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-200	62701-200	CABLE, Aileron, Balance, LH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Aileron, Balance, LH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Aileron, Balance, LH	PA-32-301T s/n all;
B			CABLE, Aileron, Balance, LH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Aileron, Balance, LH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Aileron, Balance, LH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Aileron, Balance, LH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Aileron, Balance, LH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Aileron, Balance, LH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-201	62701-201	CABLE, Aileron, Balance, RH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Aileron, Balance, RH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Aileron, Balance, RH	PA-32-301T s/n all;
B			CABLE, Aileron, Balance, RH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Aileron, Balance, RH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Aileron, Balance, RH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Aileron, Balance, RH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Aileron, Balance, RH	PA-32R-301T* s/n 3229001 thru 3229003;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 33

of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-201	62701-201	CABLE, Aileron, Balance, RH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-202	62701-202	CABLE, Aileron, Wing, LH and RH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Aileron, Wing, LH and RH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Aileron, Wing, LH and RH	PA-32-301T s/n all;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Aileron, Wing, LH and RH	PA-32R-301T* s/n 3229001 thru 3229003;
B	MC62701-205	62701-205	CABLE, Stabilator, Aft RH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator, Aft RH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Stabilator, Aft RH	PA-32-301T s/n all;
B			CABLE, Stabilator, Aft RH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Stabilator, Aft RH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator, Aft RH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Stabilator, Aft RH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator, Aft RH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Stabilator, Aft RH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-207	62701-207	CABLE, Stabilator Fwd, LH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator Fwd, LH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Stabilator Fwd, LH	PA-32-301T s/n all;
B			CABLE, Stabilator Fwd, LH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Stabilator Fwd, LH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator Fwd, LH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Stabilator Fwd, LH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Piper Flight Control Cable Application Chart

Size: A

Scale: NA

Drawn: Haylie Cool

Sheet: 34 of 35

Drawing Number:

1220

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
B	MC62701-207	62701-207	CABLE, Stabilator Fwd, LH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Stabilator Fwd, LH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-208	62701-208	CABLE, Stabilator, Aft LH	PA-32-301* s/n 32-8006001 thru 32-8606023;
B			CABLE, Stabilator, Aft LH	PA-32-301* s/n 3206001 thru 3206060;
B			CABLE, Stabilator, Aft LH	PA-32-301T s/n all;
B			CABLE, Stabilator, Aft LH	PA-32R-301* s/n 32R-8013001 thru 32R-8613006;
B			CABLE, Stabilator, Aft LH	PA-32R-301* s/n 3213001 thru 3213103;
B			CABLE, Stabilator, Aft LH	PA-32R-301* s/n 3246001 thru 3246999;
B			CABLE, Stabilator, Aft LH	PA-32R-301T* s/n 32R-8029001 thru 32R-8629008;
B			CABLE, Stabilator, Aft LH	PA-32R-301T* s/n 3229001 thru 3229003;
B			CABLE, Stabilator, Aft LH	PA-32R-301T* s/n 3257001 thru 3257999;
B	MC62701-228	62701-228	CABLE, Aileron, Fwd, LH and RH	PA-34-220T* s/n 34-8133001 thru 34-8633031;
B			CABLE, Aileron, Fwd, LH and RH	PA-34-220T* s/n 3433001 thru 3433172;
B			CABLE, Aileron, Fwd, LH and RH	PA-34-220T* s/n 3448001 thru 3448079;
B			CABLE, Aileron, Fwd, LH and RH	PA-34-220T* s/n 3447001 thru 3447029;
B			CABLE, Aileron, Fwd, LH and RH	PA-34-220T* s/n 3449001 thru 3449999;

* Denotes partial model eligibility

"MC" prefix denotes McFarlane Aviation, Inc. manufacture

Report Generated: 12/21/2016 9:01:43AM

			McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Piper Flight Control Cable Application Chart				
Size: A	Scale: NA	Drawn: Haylie Cool	Sheet: 35 of 35	
Drawing Number: 1220				REVISION B