

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC0543047-1	0543047-1	nose strut torque link	150 s/n all;
A			nose strut torque link	150A s/n all;
A			nose strut torque link	150B s/n all;
A			nose strut torque link	150C s/n all;
A			nose strut torque link	150D s/n all;
A			nose strut torque link	150E s/n all;
A			nose strut torque link	150F s/n all;
A			nose strut torque link	150G s/n all;
A			nose strut torque link	150H s/n all;
A			nose strut torque link	150J s/n all;
A			nose strut torque link	150K s/n all;
A			nose strut torque link	150L s/n all;
A			nose strut torque link	150M s/n all;
A			nose strut torque link	A150K s/n all;
A			nose strut torque link	A150L s/n all;
A			nose strut torque link	A150M s/n all;
A			nose strut torque link	F150F s/n all;
A			nose strut torque link	F150G s/n all;
A			nose strut torque link	F150H s/n all;
A			nose strut torque link	F150J s/n all;
A			nose strut torque link	F150K s/n all;
A			nose strut torque link	F150L s/n all;
A			nose strut torque link	F150M s/n all;
A			nose strut torque link	FA150K s/n all;
A			nose strut torque link	FA150L (1971) s/n all;
A			nose strut torque link	FA150L (with FKA150-2311 and FKA150-2316) (1972-1974) s/n all;
A			nose strut torque link	FA150M (with FKA150-2311 and FKA150-2316) s/n all;
A			nose strut torque link	FRA150L s/n all;
A			nose strut torque link	FRA150M s/n all;
A			nose strut torque link	152 s/n all;
A			nose strut torque link	A152 s/n all;
A			nose strut torque link	F152 s/n all;
A			nose strut torque link	FA152 s/n all;
A			nose strut torque link	172 s/n 36142* thru 36149*;
A			nose strut torque link	172 s/n 36154* thru 46754;
A			nose strut torque link	172A s/n all;
A			nose strut torque link	172B s/n all;
A			nose strut torque link	172C s/n all;
A			nose strut torque link	172D s/n all;
A			nose strut torque link	172E s/n all;
A			nose strut torque link	172F (T-41A) s/n all;
A			nose strut torque link	172G (T-41A) s/n all;
A			nose strut torque link	172H (T-41A) s/n all;
A			nose strut torque link	172I s/n all;
A			nose strut torque link	172K (T-41A) s/n all;
A			nose strut torque link	172L s/n all;
A			nose strut torque link	172M (1973-1974) s/n all;
A			nose strut torque link	172M (1975-1976) s/n all;

Project Engineer: <i>Don McFarlane</i> Date: <i>5-14-10</i>	Quality Manager: <i>David A. McFarlane</i> Date: <i>5-14-10</i>
Engineering Manager: <i>Don McFarlane</i> Date: <i>5/14/10</i>	Manufacturing Manager: <i>David A. McFarlane</i> Date: <i>5-14-10</i>



Title: Eligibility Chart: Cessna Nose Gear Torque Link Kits			
Size: A	Scale: NA	Drawn: BWM	Sheet: 1 of 10

Drawing Number: 6167	REVISION B
-----------------------------	----------------------

B	03/02/2010	SEE REVISION SHEET
A	08/30/2009	SEE REVISION SHEET
~	05/29/2009	ORIGINAL

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC0543047-1	0543047-1	nose strut torque link	172N s/n all;
A			nose strut torque link	172P s/n all;
A			nose strut torque link	172Q s/n all;
A			nose strut torque link	172R s/n all;
A			nose strut torque link	172RG s/n all;
A			nose strut torque link	172S s/n all;
A			nose strut torque link	F172D s/n all;
A			nose strut torque link	F172E s/n all;
A			nose strut torque link	F172F s/n all;
A			nose strut torque link	F172G s/n all;
A			nose strut torque link	F172H (1967-1969) s/n all;
A			nose strut torque link	F172H (1970) s/n all;
A			nose strut torque link	F172K s/n all;
A			nose strut torque link	F172L s/n all;
A			nose strut torque link	F172M (1973-1974) s/n all;
A			nose strut torque link	F172M (1975-1976) s/n all;
A			nose strut torque link	F172N s/n all;
A			nose strut torque link	F172P s/n all;
A			nose strut torque link	FP172 s/n all;
A			nose strut torque link	FR172E s/n all;
A			nose strut torque link	FR172F s/n all;
A			nose strut torque link	FR172G s/n all;
A			nose strut torque link	FR172H s/n all;
A			nose strut torque link	FR172J s/n all;
A			nose strut torque link	FR172K s/n all;
A			nose strut torque link	P172D s/n all;
A			nose strut torque link	R172K s/n all;
A			nose strut torque link	175 s/n all;
A			nose strut torque link	175A s/n all;
A			nose strut torque link	175B s/n all;
A			nose strut torque link	175C s/n all;
A			nose strut torque link	177RG s/n all;
A			nose strut torque link	F177RG s/n all;
A			nose strut torque link	182 s/n all;
A			nose strut torque link	182A s/n all;
A			nose strut torque link	182B s/n all;
A			nose strut torque link	182C s/n all;
A			nose strut torque link	182D s/n all;
A			nose strut torque link	182E s/n all;
A			nose strut torque link	182F s/n all;
A			nose strut torque link	182G s/n all;
A			nose strut torque link	182H s/n all;
A			nose strut torque link	182J s/n all;
A			nose strut torque link	182K s/n all;
A			nose strut torque link	182L s/n all;
A			nose strut torque link	182M s/n all;
A			nose strut torque link	182N s/n all;
A			nose strut torque link	182P (1972-1973) s/n all;
A			nose strut torque link	182P (1974-1976) s/n all;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas 66006	
Title: Eligibility Chart: Cessna Nose Gear Torque Link Kits			
Size: A	Scale: NA	Drawn: BWM	Sheet: 2 of 10
Drawing Number: 6167			REVISION B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC0543047-1	0543047-1	nose strut torque link	182Q s/n all;
A			nose strut torque link	182R s/n all;
A			nose strut torque link	182S s/n all;
A			nose strut torque link	182T s/n all;
A			nose strut torque link	F182P s/n all;
A			nose strut torque link	F182Q s/n all;
A			nose strut torque link	FR182 s/n all;
A			nose strut torque link	R182 s/n all;
A			nose strut torque link	T182 s/n all;
A			nose strut torque link	T182T s/n all;
A			nose strut torque link	TR182 s/n all;
A			nose strut torque link	210-5 (205) s/n all;
A			nose strut torque link	210-5A (205A) s/n all;
A			nose strut torque link	206 s/n all;
A			nose strut torque link	206H s/n all;
A			nose strut torque link	P206 s/n all;
A			nose strut torque link	P206A s/n all;
A			nose strut torque link	P206B s/n all;
A			nose strut torque link	P206C s/n all;
A			nose strut torque link	P206D s/n all;
A			nose strut torque link	P206E s/n all;
A			nose strut torque link	T206H s/n all;
A			nose strut torque link	TP206A s/n all;
A			nose strut torque link	TP206B s/n all;
A			nose strut torque link	TP206C s/n all;
A			nose strut torque link	TP206D s/n all;
A			nose strut torque link	TP206E s/n all;
A			nose strut torque link	TU206A s/n all;
A			nose strut torque link	TU206B s/n all;
A			nose strut torque link	TU206C s/n all;
A			nose strut torque link	TU206D s/n all;
A			nose strut torque link	TU206E s/n all;
A			nose strut torque link	TU206F (1972-1973) s/n all;
A			nose strut torque link	TU206F (1974-1976) s/n all;
a			nose strut torque link	TU206G s/n all;
A			nose strut torque link	U206 s/n all;
A			nose strut torque link	U206A s/n all;
A			nose strut torque link	U206B s/n all;
A			nose strut torque link	U206C s/n all;
A			nose strut torque link	U206D s/n all;
A			nose strut torque link	U206E s/n all;
A			nose strut torque link	U206F (1972-1973) s/n all;
A			nose strut torque link	U206F (1974-1976) s/n all;
A			nose strut torque link	U206G s/n all;
A			nose strut torque link	207 s/n 20700001 thru 20700228*;
A			nose strut torque link	207 s/n 20700229* thru 20700362;
A			nose strut torque link	207A s/n all;
A			nose strut torque link	T207 s/n 20700001 thru 20700228*;
A			nose strut torque link	T207 s/n 20700229* thru 20700362;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas 66006

Title:

Eligibility Chart: Cessna Nose Gear Torque Link Kits

Size: **A**

Scale: **NA**

Drawn: **BWM**

Sheet: **3**

of **10**

Drawing Number:

6167

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC0543047-1	0543047-1	nose strut torque link	T207A s/n all;
A			nose strut torque link	210 s/n all;
A			nose strut torque link	210A s/n all;
A			nose strut torque link	210B s/n all;
A			nose strut torque link	210C s/n all;
A			nose strut torque link	210D s/n all;
A			nose strut torque link	210E s/n all;
A			nose strut torque link	210F s/n all;
A			nose strut torque link	210G s/n all;
A			nose strut torque link	210H s/n all;
A			nose strut torque link	210J s/n all;
A			nose strut torque link	210K s/n all;
A			nose strut torque link	210L s/n 21059503 thru 21060255*;
A			nose strut torque link	210L s/n 21060256* thru 21061573;
A			nose strut torque link	210M s/n all;
A			nose strut torque link	210N (1979-1980) s/n all;
A			nose strut torque link	210N (1981-1984) s/n all;
A			nose strut torque link	210R s/n all;
A			nose strut torque link	P210N s/n all;
A			nose strut torque link	P210R s/n all;
A			nose strut torque link	T210F s/n all;
A			nose strut torque link	T210G s/n all;
A			nose strut torque link	T210H s/n all;
A			nose strut torque link	T210J s/n all;
A			nose strut torque link	T210K s/n all;
A			nose strut torque link	T210L s/n 21059503 thru 21060255*;
A			nose strut torque link	T210L s/n 21060256* thru 21061573;
A			nose strut torque link	T210M s/n all;
A			nose strut torque link	T210N (1979-1980) s/n all;
A			nose strut torque link	T210N (1981-1984) s/n all;
A			nose strut torque link	T210R s/n all;
A	MC0543047-2	0543047-2	nose strut torque link	206 s/n all;
A			nose strut torque link	206H s/n all;
			nose strut torque link	P206 s/n all;
A			nose strut torque link	P206A s/n all;
A			nose strut torque link	P206B s/n all;
A			nose strut torque link	P206C s/n all;
A			nose strut torque link	P206D s/n all;
A			nose strut torque link	P206E s/n all;
A			nose strut torque link	T206H s/n all;
A			nose strut torque link	TP206A s/n all;
A			nose strut torque link	TP206B s/n all;
A			nose strut torque link	TP206C s/n all;
A			nose strut torque link	TP206D s/n all;
A			nose strut torque link	TP206E s/n all;
A			nose strut torque link	TU206A s/n all;
A			nose strut torque link	TU206B s/n all;
A			nose strut torque link	TU206C s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas 66006

Title:

Eligibility Chart: Cessna Nose Gear Torque Link Kits

Size: **A**

Scale: **NA**

Drawn: **BWM**

Sheet: **4**

of **10**

Drawing Number:

6167

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MC0543047-2	0543047-2	nose strut torque link	TU206D s/n all;
A			nose strut torque link	TU206E s/n all;
A			nose strut torque link	TU206F (1972-1973) s/n all;
A			nose strut torque link	TU206F (1974-1976) s/n all;
			nose strut torque link	TU206G s/n all;
A			nose strut torque link	U206 s/n all;
A			nose strut torque link	U206A s/n all;
A			nose strut torque link	U206B s/n all;
A			nose strut torque link	U206C s/n all;
A			nose strut torque link	U206D s/n all;
A			nose strut torque link	U206E s/n all;
A			nose strut torque link	U206F (1972-1973) s/n all;
A			nose strut torque link	U206F (1974-1976) s/n all;
A			nose strut torque link	U206G s/n all;
A			nose strut torque link	207 s/n 20700229* thru 20700362;
A			nose strut torque link	207A s/n all;
A			nose strut torque link	T207 s/n 20700229* thru 20700362;
A			nose strut torque link	T207A s/n all;
A			nose strut torque link	210L s/n 21060256* thru 21061573;
A			nose strut torque link	210M s/n all;
A			nose strut torque link	210N (1979-1980) s/n all;
A			nose strut torque link	210N (1981-1984) s/n all;
A			nose strut torque link	210R s/n all;
A			nose strut torque link	P210N s/n all;
A			nose strut torque link	P210R s/n all;
A			nose strut torque link	T210L s/n 21060256* thru 21061573;
A			nose strut torque link	T210M s/n all;
A			nose strut torque link	T210N (1979-1980) s/n all;
A			nose strut torque link	T210N (1981-1984) s/n all;
A			nose strut torque link	T210R s/n all;

A	TL-KT-1		nose strut torque link	150 s/n all;
A			nose strut torque link	150A s/n all;
A			nose strut torque link	150B s/n all;
A			nose strut torque link	150C s/n all;
A			nose strut torque link	150D s/n all;
A			nose strut torque link	150E s/n all;
A			nose strut torque link	150F s/n all;
A			nose strut torque link	150G s/n all;
A			nose strut torque link	150H s/n all;
A			nose strut torque link	150J s/n all;
A			nose strut torque link	150K s/n all;
A			nose strut torque link	150L s/n all;
A			nose strut torque link	150M s/n all;
A			nose strut torque link	A150K s/n all;
A			nose strut torque link	A150L s/n all;
A			nose strut torque link	A150M s/n all;
A			nose strut torque link	F150F s/n all;
A			nose strut torque link	F150G s/n all;

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas 66006	
Title: Eligibility Chart: Cessna Nose Gear Torque Link Kits			
Size: A	Scale: NA	Drawn: BWM	Sheet: 5 of 10
Drawing Number: 6167			REVISION B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	TL-KT-1		nose strut torque link	F150H s/n all;
A			nose strut torque link	F150J s/n all;
A			nose strut torque link	F150K s/n all;
A			nose strut torque link	F150L s/n all;
A			nose strut torque link	F150M s/n all;
A			nose strut torque link	FA150K s/n all;
A			nose strut torque link	FA150L (1971) s/n all;
A			nose strut torque link	FA150L (with FKA150-2311 and FKA150-2316) (1972-1974) s/n all;
A			nose strut torque link	FA150M (with FKA150-2311 and FKA150-2316) s/n all;
A			nose strut torque link	FRA150L s/n all;
A			nose strut torque link	FRA150M s/n all;
A			nose strut torque link	152 s/n all;
A			nose strut torque link	A152 s/n all;
A			nose strut torque link	F152 s/n all;
A			nose strut torque link	FA152 s/n all;
A			nose strut torque link	172 s/n 36142* thru 36149*;
A			nose strut torque link	172 s/n 36154* thru 46754;
A			nose strut torque link	172A s/n all;
A			nose strut torque link	172B s/n all;
A			nose strut torque link	172C s/n all;
A			nose strut torque link	172D s/n all;
A			nose strut torque link	172E s/n all;
A			nose strut torque link	172F (T-41A) s/n all;
A			nose strut torque link	172G (T-41A) s/n all;
A			nose strut torque link	172H (T-41A) s/n all;
A			nose strut torque link	172I s/n all;
A			nose strut torque link	172K (T-41A) s/n all;
A			nose strut torque link	172L s/n all;
A			nose strut torque link	172M (1973-1974) s/n all;
A			nose strut torque link	172M (1975-1976) s/n all;
A			nose strut torque link	172N s/n all;
A			nose strut torque link	172P s/n all;
A			nose strut torque link	172Q s/n all;
A			nose strut torque link	172R s/n all;
A			nose strut torque link	172S s/n all;
A			nose strut torque link	F172D s/n all;
A			nose strut torque link	F172E s/n all;
A			nose strut torque link	F172F s/n all;
A			nose strut torque link	F172G s/n all;
A			nose strut torque link	F172H (1967-1969) s/n all;
A			nose strut torque link	F172H (1970) s/n all;
A			nose strut torque link	F172K s/n all;
A			nose strut torque link	F172L s/n all;
A			nose strut torque link	F172M (1973-1974) s/n all;
A			nose strut torque link	F172M (1975-1976) s/n all;
A			nose strut torque link	F172N s/n all;
A			nose strut torque link	F172P s/n all;
A			nose strut torque link	FP172 s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas 66006

Title:

Eligibility Chart: Cessna Nose Gear Torque Link Kits

Size: A

Scale: NA

Drawn: BWM

Sheet: 6

of 10

Drawing Number:

6167

REVISION

B

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	TL-KT-1		nose strut torque link	FR172E s/n all;
A			nose strut torque link	FR172F s/n all;
A			nose strut torque link	FR172G s/n all;
A			nose strut torque link	FR172H s/n all;
A			nose strut torque link	FR172J s/n all;
A			nose strut torque link	FR172K s/n all;
A			nose strut torque link	P172D s/n all;
A			nose strut torque link	R172K s/n all;
A			nose strut torque link	175 s/n all;
A			nose strut torque link	175A s/n all;
A			nose strut torque link	175B s/n all;
A			nose strut torque link	175C s/n all;
B			nose strut torque link	182 s/n all;
B			nose strut torque link	182A s/n all;
B			nose strut torque link	182B s/n all;
B			nose strut torque link	182C s/n all;
B			nose strut torque link	182D s/n all;
A			nose strut torque link	182E s/n all;
A			nose strut torque link	182F s/n all;
A			nose strut torque link	182G s/n all;
A			nose strut torque link	182H s/n all;
A			nose strut torque link	182J s/n all;
A			nose strut torque link	182K s/n all;
A			nose strut torque link	182L s/n all;
A			nose strut torque link	182M s/n all;
A			nose strut torque link	182N s/n all;
A			nose strut torque link	182P (1972-1973) s/n all;
A			nose strut torque link	182P (1974-1976) s/n all;
A			nose strut torque link	182Q s/n all;
A			nose strut torque link	182S s/n all;
A			nose strut torque link	182T s/n all;
A			nose strut torque link	F182P s/n all;
A			nose strut torque link	F182Q s/n all;
A			nose strut torque link	T182T s/n all;
A			nose strut torque link	210-5 (205) s/n all;
A			nose strut torque link	210-5A (205A) s/n all;
B			nose strut torque link	206 s/n all (See Note 2);
B			nose strut torque link	P206 s/n all (See Note 2);
B			nose strut torque link	P206A s/n all (See Note 2);
B			nose strut torque link	P206B s/n all (See Note 5);
B			nose strut torque link	P206C s/n all (See Note 5);
B			nose strut torque link	P206D s/n all (See Note 5);
B			nose strut torque link	P206E s/n P20600604 thru P20600641* (See Note 5);
B			nose strut torque link	TP206A s/n all (See Note 5);
B			nose strut torque link	TP206B s/n all (See Note 5);
B			nose strut torque link	TP206C s/n all (See Note 2);
B			nose strut torque link	TP206D s/n all (See Note 5);
B			nose strut torque link	TP206E s/n P20600604 thru P20600641* (See Note 5);
B			nose strut torque link	TU206A s/n all (See Note 2);

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas 66006	
Title: Eligibility Chart: Cessna Nose Gear Torque Link Kits			
Size: A	Scale: NA	Drawn: BWM	Sheet: 7 of 10
Drawing Number: 6167			REVISION B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
B	TL-KT-1		nose strut torque link	TU206B s/n all (See Note 5);
B			nose strut torque link	TU206C s/n all (See Note 5);
B			nose strut torque link	TU206D s/n all (See Note 5);
B			nose strut torque link	TU206E s/n U20601445 thru U20601537* (See Note 5);
B			nose strut torque link	TU206E s/n U20601538* thru U20601700;
B			nose strut torque link	210 s/n all;
B			nose strut torque link	210A s/n all;
B			nose strut torque link	210B s/n all;
B			nose strut torque link	210C s/n all;
B			nose strut torque link	210D s/n all;
B			nose strut torque link	210E s/n all;
B			nose strut torque link	210F s/n all;
B			nose strut torque link	210G s/n all;
B			nose strut torque link	210H s/n all;
B			nose strut torque link	210J s/n all;
A			nose strut torque link	210K s/n all (See Note 2);
A			nose strut torque link	210L s/n 21059503 thru 21060255* (See Note 4);
A			nose strut torque link	T210F s/n all;
A			nose strut torque link	T210G s/n all;
A			nose strut torque link	T210H s/n all;
A			nose strut torque link	T210J s/n all;
A			nose strut torque link	T210K s/n all;
A			nose strut torque link	T210L s/n 21059503 thru 21060255* (See Note 4);
B	TL-KT-10		nose strut torque link	177 s/n all;
B			nose strut torque link	177A s/n all;
B			nose strut torque link	177B s/n all;
B	TL-KT-11		nose strut torque link	P206B s/n all (See Note 5);
B			nose strut torque link	P206C s/n all (See Note 5);
B			nose strut torque link	P206D s/n all (See Note 5);
B			nose strut torque link	P206E s/n P20600604 thru P20600641* (See Note 5);
B			nose strut torque link	P206E s/n P20600642* thru P20600647;
B			nose strut torque link	TP206B s/n all (See Note 5);
B			nose strut torque link	TP206C s/n all (See Note 2);
B			nose strut torque link	TP206D s/n all (See Note 5);
B			nose strut torque link	TP206E s/n all (See Note 5);
B			nose strut torque link	TU206B s/n all (See Note 5);
B			nose strut torque link	TU206C s/n all (See Note 5);
B			nose strut torque link	TU206D s/n all (See Note 5);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas 66006

Title:

Eligibility Chart: Cessna Nose Gear Torque Link Kits

Size: **A**

Scale: **NA**

Drawn: **BWM**

Sheet: **8**

of **10**

Drawing Number:

6167

REVISION

B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
B	TL-KT-11		nose strut torque link	TU206E s/n U20601445 thru U20601537* (See Note 5);
B			nose strut torque link	TU206F (1972-1973) s/n all;
B			nose strut torque link	U206B s/n all (See Note 5);
B			nose strut torque link	U206C s/n all (See Note 5);
B			nose strut torque link	U206D s/n all (See Note 5);
B			nose strut torque link	U206E s/n all (See Note 5);
B			nose strut torque link	U206F (1972-1973) s/n all;
B	TL-KT-2		nose strut torque link	206 s/n all (See Note 2);
B			nose strut torque link	P206 s/n all (See Note 2);
B			nose strut torque link	P206A s/n all (See Note 2);
B			nose strut torque link	TP206A s/n all (See Note 5);
B			nose strut torque link	TU206A s/n all (See Note 2);
			nose strut torque link	U206 s/n all (See Note 2);
			nose strut torque link	U206A s/n all (See Note 2);
B			nose strut torque link	210K s/n all (See Note 2);
A	TL-KT-4		nose strut torque link	206H s/n all;
B			nose strut torque link	T206H s/n all;
			nose strut torque link	TU206F (1974-1976) s/n all;
			nose strut torque link	TU206G s/n all;
			nose strut torque link	U206F (1974-1976) s/n all;
			nose strut torque link	U206G s/n all;
B			nose strut torque link	207 s/n 20700001 thru 20700228* (See Note 3);
B			nose strut torque link	207 s/n 20700229* thru 20700362;
			nose strut torque link	207A s/n all;
B			nose strut torque link	T207 s/n 20700001 thru 20700228* (See Note 3);
B			nose strut torque link	T207 s/n 20700229* thru 20700362;
			nose strut torque link	T207A s/n all;
B	TL-KT-5		nose strut torque link	207 s/n 20700001 thru 20700228* (See Note 3);
B			nose strut torque link	T207 s/n 20700001 thru 20700228* (See Note 3);
A	TL-KT-6		nose strut torque link	172RG s/n all;
B			nose strut torque link	177RG s/n all;
B			nose strut torque link	F177RG s/n all;
A			nose strut torque link	182R s/n all;
A			nose strut torque link	FR182 s/n all;
A			nose strut torque link	R182 s/n all;
A			nose strut torque link	T182 s/n all;
A			nose strut torque link	TR182 s/n all;
B	TL-KT-7		nose strut torque link	210L s/n 21059503 thru 21060255* (See Note 4);
A			nose strut torque link	210L s/n 21060256* thru 21061573;
A			nose strut torque link	210M s/n all;
A			nose strut torque link	210N (1979-1980) s/n all;
A			nose strut torque link	210N (1981-1984) s/n all;
A			nose strut torque link	210R s/n all;
A			nose strut torque link	P210N s/n all;



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas 66006

Title:

Eligibility Chart: Cessna Nose Gear Torque Link Kits

Size: **A**

Scale: **NA**

Drawn: **BWM**

Sheet: **9**

of **10**

Drawing Number:

6167

REVISION

B

<u>Rev</u>	<u>Part Number</u>	<u>Replaces</u>	<u>Location</u>	<u>Model and Serial Number Range</u>
A	TL-KT-7		nose strut torque link	P210R s/n all;
A			nose strut torque link	T210L s/n 21059503 thru 21060255* (See Note 4);
A			nose strut torque link	T210L s/n 21060256* thru 21061573;
A			nose strut torque link	T210M s/n all;
A			nose strut torque link	T210N (1979-1980) s/n all;
A			nose strut torque link	T210N (1981-1984) s/n all;
A			nose strut torque link	T210R s/n all;
B	TL-KT-8		heavy duty nose strut torque link	172 s/n 28000 thru 36141* (See Note 1);
B			heavy duty nose strut torque link	172 s/n 36150* thru 36153* (See Note 1);
B	TL-KT-9		heavy duty nose strut torque link	182 s/n all (See Note 1);

* Denotes partial model eligibility

"MC" prefix denotes McFarlane Aviation, Inc. manufacture

- B Note 1** TL-KT-8 and TL-KT-9 torque link kits are used on Cessna model aircraft with heavy duty landing gear that utilizes AN6 size (3/8-24 UNF) bolts in the upper and lower torque link joints. The normal duty landing gear uses AN4 size (1/4-28 UNF) bolts in the upper and lower torque link joints.
- B Note 2** Aircraft models in this serial range may use one of two choices for McFarlane Torque Link Kits. The aircraft that have both upper and lower spacers measuring ~ 2 inches long will use McFarlane Torque Link Kit TL-KT-1 (containing two MC0543047-1 spacers). The aircraft that has an upper spacer measuring ~ 2.6 inches and a lower spacer measuring ~2 inches will use McFarlane Torque Link Kit TL-KT-2 (containing one MC0543047-1 and one MC0543047-2 spacer).
- B Note 3** Aircraft models in this serial range may use one of two choices for McFarlane Torque Link Kits. The aircraft that have both upper and lower spacers measuring ~ 2 inches long will use McFarlane Torque Link Kit TL-KT-5 (containing two MC0543047-1 spacers). The aircraft that has an upper spacer measuring ~ 2.6 inches and a lower spacer measuring ~2 inches will use McFarlane Torque Link Kit TL-KT-4 (containing one MC0543047-1 and one MC0543047-2 spacer).
- B Note 4** Aircraft models in this serial range may use one of two choices for McFarlane Torque Link Kits. The aircraft that have both upper and lower spacers measuring ~ 2 inches long will use McFarlane Torque Link Kit TL-KT-1 (containing two MC0543047-1 spacers). The aircraft that has an upper spacer measuring ~ 2.6 inches and a lower spacer measuring ~2 inches will use McFarlane Torque Link Kit TL-KT-7 (containing one MC0543047-1 and one MC0543047-2 spacer).
- B Note 5** Aircraft models in this serial range may use one of two choices for McFarlane Torque Link Kits. The aircraft that have both upper and lower spacers measuring ~ 2 inches long will use McFarlane Torque Link Kit TL-KT-1 (containing two MC0543047-1 spacers). The aircraft that has an upper spacer measuring ~ 2.6 inches and a lower spacer measuring ~2 inches will use McFarlane Torque Link Kit TL-KT-11 (containing one MC0543047-1 and one MC0543047-2 spacer).

Report Generated: 5/14/2010 2:27:59PM

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas 66006	
Title: Eligibility Chart: Cessna Nose Gear Torque Link Kits			
Size: A	Scale: NA	Drawn: BWM	Sheet: 10 of 10
Drawing Number: 6167			REVISION B