

| Rev | Part Number  | Replaces                 | Location        | Model and Serial Number Range                                                                 |
|-----|--------------|--------------------------|-----------------|-----------------------------------------------------------------------------------------------|
| A   | MC0442506-11 | 0442506-11,<br>0442506-6 | Nose Gear Strut | 182K s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182L s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182M s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182N s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182P* s/n 18260826 thru 18262465 (When Equipped with Standard Duty Gear, replaces 0442506-6); |
|     |              |                          | Nose Gear Strut | 182P* s/n 18262466 thru 18265175;                                                             |
|     |              |                          | Nose Gear Strut | 182Q s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182R s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182S s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | 182T s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | F182P s/n all;                                                                                |
|     |              |                          | Nose Gear Strut | F182Q s/n all;                                                                                |
|     |              |                          | Nose Gear Strut | T182 s/n all;                                                                                 |
|     |              |                          | Nose Gear Strut | T182T s/n all;                                                                                |

|   |             |                      |                 |                                                                             |
|---|-------------|----------------------|-----------------|-----------------------------------------------------------------------------|
| A | MC0442506-8 | 0442506-5, 0442506-8 | Nose Gear Strut | 150D* s/n 15060477 thru 15060772 (When Equipped with Heavy Duty Nose Gear); |
|   |             |                      | Nose Gear Strut | 150E s/n all (When Equipped with Heavy Duty Nose Gear);                     |
|   |             |                      | Nose Gear Strut | 150F* s/n 15061533 thru 15063457 (When Equipped with Heavy Duty Nose Gear); |
|   |             |                      | Nose Gear Strut | 150G s/n all;                                                               |
|   |             |                      | Nose Gear Strut | 150H s/n all;                                                               |
|   |             |                      | Nose Gear Strut | 150J s/n all;                                                               |
|   |             |                      | Nose Gear Strut | 150K s/n all;                                                               |
|   |             |                      | Nose Gear Strut | 150L s/n all;                                                               |
|   |             |                      | Nose Gear Strut | 150M s/n all;                                                               |
|   |             |                      | Nose Gear Strut | A150K s/n all;                                                              |
|   |             |                      | Nose Gear Strut | A150L s/n all;                                                              |
|   |             |                      | Nose Gear Strut | A150M s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150F* s/n F150-0001 thru F150-0055;                                        |
|   |             |                      | Nose Gear Strut | F150G s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150H s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150J s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150K s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150L s/n all;                                                              |
|   |             |                      | Nose Gear Strut | F150M s/n all;                                                              |
|   |             |                      | Nose Gear Strut | FA150K s/n all;                                                             |
|   |             |                      | Nose Gear Strut | FA150L* s/n FA1500082 thru FA1500120;                                       |
|   |             |                      | Nose Gear Strut | FA150L (with FKA150-2311 and FKA150-2316)* s/n                              |
|   |             |                      | Nose Gear Strut | FA1500121 thru FA1500261;                                                   |
|   |             |                      | Nose Gear Strut | FA150M (with FKA150-2311 and FKA150-2316) s/n all;                          |
|   |             |                      | Nose Gear Strut | 152 s/n all;                                                                |
|   |             |                      | Nose Gear Strut | A152 s/n all;                                                               |

|                                                                      |                                                                           |
|----------------------------------------------------------------------|---------------------------------------------------------------------------|
| Project Engineer:<br><i>John Spurgeon</i><br>Date: <i>6/17/15</i>    | Quality Manager:<br><i>Dana J. Givell</i><br>Date: <i>6-25-15</i>         |
| Engineering Manager:<br><i>John Spurgeon</i><br>Date: <i>6/18/15</i> | Manufacturing Manager:<br><i>David M. Perkins</i><br>Date: <i>6-24-15</i> |



McFarlane Aviation, Inc.  
696 East 1700 Road  
Baldwin City, Kansas

Title: **ELIGIBILITY, TORQUE LINK STOP**

Size: **A** Scale: **NA** Drawn: **GWS** Sheet: **1** of **7**

Drawing Number: **6729** REVISION

**A**

|   |            |                    |
|---|------------|--------------------|
| A | 06/17/2015 | SEE REVISION SHEET |
| ~ | 06/07/2013 | ORIGINAL           |

| Rev | Part Number | Replaces             | Location        | Model and Serial Number Range                                                  |
|-----|-------------|----------------------|-----------------|--------------------------------------------------------------------------------|
|     | MC0442506-8 | 0442506-5, 0442506-8 | Nose Gear Strut | F152 s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | FA152 s/n all;                                                                 |
|     |             |                      | Nose Gear Strut | 172H (T-41A) s/n all;                                                          |
|     |             |                      | Nose Gear Strut | 172H (T-41A) s/n all (When equipped with Heavy Duty Nose Gear);                |
|     |             |                      | Nose Gear Strut | 172I s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172I s/n all (When equipped with Heavy Duty Nose Gear);                        |
|     |             |                      | Nose Gear Strut | 172K s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172K s/n all (When equipped with Heavy Duty Nose Gear);                        |
|     |             |                      | Nose Gear Strut | 172L s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172L s/n all (When equipped with Heavy Duty Nose Gear);                        |
|     |             |                      | Nose Gear Strut | 172M* s/n 17260759 thru 17263458;                                              |
|     |             |                      | Nose Gear Strut | 172M* s/n 17260759 thru 17263458 (When equipped with Heavy Duty Nose Gear);    |
|     |             |                      | Nose Gear Strut | 172M* s/n 17263459 thru 17267584;                                              |
|     |             |                      | Nose Gear Strut | 172N s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172P s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172Q s/n all;                                                                  |
|     |             |                      | Nose Gear Strut | 172R* s/n 17280001 thru 17281221;                                              |
|     |             |                      | Nose Gear Strut | 172R* s/n 17281222 thru 17299999;                                              |
|     |             |                      | Nose Gear Strut | 172S* s/n 172S8001 thru 172S9657;                                              |
|     |             |                      | Nose Gear Strut | 172S* s/n 172S9658 thru 172S99999;                                             |
|     |             |                      | Nose Gear Strut | F172H* s/n F172-0320 thru F172-0654;                                           |
|     |             |                      | Nose Gear Strut | F172H* s/n F172-0320 thru F172-0654 (When equipped with Heavy Duty Nose Gear); |
|     |             |                      | Nose Gear Strut | F172H* s/n F17200655 thru F17200754;                                           |
|     |             |                      | Nose Gear Strut | F172H* s/n F17200655 thru F17200754 (When equipped with Heavy Duty Nose Gear); |
|     |             |                      | Nose Gear Strut | F172K s/n all;                                                                 |
|     |             |                      | Nose Gear Strut | F172K s/n all (When equipped with Heavy Duty Nose Gear);                       |
|     |             |                      | Nose Gear Strut | F172L s/n all;                                                                 |
|     |             |                      | Nose Gear Strut | F172L s/n all (When equipped with Heavy Duty Nose Gear);                       |
|     |             |                      | Nose Gear Strut | F172M* s/n F17200905 thru F17201234;                                           |
|     |             |                      | Nose Gear Strut | F172M* s/n F17200905 thru F17201234 (When equipped with Heavy Duty Nose Gear); |
|     |             |                      | Nose Gear Strut | F172M* s/n F17201235 thru F17201514;                                           |
|     |             |                      | Nose Gear Strut | F172N s/n all;                                                                 |
|     |             |                      | Nose Gear Strut | F172P s/n all;                                                                 |
|     |             |                      | Nose Gear Strut | FR172E s/n all;                                                                |
|     |             |                      | Nose Gear Strut | FR172E s/n all (When equipped with heavy landing gear);                        |



McFarlane Aviation, Inc.  
696 East 1700 Road  
Baldwin City, Kansas

Title:

## ELIGIBILITY, TORQUE LINK STOP

Size: A

Scale: NA

Drawn: GWS

Sheet: 2

of

7

Drawing Number:

6729

REVISION

A

| Rev | Part Number | Replaces             | Location        | Model and Serial Number Range                                                 |
|-----|-------------|----------------------|-----------------|-------------------------------------------------------------------------------|
|     | MC0442506-8 | 0442506-5, 0442506-8 | Nose Gear Strut | FR172F s/n all;                                                               |
|     |             |                      | Nose Gear Strut | FR172F s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | FR172G s/n all;                                                               |
|     |             |                      | Nose Gear Strut | FR172G s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | FR172H s/n all;                                                               |
|     |             |                      | Nose Gear Strut | FR172J s/n all;                                                               |
|     |             |                      | Nose Gear Strut | FR172K s/n all;                                                               |
|     |             |                      | Nose Gear Strut | R172E (T-41B,C,D) s/n all;                                                    |
|     |             |                      | Nose Gear Strut | R172F (T-41D) s/n all;                                                        |
|     |             |                      | Nose Gear Strut | R172G (T-41C,D) s/n all;                                                      |
|     |             |                      | Nose Gear Strut | R172H (T-41D) s/n all;                                                        |
|     |             |                      | Nose Gear Strut | R172K s/n all;                                                                |
|     |             |                      | Nose Gear Strut | 182K s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |                      | Nose Gear Strut | 182L s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |                      | Nose Gear Strut | 182M s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |                      | Nose Gear Strut | 182N s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |                      | Nose Gear Strut | P206B s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | P206C s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | P206D s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | P206E s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | TP206B s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TP206C s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TP206D s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TP206E s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TU206B s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TU206C s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TU206D s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TU206E s/n all (When equipped with heavy landing gear);                       |
|     |             |                      | Nose Gear Strut | TU206F* s/n U20601701 thru U20602199 (When equipped with heavy landing gear); |
|     |             |                      | Nose Gear Strut | U206B s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | U206C s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | U206D s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | U206E s/n all (When equipped with heavy landing gear);                        |
|     |             |                      | Nose Gear Strut | U206F* s/n U20601701 thru U20602199 (When equipped with heavy landing gear);  |

|                                                                                      |                  |                                                                               |                             |
|--------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-----------------------------|
|  |                  | <b>McFarlane Aviation, Inc.</b><br>696 East 1700 Road<br>Baldwin City, Kansas |                             |
| Title: <b>ELIGIBILITY, TORQUE LINK STOP</b>                                          |                  |                                                                               |                             |
| Size: <b>A</b>                                                                       | Scale: <b>NA</b> | Drawn: <b>GWS</b>                                                             | Sheet: <b>3</b> of <b>7</b> |
| Drawing Number: <b>6729</b>                                                          |                  |                                                                               | REVISION<br><br><b>A</b>    |

| Rev | Part Number | Replaces  | Location        | Model and Serial Number Range                                               |
|-----|-------------|-----------|-----------------|-----------------------------------------------------------------------------|
|     | MC0442506-9 | 0442506-9 | Nose Gear Strut | 150D* s/n 15060477 thru 15060772 (When Equipped with Heavy Duty Nose Gear); |
|     |             |           | Nose Gear Strut | 150E s/n all (When Equipped with Heavy Duty Nose Gear);                     |
|     |             |           | Nose Gear Strut | 150F* s/n 15061533 thru 15063457 (When Equipped with Heavy Duty Nose Gear); |
|     |             |           | Nose Gear Strut | 150G s/n all;                                                               |
|     |             |           | Nose Gear Strut | 150H s/n all;                                                               |
|     |             |           | Nose Gear Strut | 150J s/n all;                                                               |
|     |             |           | Nose Gear Strut | 150K s/n all;                                                               |
|     |             |           | Nose Gear Strut | 150L s/n all;                                                               |
|     |             |           | Nose Gear Strut | 150M s/n all;                                                               |
|     |             |           | Nose Gear Strut | A150K s/n all;                                                              |
|     |             |           | Nose Gear Strut | A150L s/n all;                                                              |
|     |             |           | Nose Gear Strut | A150M s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150F* s/n F150-0001 thru F150-0055;                                        |
|     |             |           | Nose Gear Strut | F150G s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150H s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150J s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150K s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150L s/n all;                                                              |
|     |             |           | Nose Gear Strut | F150M s/n all;                                                              |
|     |             |           | Nose Gear Strut | FA150K s/n all;                                                             |
|     |             |           | Nose Gear Strut | FA150L* s/n FA1500082 thru FA1500120;                                       |
|     |             |           | Nose Gear Strut | FA150L (with FKA150-2311 and FKA150-2316)* s/n FA1500121 thru FA1500261;    |
|     |             |           | Nose Gear Strut | FA150M (with FKA150-2311 and FKA150-2316) s/n all;                          |
|     |             |           | Nose Gear Strut | 152 s/n all;                                                                |
|     |             |           | Nose Gear Strut | A152 s/n all;                                                               |
|     |             |           | Nose Gear Strut | F152 s/n all;                                                               |
|     |             |           | Nose Gear Strut | FA152 s/n all;                                                              |
|     |             |           | Nose Gear Strut | 172H (T-41A) s/n all;                                                       |
|     |             |           | Nose Gear Strut | 172H (T-41A) s/n all (When equipped with Heavy Duty Nose Gear);             |
|     |             |           | Nose Gear Strut | 172I s/n all;                                                               |
|     |             |           | Nose Gear Strut | 172I s/n all (When equipped with Heavy Duty Nose Gear);                     |
|     |             |           | Nose Gear Strut | 172K s/n all;                                                               |
|     |             |           | Nose Gear Strut | 172K s/n all (When equipped with Heavy Duty Nose Gear);                     |
|     |             |           | Nose Gear Strut | 172L s/n all;                                                               |
|     |             |           | Nose Gear Strut | 172L s/n all (When equipped with Heavy Duty Nose Gear);                     |
|     |             |           | Nose Gear Strut | 172M* s/n 17260759 thru 17263458;                                           |

|                                                                                      |                  |                                                                               |                             |
|--------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-----------------------------|
|  |                  | <b>McFarlane Aviation, Inc.</b><br>696 East 1700 Road<br>Baldwin City, Kansas |                             |
|                                                                                      |                  |                                                                               |                             |
| Title: <b>ELIGIBILITY, TORQUE LINK STOP</b>                                          |                  |                                                                               |                             |
| Size: <b>A</b>                                                                       | Scale: <b>NA</b> | Drawn: <b>GWS</b>                                                             | Sheet: <b>4</b> of <b>7</b> |
| Drawing Number: <b>6729</b>                                                          |                  |                                                                               | REVISION<br><br><b>A</b>    |

| Rev | Part Number | Replaces  | Location        | Model and Serial Number Range                                                  |
|-----|-------------|-----------|-----------------|--------------------------------------------------------------------------------|
|     | MC0442506-9 | 0442506-9 | Nose Gear Strut | 172M* s/n 17260759 thru 17263458 (When equipped with Heavy Duty Nose Gear);    |
|     |             |           | Nose Gear Strut | 172M* s/n 17263459 thru 17267584;                                              |
|     |             |           | Nose Gear Strut | 172N s/n all;                                                                  |
|     |             |           | Nose Gear Strut | 172P s/n all;                                                                  |
|     |             |           | Nose Gear Strut | 172Q s/n all;                                                                  |
|     |             |           | Nose Gear Strut | 172R* s/n 17280001 thru 17281221;                                              |
|     |             |           | Nose Gear Strut | 172R* s/n 17281222 thru 17299999;                                              |
|     |             |           | Nose Gear Strut | 172S* s/n 172S8001 thru 172S9657;                                              |
|     |             |           | Nose Gear Strut | 172S* s/n 172S9658 thru 172S99999;                                             |
|     |             |           | Nose Gear Strut | F172H* s/n F172-0320 thru F172-0654;                                           |
|     |             |           | Nose Gear Strut | F172H* s/n F172-0320 thru F172-0654 (When equipped with Heavy Duty Nose Gear); |
|     |             |           | Nose Gear Strut | F172H* s/n F17200655 thru F17200754;                                           |
|     |             |           | Nose Gear Strut | F172H* s/n F17200655 thru F17200754 (When equipped with Heavy Duty Nose Gear); |
|     |             |           | Nose Gear Strut | F172K s/n all;                                                                 |
|     |             |           | Nose Gear Strut | F172K s/n all (When equipped with Heavy Duty Nose Gear);                       |
|     |             |           | Nose Gear Strut | F172L s/n all;                                                                 |
|     |             |           | Nose Gear Strut | F172L s/n all (When equipped with Heavy Duty Nose Gear);                       |
|     |             |           | Nose Gear Strut | F172M* s/n F17200905 thru F17201234;                                           |
|     |             |           | Nose Gear Strut | F172M* s/n F17200905 thru F17201234 (When equipped with Heavy Duty Nose Gear); |
|     |             |           | Nose Gear Strut | F172M* s/n F17201235 thru F17201514;                                           |
|     |             |           | Nose Gear Strut | F172N s/n all;                                                                 |
|     |             |           | Nose Gear Strut | F172P s/n all;                                                                 |
|     |             |           | Nose Gear Strut | FR172E s/n all;                                                                |
|     |             |           | Nose Gear Strut | FR172E s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | FR172F s/n all;                                                                |
|     |             |           | Nose Gear Strut | FR172F s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | FR172G s/n all;                                                                |
|     |             |           | Nose Gear Strut | FR172G s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | FR172H s/n all;                                                                |
|     |             |           | Nose Gear Strut | FR172J s/n all;                                                                |
|     |             |           | Nose Gear Strut | FR172K s/n all;                                                                |
|     |             |           | Nose Gear Strut | R172E (T-41B,C,D) s/n all;                                                     |
|     |             |           | Nose Gear Strut | R172F (T-41D) s/n all;                                                         |
|     |             |           | Nose Gear Strut | R172G (T-41C,D) s/n all;                                                       |
|     |             |           | Nose Gear Strut | R172H (T-41D) s/n all;                                                         |
|     |             |           | Nose Gear Strut | R172K s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182K s/n all;                                                                  |

|                                                                                      |                  |                                                                               |                             |
|--------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-----------------------------|
|  |                  | <b>McFarlane Aviation, Inc.</b><br>696 East 1700 Road<br>Baldwin City, Kansas |                             |
| Title: <b>ELIGIBILITY, TORQUE LINK STOP</b>                                          |                  |                                                                               |                             |
| Size: <b>A</b>                                                                       | Scale: <b>NA</b> | Drawn: <b>GWS</b>                                                             | Sheet: <b>5</b> of <b>7</b> |
| Drawing Number: <b>6729</b>                                                          |                  |                                                                               | REVISION<br><br><b>A</b>    |

| Rev | Part Number | Replaces  | Location        | Model and Serial Number Range                                                 |
|-----|-------------|-----------|-----------------|-------------------------------------------------------------------------------|
|     | MC0442506-9 | 0442506-9 | Nose Gear Strut | 182K s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |           | Nose Gear Strut | 182L s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182L s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |           | Nose Gear Strut | 182M s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182M s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |           | Nose Gear Strut | 182N s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182N s/n all (When Equipped with Heavy Duty Gear);                            |
|     |             |           | Nose Gear Strut | 182P* s/n 18260826 thru 18262465;                                             |
|     |             |           | Nose Gear Strut | 182P* s/n 18262466 thru 18265175;                                             |
|     |             |           | Nose Gear Strut | 182Q s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182R s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182S s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 182T s/n all;                                                                 |
|     |             |           | Nose Gear Strut | F182P s/n all;                                                                |
|     |             |           | Nose Gear Strut | F182Q s/n all;                                                                |
|     |             |           | Nose Gear Strut | T182 s/n all;                                                                 |
|     |             |           | Nose Gear Strut | T182T s/n all;                                                                |
|     |             |           | Nose Gear       | 206H s/n all;                                                                 |
|     |             |           | Nose Gear Strut | P206B s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | P206C s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | P206D s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | P206E s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear       | T206H s/n all;                                                                |
|     |             |           | Nose Gear Strut | TP206B s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TP206C s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TP206D s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TP206E s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TU206B s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TU206C s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TU206D s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TU206E s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | TU206F* s/n U20601701 thru U20602199 (When equipped with heavy landing gear); |
|     |             |           | Nose Gear Strut | TU206F* s/n U20602200 thru U20603521;                                         |
|     |             |           | Nose Gear Strut | TU206G s/n all;                                                               |
|     |             |           | Nose Gear Strut | U206B s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | U206C s/n all (When equipped with heavy landing gear);                        |
|     |             |           | Nose Gear Strut | U206D s/n all (When equipped with heavy landing gear);                        |



McFarlane Aviation, Inc.  
696 East 1700 Road  
Baldwin City, Kansas

Title:

## ELIGIBILITY, TORQUE LINK STOP

Size: A Scale: NA Drawn: GWS Sheet: 6 of 7

Drawing Number:

6729

REVISION

A

| Rev | Part Number | Replaces  | Location        | Model and Serial Number Range                                                |
|-----|-------------|-----------|-----------------|------------------------------------------------------------------------------|
|     | MC0442506-9 | 0442506-9 | Nose Gear Strut | U206E s/n all (When equipped with heavy landing gear);                       |
|     |             |           | Nose Gear Strut | U206F* s/n U20601701 thru U20602199 (When equipped with heavy landing gear); |
|     |             |           | Nose Gear Strut | U206F* s/n U20602200 thru U20603521;                                         |
|     |             |           | Nose Gear Strut | U206G s/n all;                                                               |
|     |             |           | Nose Gear Strut | 207 s/n all;                                                                 |
|     |             |           | Nose Gear Strut | 207A s/n all;                                                                |
|     |             |           | Nose Gear Strut | T207 s/n all;                                                                |
|     |             |           | Nose Gear Strut | T207A s/n all;                                                               |

\* Denotes partial model eligibility

"MC" prefix denotes McFarlane Aviation, Inc. manufacture

Report Generated: 6/17/2015 11:48:11AM

|                                                                                      |                  |                                                                               |                             |
|--------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-----------------------------|
|  |                  | <b>McFarlane Aviation, Inc.</b><br>696 East 1700 Road<br>Baldwin City, Kansas |                             |
| Title: <b>ELIGIBILITY, TORQUE LINK STOP</b>                                          |                  |                                                                               |                             |
| Size: <b>A</b>                                                                       | Scale: <b>NA</b> | Drawn: <b>GWS</b>                                                             | Sheet: <b>7</b> of <b>7</b> |
| Drawing Number: <b>6729</b>                                                          |                  |                                                                               | REVISION<br><br><b>A</b>    |